



#### Required citation:

FAO. 2022. Global Soil Organic Carbon Map - GSOCmap v.1.6. Technical report. Rome. https://doi.org/10.4060/cb9015en

The designations employed and the presentation of material in this information product do not imply the expression of any opinion whatsoever on the part of the Food and Agriculture Organization of the United Nations (FAO) concerning the legal or development status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. The mention of specific companies or products of manufacturers, whether or not these have been patented, does not imply that these have been endorsed or recommended by FAO in preference to others of a similar nature that are not mentioned.

The views expressed in this information product are those of the author(s) and do not necessarily reflect the views or policies of FAO.

ISBN 978-92-5-135899-3 © FAO, 2022



Some rights reserved. This work is made available under the Creative Commons Attribution-NonCommercial-ShareAlike 3.0 IGO licence (CC BY-NC-SA 3.0 IGO; https://creativecommons.org/licenses/by-nc-sa/3.0/igo/legalcode).

Under the terms of this licence, this work may be copied, redistributed and adapted for non-commercial purposes, provided that the work is appropriately cited. In any use of this work, there should be no suggestion that FAO endorses any specific organization, products or services. The use of the FAO logo is not permitted. If the work is adapted, then it must be licensed under the same or equivalent Creative Commons licence. If a translation of this work is created, it must include the following disclaimer along with the required citation: "This translation was not created by the Food and Agriculture Organization of the United Nations (FAO). FAO is not responsible for the content or accuracy of this translation. The original [Language] edition shall be the authoritative edition."

Disputes arising under the licence that cannot be settled amicably will be resolved by mediation and arbitration as described in Article 8 of the licence except as otherwise provided herein. The applicable mediation rules will be the mediation rules of the World Intellectual Property Organization http://www.wipo.int/amc/en/mediation/rules and any arbitration will be conducted in accordance with the Arbitration Rules of the United Nations Commission on International Trade Law (UNCITRAL).

**Third-party materials.** Users wishing to reuse material from this work that is attributed to a third party, such as tables, figures or images, are responsible for determining whether permission is needed for that reuse and for obtaining permission from the copyright holder. The risk of claims resulting from infringement of any third-party-owned component in the work rests solely with the user.

Sales, rights and licensing. FAO information products are available on the FAO website (www.fao.org/publications) and can be purchased through publications-sales@fao.org. Requests for commercial use should be submitted via: www.fao.org/contact-us/licence-request. Queries regarding rights and licensing should be submitted to: copyright@fao.org.

Cover design: ©FAO/Matteo Sala

# **Contents**

Fo	orewo	ord		vi
A	bbre	viation	as and acronyms	vii
C	ontri	butors		ix
1	Bac	kgroui	nd	1
	1.1	The in	mportance of soil organic carbon	1
	1.2	tives of soil organic carbon mapping	1	
1.3 Data policy		policy	1	
		1.3.1	Data sharing principles	1
		1.3.2	Ownership, data rights and citation	3
<b>2</b>	Set	ting-up	o the software environment	4
	2.1	Use of	R, RStudio and R Packages	4
		2.1.1	Obtaining and installing R	4
		2.1.2	Obtaining and installing RStudio	5
		2.1.3	Getting started with R	5
	22	R nacl	kares	5

		2.2.1	Finding R packages	5
		2.2.2	Most used R packages for digital soil mapping $\ \ \ldots \ \ \ldots$	6
		2.2.3	Packages used in this cookbook	8
	2.3	R and	spatial data	8
		2.3.1	Reading shapefiles	9
		2.3.2	Coordinate reference systems in R $\ \ldots \ \ldots \ \ldots$	9
		2.3.3	Working with rasters	10
	2.4	Other	DSM software and tools	11
3	Pro	$\mathbf{duct}  \mathbf{s}_{]}$	pecifications	12
	3.1	Generi	ic target specification	12
	3.2	Metad	ata specifications	12
4	Dat	a colle	ction and processing	13
	4.1	Differe	ent scenarios of country driven action	13
		4.1.1	Delivery of the maps produced by the countries	13
		4.1.2	Joint efforts	13
		4.1.3	GSP gapfilling	13
	4.2	Data p	processing and compilation of the GSOCmap	13
5	Blo	cks		14
	5.1	Equati	ions	14
	5.2	Theore	ems and proofs	14
	5.3	Callou	t blocks	15
6	Blo	cks		16
	6.1	Equati	ions	16
	6.2	Theore	ems and proofs	16
	6.3	Callou	t blocks	17

7 Blocks					
	7.1	Equations	18		
	7.2	Theorems and proofs	18		
	7.3	Callout blocks	19		
R	oforo	nces	20		

# **Figures**

# **Tables**

# **Foreword**

# **Abbreviations and acronyms**

**BD** Bulk Density

CO<sub>2</sub> Carbon dioxide

 ${f CRF}$  Coarse fragments

**DM** Dry matter

**DSM** Digital soil mapping

GAUL Global Administrative Unit Layers

**GHG** Greenhouse gas

GSOCmap Global Soil Organic Carbon Map

GSOCseq Global Soil Organic Carbon Sequestration Potential Map

**GSP** Global Soil Partnership

**HWSD** Harmonized World Soil Database

**ISCN** International Soil Carbon Network

INSII International Network of Soil Information Institutions

IPBES Intergovernmental Platform on Biodiversity and Ecosystem Services

IPCC Intergovernmental Panel on Climate Change

IPR Intellectual Property Rights

ITPS Intergovernmental Technical Panel on Soils

LDN Land Degradation Neutrality

NDVI Normalized difference in vegetation index

 ${f NPP}$  Net Primary Production

P4WG Pillar 4 Working Group

QA/QC Quality Assurance/Quality Check

RMSE Root mean square error

SDF Soil Data Facility

SDG Sustainable Development Goals

SISLAC Latin America and the Caribbean's Soil Information System

SOC Soil organic carbon

**SOM** Soil organic matter

 $\mathbf{SPADE/M}\,$  Soil Profile Analytical Database of Europe of Measured Parameters

SWRS Status of World's Soil Resources

**UNCCD** United Nations Convention to Combat Desertification

**WFS** Web Feature Service

WoSIS World Soil Information Service

### **Contributors**

Prepared by:

#### Global Soil Partnership Secretariat

Guillermo Federico Olmedo Kostiantyn Viatkin Isabel Luotto Moritz Mainka Yusuf Yigini Ronald Vargas Mario Guevara Santamaría

#### Second Intergovernmental Technical Panel on Soils

Luca Montanarella - European Commission, Joint Research Centre (Chair); Saéb AbdelHaleem Khresat - Jordan; Isaurinda Dos Santos Baptista Costa - Cape Verde; Sopon Chomchan - Thailand; Juan Antonio Comerma - Venezuela; Talal Darwish - Lebanon; Gunay Erpul - Turkey; Fernando Garcia Préchac - Uruguay; Siosiua Halavatau - Tonga; Oneyda Hernandez Lara - Cuba; Rainer Horn - Germany; Amanullah Khan - Pakistan; Pavel Krasilnikov - Russia; Bhanooduth Lalljee - Mauritius; Botle Mapeshoane - Lesotho; Neil McKenzie - Australia; Maria de Lourdes Mendonca Santos -Brazil; Ahmad S. Muhaimeed - Iraq; Nsalambi V. Nkongolo - Democratic Republic of the Congo; Brajendra Parmar - India; Daniel John Pennock - Canada; Gary Pierzynski - USA; Peter de Ruiter - The Netherlands; Miguel Taboada - Argentina; Kazuyuki Yagi - Japan; Martin Yemefack - Cameroon; Gan Lin Zhang - China

#### Third Intergovernmental Technical Panel on Soils

Rosa Poch - Spain (Chair); Nsalambi V. Nkongolo - Democratic Republic

of the Congo; Matshwene Edwin Moshia III - South Africa; Lydia Mumbi Chabala - Zambia; Générose Nziguhueba - Burundi; Edmond Hien - Burkina Faso; Ashok K. Patra - India; Jin Ke - China; Chencho Norbu - Bhutan; Jun Murase - Japan; Mohammad Jamal Khan - Pakistan; Costanza Calzolari - Italy; Ellen R. Graber - Israel; Peter de Ruiter - The Netherlands; Alexey Sorokin - Russian Federation; Adalberto Benavides Mendoza - Mexico; Martha Marina Bolanos Benavides - Colombia; Fernando Garcia Préchac - Uruguay; Lucía Helena Cunha dos Anjos - Brazil; Samuel Francke Campana - Chile; Kutaiba M. Hassan - Iraq; Rafla Sahli Epse Attia - Tunisia; Saéb AbdelHaleem Khresat - Jordan; Gary Pierzynski - USA; David Allen Lobb - Canada; Siosiua Halavatau - Tonga; Megan Balks - New Zealand

# **Background**

### 1.1 The importance of soil organic carbon

### 1.2 Objectives of soil organic carbon mapping

This is a citation (Xie, 2015).

### 1.3 Data policy

### 1.3.1 Data sharing principles

The GSP Data Policy has been endorsed by partners of the Global Soil Partnership during the 5th GSP Plenary Assembly in June 2017 (GSP & FAO, 2017) in order to promote and govern soil data sharing for data products including GSOCmap contributions, and considering harmonization and interoperability requirements.

The GSP data policy aims to ensure that:

• every existing ownership right to shared soil data are respected;

- the specific level of access and the conditions for data sharing are clearly specified;
- the ownership of each dataset and web service are properly acknowledged and well-referenced; and
- the data owners are protected from any liability arising from the use of their original and/or derived data.

It is recommended that data owners comply with the following open data principles:

- 1. Accessibility: the data shall be divulged through the Internet (web services).
- 2. Availability: the data is presented in a convenient, platform-independent, and in line with standard formats (e.g. web feature service WFS).
- License: the formal concession of the usage and access rights over the data shared.
- 4. Cost: data shall be shared free of cost, or at no more than a reasonable reproduction cost, preferably by downloading it from the Internet.
- Re-use and Redistribution: data must be provided and licensed under terms that permit its reuse and redistribution, including intermixing with other datasets.
- 6. Global benefit: any user must be able to access, use and redistribute data of the Global Soil Information System. However, inherited restrictions by national data policies shall be accepted.
- 7. Metadata: data describing the products of the Global Soil Information System will by default be open for access.

The data shared by the countries shall contain the relevant soil information representative for the area portrayed. The shared datasets contain the best available information for a given area and topic, however, they are subject to potential restrictions based on the institutions' or countries' data policy.

The data shared by the countries should be quality controlled which means that the data have been technically evaluated to ensure data integrity, correctness, and completeness; errors and omissions are identified and, if possible, addressed.

#### 1.3.2 Ownership, data rights and citation

In the case of original data, the rightful data owner keeps full ownership of it. All intellectual property rights (IPR) and copyrights pertaining to the data owner remain intact and are respected by the soil data facility (SDF) host. All data providers must communicate to the SDI host their IPR and data use policies. Thus, the ownership of all data made available through the GSP soil portal need to be clearly specified. This is an important prerequisite to allow this data to be accessible through the soil SDF.

In the case of derived data, the deriving institution becomes the rightful owner. However, all original data must be accredited and correctly cited. According to the Pillar 4 Implementation Plan, each global-level derived GSP data product will be quality-assured by the Pillar 4 Working Group. This includes agreements about the correct citation.

The data owner shall ensure that the data shared can be used and interpreted by the authorized users in general; this includes providing the proper citations, as well as providing information over the ownership of such data for acknowledgement purposes. Users shall acknowledge the source of data provided through the Global Soil Information System.

All providers of original data (data owners) are responsible to define and clarify the IPR and licensing. Any user of this data, such as the SDF host, has to respect the national data policies and/or licensing involved with the retrieval of the respective web services. In the case of data provided to the central repository, a bilateral agreement/license may be required (between the national data owner and SDF host), depending on and in conformity with national rules.

More information about the data policy can be accessed at GSP & FAO (2017).

# Setting-up the software environment

#### Y. Yiqini

This cookbook focuses on SOC modeling using open source digital mapping tools. The instructions in this chapter will guide user through installing and manually configuring the software to be used for DSM procedures for Microsoft Windows desktop platform. Instructions for the other platforms (e.g. Linux Flavours, MacOS) can be found through free online resources.

### 2.1 Use of R, RStudio and R Packages

**R** is a language and environment for statistical computing. It provides a wide variety of statistical (e.g. linear modeling, statistical tests, time-series, classification, clustering, etc.) and graphical methods, and is highly extensible.

### 2.1.1 Obtaining and installing R

Installation files and instructions can be downloaded from the Comprehensive R Archive Network (CRAN).

- 1. Go to the following link https://cloud.r-project.org/index.html to download and install **R**.
- 2. Pick an installation file for your platform.

#### 2.1.2 Obtaining and installing RStudio

Beginners will find it very hard to start using **R** because it has no Graphical User Interface (GUI). There are some GUIs which offer some of the functionality of **R**. **RStudio** makes **R** easier to use. It includes a code editor, debugging and visualization tools. Similar steps need to be followed to install **RStudio**.

- 1. Go to <a href="https://www.rstudio.com/products/rstudio/download/">https://www.rstudio.com/products/rstudio/download/</a> to download and install RStudio's open source edition.
- 2. On the download page, RStudio Desktop, Open Source License option should be selected.
- 3. Pick an installation file for your platform.

#### 2.1.3 Getting started with R

- R manuals: http://cran.r-project.org/manuals.html
- Contributed documentation: http://cran.r-project.org/other-docs.html
- Quick-R: http://www.statmethods.net/index.html
- • Stackoverflow R community: https://stackoverflow.com/questions/ tagged/r

### 2.2 R packages

When you download  $\mathbf{R}$ , you get the basic  $\mathbf{R}$  system which implements the  $\mathbf{R}$  language.  $\mathbf{R}$  becomes more useful with the large collection of packages that extend the basic functionality of it.  $\mathbf{R}$  packages are developed by the  $\mathbf{R}$  community.

### 2.2.1 Finding R packages

The primary source for **R** packages is CRAN's official website, where currently about 12,000 available packages are listed. For spatial applications, various

packages are available. You can obtain information about the available packages directly on CRAN with the available.packages() function. The function returns a matrix of details corresponding to packages currently available at one or more repositories. An easier way to browse the list of packages is using the *Task Views* link, which groups together packages related to a given topic.

#### 2.2.2 Most used R packages for digital soil mapping

As was previously mentioned,  $\mathbf{R}$  is extensible through packages.  $\mathbf{R}$  packages are collections of  $\mathbf{R}$  functions, data, documentation and compiled code easy to share with others. In the following Subsections, we are going to present the most used packages related to digital soil property mapping.

#### 2.2.2.1 Soil science and pedometrics

aqp: Algorithms for quantitative pedology. A collection of algorithms related to modeling of soil resources, soil classification, soil profile aggregation, and visualization.

**GSIF**: Global Soil Information Facility (GSIF). Tools, functions and sample datasets for digital soil mapping. GSIF tools (standards and functions) and sample datasets for global soil mapping.

**ithir**: A collection of functions and algorithms specific to pedometrics. The package was developed by Brendan Malone at the University of Sydney.

soiltexture: The Soil Texture Wizard is a set of R functions designed to produce texture triangles (also called texture plots, texture diagrams, texture ternary plots), classify and transform soil textures data. These functions virtually allow to plot any soil texture triangle (classification) into any triangle geometry (isosceles, right-angled triangles, etc.). The set of functions is expected to be useful to people using soil textures data from different soil texture classification or different particle size systems. Many (> 15) texture triangles from all around the world are predefined in the package. A simple text-based GUI is provided: soiltexture gui().

#### 2.2.2.2 Spatial analysis

raster: Reading, writing, manipulating, analyzing and modeling of gridded spatial data. The package implements basic and high-level functions, processing of very large files is supported.

**rgdal**: Provides bindings to Frank Warmerdam's Geospatial Data Abstraction Library (GDAL).

**RSAGA**: The package provides access to geocomputing and terrain analysis functions of SAGA GIS from within **R** by running the command line version of System for Automated Geoscientific Analyses (SAGA).

sf: The package provides an improvement on sp and rgdal for spatial datasets. It is using the newly Simple Feratures (SF) standard which is widely implemented in spatial databases (PostGIS, ESRI ArcGIS), and forms the vector data basis for libraries such as GDAL and web standards such as GeoJSON (http://geojson.org/).

**sp**: The package provides classes and methods for spatial data. The classes document where the spatial location information resides, for 2D or 3D data.

#### 2.2.2.3 Modelling

**automap**: This package performs an automatic interpolation by automatically estimating the variogram and then calling **gstat**.

**caret**: Extensive range of functions for training and plotting classification and regression models.

Cubist: Regression modeling using rules with added instance-based corrections. Cubist models were developed by Ross Quinlan.

C5.0: C5.0 decision trees and rule-based models for pattern recognition. Another model structure developed by Ross Quinlan.

gam: Functions for fitting and working with generalized additive models.

gstat: Variogram modeling with simple, ordinary and universal point or block (co)kriging, sequential Gaussian or indicator (co)simulation. The package includes variogram and variogram map plotting utility functions.

**nnet**: Software for feed-forward neural networks with a single hidden layer, and for multinomial log-linear models.

#### 2.2.2.4 Mapping and plotting

Both **raster** and **sp** have handy functions for plotting spatial data. The following packages can be used as functional extentions.

ggplot2: Besides using the base plotting functionality, this is another useful plotting package.

**leaflet**: Create and customize interactive maps using the Leaflet JavaScript library and the **htmlwidgets** package. These maps can be used directly from the **R** console, from **RStudio**, in **Shiny** apps and **RMarkdown** documents.

**plotKML**: Writes sp-class, spacetime-class, raster-class and similar spatial and spatiotemporal objects to KML following some basic cartographic rules.

#### 2.2.3 Packages used in this cookbook

The authors of this cookbook used a number of different **R** packages. All required packages used in the cookbook can be installed using the following code and the install.packages() function when starting a new SOC mapping project. Alternatively, the code for the installation of the needed packages is included at the beginning of each Chapter.

### 2.3 R and spatial data

**R** has a large and growing number of spatial data packages. We recommend taking a quick browse on **R**'s official website to see the spatial packages available: http://cran.r-project.org/web/views/Spatial.html.

#### 2.3.1 Reading shapefiles

The Environmental Systems Research Institute (ESRI) provides a shapefile format SHP which is widely used for storing vector-based spatial data (i.e., points, lines, polygons). This example demonstrates use of **raster** package that provides functions for reading and/or writing shapefiles.

```
library(raster)
# Load the soil map from a shapefile *.shp file
soilmap <- shapefile("MK_soilmap_simple.shp")</pre>
```

We may want to use these data in other GIS environments such as ArcGIS, QGIS, SAGA GIS, etc. This means we need to export the SpatialPointsDataFrame to an appropriate spatial data format such as a shapefile \*.shp.

### 2.3.2 Coordinate reference systems in R

We need to define the Coordinate Reference System (CRS) to be able to perform any sort of spatial analysis in **R**. To clearly tell **R** this information we define the CRS which describes a reference system in a way understood by the PROJ.4 projection library. Find more information at this link: http://trac.osgeo.org/proj/.

An interface to the PROJ.4 library is available in the **rgdal** package. An alternative to using PROJ.4 character strings, we can use the corresponding yet simpler EPSG (European Petroleum Survey Group) code. **rgdal** also recognizes these codes. If you are unsure of the PROJ.4 or EPSG code for the spatial data that you have but know the CRS, you should consult <a href="http://spatialreference.org/">http://spatialreference.org/</a> for assistance.

```
# Print the CRS for the object soilmap
soilmap@proj4string
```

The following example shows how a spatial object from a (comma-separated values) CSV file (\*.csv) can be created. We can use the coordinates() function from the sp package to define which columns in the data frame refer to actual spatial coordinates. Here, the coordinates are listed in columns X and Y.

```
# Load the table with the soil observations site information
dat_sites <- read.csv(file = "data/site-level.csv")

# Convert from table to spatial points object
coordinates(dat_sites) <- ~ X + Y

# Check the coordinate system
dat_sites@proj4string

# As the CRS is not defined, we can assign the correct CRS as we
# have information about it. In this case, it should be EPSG:4326
dat_sites@proj4string <- CRS("+init=epsg:4326")

# Check the CRS again
dat_sites@proj4string</pre>
```

### 2.3.3 Working with rasters

Most of the functions for handling raster data are available in the **raster** package. There are functions for reading and writing raster files from and to different formats. In DSM, we mostly work with data in table format and then rasterize this data so that we can produce a continuous map. For doing this in **R** environment, we will load raster data in a data frame. This data is a digital elevation model (DEM) provided by the International Soil Reference and Information Centre (ISRIC) for FYROM.

```
# For handling raster data, we load raster package library(raster)
```

```
# Load DEM from the raster *.tif files
DEM <- raster("covs/DEMENV5.tif")</pre>
```

We may want to export this raster to a suitable format to work in a standard GIS environment. See the help file for writing a raster ?writeRaster to get information regarding the supported grid types that data can be exported into. Here, we will export our raster to ESRI ASCII (American Standard Code for Information Interchange), as it is a common and universal raster format.

We may also want to export our DEM to KML (Keyhole Markup Language) file (\*.kml) using the KML() function. KML() is a handy function from the raster package for exporting grids to KML format. Note that we need to re-project the data to the World Geodetic System (WGS) WGS84 geographic. The raster re-projection is performed using the projectRaster() function. Look at the help file ?projectRaster for more information.

#### 2.4 Other DSM software and tools

- GRASS GIS: Available at <a href="https://grass.osgeo.org/">https://grass.osgeo.org/</a> (free and open source).
- **SAGA GIS**: Available at https://sourceforge.net/projects/saga-gis/files/ (free and open source).
- QGIS: Available at http://www.qgis.org/en/site/forusers/download.html (free and open source).

# **Product specifications**

- 3.1 Generic target specification
- 3.2 Metadata specifications

# Data collection and processing

- 4.1 Different scenarios of country driven action
- 4.1.1 Delivery of the maps produced by the countries
- 4.1.1.1 Data submission form
- 4.1.2 Joint efforts
- 4.1.3 **GSP** gapfilling
- 4.1.3.1 Spatial modeling using publicly available data
- 4.1.3.2 Using publicly available SOC stock maps
- 4.2 Data processing and compilation of the GSOCmap

# **Blocks**

### 5.1 Equations

Here is an equation.

$$f(k) = \binom{n}{k} p^k (1-p)^{n-k}$$
 (5.1)

You may refer to using \@ref(eq:binom), like see Equation (7.1).

### 5.2 Theorems and proofs

Labeled theorems can be referenced in text using \@ref(thm:tri), for example, check out this smart theorem 7.1.

15 5.3. Callout blocks

**Theorem 5.1.** For a right triangle, if c denotes the length of the hypotenuse and a and b denote the lengths of the **other** two sides, we have

$$a^2 + b^2 = c^2$$

 $Read\ more\ here\ https://bookdown.org/yihui/bookdown/markdown-extensions-by-bookdown.html.$ 

#### 5.3 Callout blocks

The R Markdown Cookbook provides more help on how to use custom blocks to design your own callouts:  $\frac{https:}{bookdown.org/yihui/rmarkdown-cookbook/custom-blocks.html}$ 

# **Blocks**

### 6.1 Equations

Here is an equation.

$$f(k) = \binom{n}{k} p^k (1-p)^{n-k}$$
 (6.1)

You may refer to using \@ref(eq:binom), like see Equation (7.1).

### 6.2 Theorems and proofs

Labeled theorems can be referenced in text using \@ref(thm:tri), for example, check out this smart theorem 7.1.

17 6.3. Callout blocks

**Theorem 6.1.** For a right triangle, if c denotes the length of the hypotenuse and a and b denote the lengths of the **other** two sides, we have

$$a^2 + b^2 = c^2$$

 $Read\ more\ here\ https://bookdown.org/yihui/bookdown/markdown-extensions-by-bookdown.html.$ 

### 6.3 Callout blocks

The R Markdown Cookbook provides more help on how to use custom blocks to design your own callouts:  $\frac{https:}{bookdown.org/yihui/rmarkdown-cookbook/custom-blocks.html}$ 

## **Blocks**

### 7.1 Equations

Here is an equation.

$$f(k) = \binom{n}{k} p^k (1-p)^{n-k}$$
 (7.1)

You may refer to using \@ref(eq:binom), like see Equation (7.1).

### 7.2 Theorems and proofs

Labeled theorems can be referenced in text using \@ref(thm:tri), for example, check out this smart theorem 7.1.

19 7.3. Callout blocks

**Theorem 7.1.** For a right triangle, if c denotes the length of the hypotenuse and a and b denote the lengths of the **other** two sides, we have

$$a^2 + b^2 = c^2$$

 $Read\ more\ here\ https://bookdown.org/yihui/bookdown/markdown-extensions-by-bookdown.html.$ 

#### 7.3 Callout blocks

The R Markdown Cookbook provides more help on how to use custom blocks to design your own callouts:  $\frac{https:}{bookdown.org/yihui/rmarkdown-cookbook/custom-blocks.html}$ 

# References

**Xie, Y.** 2015. *Dynamic documents with R and knitr*. 2nd edition. Boca Raton, Florida, Chapman; Hall/CRC. (also available at <a href="http://yihui.org/knitr/">http://yihui.org/knitr/</a>).

#### Thanks to the financial support of







Swiss Confederation





