


WOMEN WHO

SSID: VentureSpace

Password: icecream12345





WOMEN WHO
CODE
MANILA



Machine Learning & AI Study Group

Twitter: @wwcodemania
FB: fb.com/wwcodemania

#WWCodeManila
#YourProgrammingLanguage
#StudyGroup



Issa Tingzon

Research Fellow

Philippine-California Advanced Research Institutes

OUR MISSION

Inspiring women to excel in technology careers.



OUR VISION

A world where women are representative as technical executives, founders, VCs, board members and software engineers.



STUDY GROUP

Study groups are events where women can come together and help each other learn and understand a specific programming language, technology, or anything related to coding or engineering.

GUIDELINES

- If you have a question, just **ask**
- If you have an idea, **share it**
- **Make friends** and learn from your study groupmates
- **Do not** promote your recruit or promote your business

WOMEN WHO

New Member's Introduction

CODE®



I am <name>

<your current profession>

<why did you join this study group?>

WOMEN WHO

SHOW & TELL

(Handwritten Digit Recognition)

CODE[®]

STUDY GROUPS

Study Group 1: Machine Learning Basics

Study Group 2: K-Nearest Neighbors



AGENDA

1. **Lightning Talk** by Marylette Roa
2. **Quick Review:** Machine Learning Basics
3. **New Topic:** K-Nearest Neighbor (KNN)
4. Exercise
5. Presentations



WOMEN WHO

Lightning Talk

by Marylette Roa

CODE



WOMEN WHO

CODE

REVIEW



Intro to Machine Learning

1. Types of ML Algorithms:

- Supervised – KNOW about the data
(Prediction, Classification)
- Unsupervised – DON'T KNOW about the data
(Clustering, Association)



Intro to Machine Learning

2. Supervised Learning - Two main blocks:

- Training - take input \mathbf{X} (*features*) and corresponding labels \mathbf{y} (*classes*), outputs learned model \mathbf{h}
- Prediction - take NEW DATA as input, use \mathbf{h} to output corresponding predictions





Intro to Machine Learning

4. Machine Learning Programming using Libraries:

1. *Import the learning algorithm* (`from sklearn...`)
2. *Instantiate the model* (`clf = SomeClassifier()`)
3. *Learn the model* (`clf.fit(...)`)
4. *Predict response* (`clf.predict`)
5. *Evaluate model* (`clf.score()`)



Intro to Machine Learning

6. Our first machine learning project(s):

- Iris Plant Classification
- Handwritten Digit Recognition
- Bonus: Kaggle Submission

SUPERVISED LEARNING

K-NEAREST NEIGHBOR


K-Nearest Neighbor (KNN)

KNN Task:

- Calculate the distance between points
- Find the nearest neighbour based on these pairwise distances
- Majority vote on a class label based on the nearest neighbor list




0. Look at the data



Say you want to classify the grey point into a class. Here, there are three potential classes - lime green, green and orange.

1. Calculate distances



Start by calculating the distances between the grey point and all other points.

2. Find neighbours


	Point	Distance	
	...	2.1	→ 1st NN
	...	2.4	→ 2nd NN
	...	3.1	→ 3rd NN
	...	4.5	→ 4th NN

Next, find the nearest neighbours by ranking points by increasing distance. The nearest neighbours (NNs) of the grey point are the ones closest in dataspace.

3. Vote on labels

Class	# of votes	
	2	→ Class wins the vote! Point is therefore predicted to be of class .
	1	
	1	

Vote on the predicted class labels based on the classes of the k nearest neighbours. Here, the labels were predicted based on the $k=3$ nearest neighbours.



K should preferably be odd to avoid ties.

K-Nearest Neighbor (KNN)

Distance functions:

- Euclidean Distance

$$d(x, x') = \sqrt{(x_1 - x'_1)^2 + (x_2 - x'_2)^2 + \dots + (x_n - x'_n)^2}$$

- Manhattan
- Chebyshev
- Hamming distance



K-Nearest Neighbor (KNN)

Train

- Do nothing. It's a lazy algorithm

Predict

- Compute the Euclidean distance between the “new observation” and all training data points
- Select the K nearest observations and perform a majority vote
- Assign the corresponding label to the observation

KNN Cheat Sheet

Importing the library:

```
from sklearn.neighbors import KNeighborsClassifier
```

Instantiating a model:

```
knn = KNeighborsClassifier(n_neighbors=3)
```

Fitting model to training set:

```
knn.fit(X_train, y_train)
```


Predicting test set:

```
y_pred = knn.predict(X_test)
```

K-Nearest Neighbor (KNN)

Choosing K:

- *Small K* – low bias, high variance
- *High K* – high bias, low variance
- *Optimum K*: **Cross validation**



HYPERPARAMETER TUNING

CROSS VALIDATION



Choosing the right K


Suppose we carry out repeated measurements of the test error for different values of K .

Inadvertently, what we are doing is using the test set as a training set!

Essentially, we can't use the test set for hyperparameter tuning.



k-fold Cross Validation



The average over the k rounds (experiments) is called the cross validation score.

Cross Validation Cheat Sheet

Importing the library:

```
from sklearn.model_selection import cross_val_score
```

Cross Validation:

```
scores = cross_val_score(knn, X_train, y_train, cv=10,  
scoring='accuracy')
```

(Note: `cross_val_score` returns a list of k scores)

Getting the average score: `avg_score = scores.mean()`

Hyperparameter Tuning

1. Perform cross validation for different values of K (e.g. $K = 1, 3, 5, 7, \dots, 25$)
2. Choose the K that returns the lowest misclassification error (or highest classification accuracy).



Partner/Group/Individual Exercise:

KNN FOR IRIS PLANT CLASSIFICATION

Tip: You can use `samples/iris_script.py` as a guideline



Assignment

Implement KNN from Scratch

References:

WWCodeLondon Slides

<https://kevinzakka.github.io/2016/07/13/k-nearest-neighbor/>

T.I.L.

SHARE IT!
In front!

On Twitter: @wwcodemanila
Or FB: fb.com/wwcodemanila

Don't forget to tag WWCodeManila so we can retweet or share it.

<https://goo.gl/YzSqcS>

Feedback Form

Please don't rate the event on meetup.

Not helpful. It is best to just tell your concerns via the feedback form. We are a building a community not a Yelp restaurant.

WOMEN WHO

THANK YOU :)

CODE®