

Import HMIS data

Instance Setup · ~15 min + server time

BEFORE YOU START

- ☐ Facilities imported (the Facilities card shows your counts)
- ☐ Indicators imported and mapped (every DHIS2 indicator has a common-indicator link)
- ☐ You've decided which **time period** to pull (e.g., last 36 months — discuss with your team)


What you'll do

Pull the actual data values from DHIS2 for your chosen indicators and time period. This is the largest data operation in the setup — depending on country size, it can take 5–30 minutes to run. The import runs **on the server**, so once it's launched you can close the tab and come back.

1 Open the Imports page

Click **Data** in the top bar, then the **Data** card in the **HMIS** section. Click **Imports**.


The page has four tabs — **Current**, **Future**, **History**, **By indicator** — plus the buttons **New DHIS2 import**, **Upload CSV file**, and **Manage connection**.



2 Start the wizard — Credentials

Click **New DHIS2 import**. The wizard has five steps: **Credentials**, **Indicators**, **Time**, **Config**, **Review & launch**.


On **Credentials**, the stored DHIS2 connection appears. Click **Next**.



No stored connection yet? Set one up once with **Manage connection** on the Imports page — it is saved for the whole instance, encrypted, so nobody re-types credentials for every import.


3 Indicators

Tick every indicator you want data for — the top checkbox selects all. Click **Next**.



4 Time


Choose **Now**, then **Next**.



Worth knowing for later: Recurring schedules this import to repeat by itself — for example every month. Once your setup is stable, that's one routine task gone.


5 Config — the period range

Set the **period range** with the two sliders. Be deliberate: 3 years of monthly data ≈ 36 periods $\times$ N facilities, which scales fast. Click **Next**.




6 Review & launch

Check the summary — connection, indicator count, window, and the number of (indicator, month) pairs to fetch. Click **Start import**.



7 Let the server work

The import runs on the server. The **Current** tab shows progress; you can close the tab, work elsewhere, or log off — the import keeps running. The **History** tab tells you when it is done.



Checkpoint

The HMIS Data page now shows your indicators as a chart, with values flowing through time. The **By indicator** tab lists every indicator with its months of data and when it was last imported.

What could go wrong

- **Some (indicator, month) pairs failed** — the import keeps everything that succeeded; nothing is rolled back. Open the **By indicator** tab to see failed months per indicator and retry just those pairs. A few failures usually mean no data exists in DHIS2 for that combination; many failures point to the indicator mapping (see *Import indicators*).

Demonstration site → FASTR

Projects Data Results Assets Users EN Help

Imports New DHIS2 import Upload CSV file Manage connection

Current Future History **By indicator**

INDICATOR ID	LABEL	MONTHS WITH DATA	LAST IMPORTED	FAILED MONTHS
BHvqjZxvJS	BHvqjZxvJS	42 / 42	Before import tracking began	0
DgJmgpmf2	DgJmgpmf2	42 / 42	Before import tracking began	0
L6t0t0t0t0	L6t0t0t0t0	42 / 42	Before import tracking began	0
mz23m23m23	mz23m23m23	42 / 42	Before import tracking began	0
OMMAAJHCHNE	OMMAAJHCHNE	42 / 42	Before import tracking began	0
uV2D2u2D	uV2D2u2D	42 / 42	Before import tracking began	0
WMA2Dgpmf2	WMA2Dgpmf2	42 / 42	Before import tracking began	0
Y7gpmf2	Y7gpmf2	42 / 42	Before import tracking began	0
zhu2Dgpmf2	zhu2Dgpmf2	42 / 42	Before import tracking began	0

- **Network drops mid-import** — nothing to protect on your side: the fetch runs on the server, not in your browser. Check the History tab later.
- **The window was too narrow** — re-run the wizard with a wider period range. Re-imported months are simply refreshed with the current DHIS2 values.

What's next

Final step: **Verify and explore** — confirm everything looks right and learn how to navigate your data. Then an administrator **generates a results package** so projects can use the new data.