
Import and map indicators

Activity · Instance Setup · ~30 min

Before you start

- ☐ You've completed **Connect to the platform** and **Import facility structure**
- ☐ Your **FASTR Data Prep Checklist** is open at the *Indicator mapping template* sheet. You'll use column **C — INDICATOR OF INTEREST** (e.g., ANC1, ANC4) and column **G — OFFICIAL INDICATOR NAME IN DHIS2**

What you'll do


Set up indicators in three rounds:

1. **Create common indicators** — generic names FASTR uses internally (e.g., `anc1` , `anc4`)
2. **Import DHIS2 indicators** — the country-specific names from your DHIS2 (e.g., "Antenatal client 1st visit")
3. **Map** each DHIS2 indicator to its matching common indicator


Without mapping, FASTR can pull data but won't know how to compare across countries or analyses.

Phase 1 – Create common indicators

1. In the **Data** section (left panel), click **Indicators**.




2. Check the **default indicators list** — if your indicators are already there, skip ahead to Phase 2. You can rename a default via the pencil icon if needed.
3. To add a new one, click **Create common indicator** (top-left).
4. In the form, fill:
 - **Common ID** — the variable name. **No accents, no spaces**. Underscores allowed (e.g., `mam_nouveau`).
 - **Label** — the display name (accents and spaces allowed; use column **C – INDICATOR OF INTEREST** of your *Indicator mapping template*).



5. Repeat for every indicator in your *Indicator mapping template*.

Phase 2 — Import DHIS2 indicator names

1. Click **Import DHIS2 indicator**.




If you haven't saved DHIS2 credentials yet this session, the connection form appears now — same fields as in *Import facility structure*. Tick **Save credentials for this session**.

2. In the search field, type a term from column **G — OFFICIAL INDICATOR NAME IN DHIS2** of your *Indicator mapping template* (e.g., `antenatal` for antenatal care).

3. Click **Search**. Results appear in the list.

4. Click the **Add** icon next to each indicator you want. The right column ("Selected") fills up.




5. Repeat for every indicator (search a different term as needed). When done, click **Save Selected (N)** in the top-right.

Tip: Search broad terms (e.g., `vaccine`, `delivery`) to see all related DHIS2 indicators at once — easier than searching one by one.

Phase 3 — Map DHIS2 indicators to common indicators

For each imported DHIS2 indicator, link it to its common counterpart:


1. Click the **pencil (edit)** icon next to the DHIS2 indicator.
2. In the panel that opens, click the **+ icon** under *Associated common indicators*.



3. Select the matching common indicator from the dropdown.
4. Click **Save**.
5. Repeat for every DHIS2 indicator.

Checkpoint

When you go back to the indicators page, you should see every DHIS2 indicator with its mapped common indicator listed alongside.



What could go wrong

- **"Common ID rejected"** — the ID contains a space, accent, or special character. Stick to lowercase letters + underscores.
- **DHIS2 search returns nothing** — try a different term, or check that your DHIS2 user has access to the indicator metadata.
- **No matching common indicator in the dropdown** — go back to Phase 1 and create it first.
- **Same DHIS2 indicator mapped to two common indicators** — usually wrong. Each DHIS2

Indicator should map to exactly one common indicator.

