

Import HMIS data

Instance Setup · ~15 min + server time

BEFORE YOU START

- ☐ Facilities imported (the Facilities card shows your counts)
- ☐ Indicators imported and mapped (every DHIS2 indicator has a common-indicator link)
- ☐ You've decided which **time period** to pull (e.g., last 36 months — discuss with your team)


What you'll do

Pull the actual data values from DHIS2 for your chosen indicators and time period. This is the largest data operation in the setup — depending on country size, it can take 5–30 minutes to run. The import runs **on the server**, so once it's launched you can close the tab and come back.

1 Open the Imports page

Click **Data** in the top bar, then the **Data** card in the **HMIS** section. Click **Imports**.


The page has four tabs — **Current**, **Future**, **History**, **By indicator** — plus the buttons **New DHIS2 import**, **Upload CSV file**, and **Manage connection**.



2 Start the wizard — Credentials

Click **New DHIS2 import**. The wizard has five steps: **Credentials**, **Indicators**, **Time**, **Config**, **Review & launch**.


On **Credentials**, the stored DHIS2 connection appears. Click **Next**.



No stored connection yet? Set one up once with **Manage connection** on the Imports page — it is saved for the whole instance, encrypted, so nobody re-types credentials for every import.


3 Indicators

Tick every indicator you want data for — the top checkbox selects all. Click **Next**.



4 Time


Choose **Now**, then **Next**.



Worth knowing for later: Recurring schedules this import to repeat by itself — for example every month. Once your setup is stable, that's one routine task gone.


5 Config — the period range

Set the **period range** with the two sliders. Be deliberate: 3 years of monthly data ≈ 36 periods $\times$ N facilities, which scales fast. Click **Next**.




6 Review & launch

Check the summary — connection, indicator count, window, and the number of (indicator, month) pairs to fetch. Click **Start import**.



7 Let the server work

The import runs on the server. The **Current** tab shows progress; you can close the tab, work elsewhere, or log off — the import keeps running. The **History** tab tells you when it is done.



Checkpoint

The HMIS Data page now shows your indicators as a chart, with values flowing through time. The **By indicator** tab lists every indicator with its months of data and when it was last imported.

What could go wrong

- **Some (indicator, month) pairs failed** — the import keeps everything that succeeded; nothing is rolled back. Open the **By indicator** tab to see failed months per indicator and retry just those pairs. A few failures usually mean no data exists in DHIS2 for that combination; many failures point to the indicator mapping (see *Import indicators*).

Demonstration site → FASTR

Projects Data Results Assets Users

EN Help

Imports

New DHIS2 import Upload CSV file Manage connection

Current Future History By indicator

INDICATOR ID	LABEL	MONTHS WITH DATA	LAST IMPORTED	FAILED MONTHS
BHvqjZxvJS	BHvqjZxvJS	42 / 42	Before import tracking began	0
DgJnggpmf2	DgJnggpmf2	42 / 42	Before import tracking began	0
L6t0t0v0v4	L6t0t0v0v4	42 / 42	Before import tracking began	0
mz23m2Qv0w	mz23m2Qv0w	42 / 42	Before import tracking began	0
OM68AJHCN6	OM68AJHCN6	42 / 42	Before import tracking began	0
uV2D2v0v0	uV2D2v0v0	42 / 42	Before import tracking began	0
WML10fpmf0	WML10fpmf0	42 / 42	Before import tracking began	0
Y7v0v0v0v4	Y7v0v0v0v4	42 / 42	Before import tracking began	0
zVx02v0v0T	zVx02v0v0T	42 / 42	Before import tracking began	0

- **Network drops mid-import** — nothing to protect on your side: the fetch runs on the server, not in your browser. Check the History tab later.
- **The window was too narrow** — re-run the wizard with a wider period range. Re-imported months are simply refreshed with the current DHIS2 values.

What's next

Final step: **Verify and explore** — confirm everything looks right and learn how to navigate your data. Then an administrator **generates a results package** so projects can use the new data.