

2.VENDOR PORTAL

PACKAGE:

ZMM_VENDOR_901990

TRANSPORT REQUEST:

L25K906408

DATABASE TABE:

ZVENDOR_LOGIN20

ZVENDOR_SESS20

STRUCTURES:

ZVEN_LOGIN_S

ZVEN_PROFILE_S

ZVEN_RFQ_S

ZVEN_PO_S

ZVEN_GR_S

ZVEN_INVOICE_S

ZVEN_INVOICEH_S

ZVEN_INVOICEI_S

ZVEN_MEMO_S

ZVEN_ADOBEFORM_S

TABLETYPE:ZTT_INVOICEI_T

FORMS:ZF_VENDOR_INVOICE_20

INTERFACE:ZIF_VENDOR_INVOICE_20

SERVICES(TCODE:SEGW):

ZVENDOR_PORTAL_SRV20

zcl_zvendor_portal__32_mpc

technical service name:

ZVENDOR_PORTAL_SRV20_srv

TEST LINKS:

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORLOGINSet(POST)

{"VendorId": "0000100000","Password": "1234"}(THIS SHOULD BE IN BODY)

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORPROFILESet('0000100000')

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORGRSet?\$filter=VendorId eq '0000100000'&\$format=json

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORPOSet?\$filter=VendorId eq '0000100000'&\$format=json

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORINVOICESet?\$filter=VendorId eq

'0000100000'&\$format=json

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORMEMOSet?\$filter=VendorId eq '0000100000'&\$format=json

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORRFQSet?\$filter=VendorId eq '0000100000'&\$format=json

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORAGINGSet?\$filter

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORINVOICEPDFSet('5105600751')

/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORINVOICEHSet?\$filter=Lifnr eq '0000100000'(mind the straight quote atlast)

BROWSER TEST LINKS:

[http://AZKTLDS5CP.kcloud.com:8000/sap/opu/odata/SAP/ZVENDOR_PORTAL_SRV20_SRV/\\$metadata](http://AZKTLDS5CP.kcloud.com:8000/sap/opu/odata/SAP/ZVENDOR_PORTAL_SRV20_SRV/$metadata)

[https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORPROFILESet\('0000100000'\)](https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORPROFILESet('0000100000'))

[https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORGRSet?\\$filter=VendorId eq '0000100000'&\\$format=json](https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORGRSet?$filter=VendorId eq '0000100000'&$format=json)

[https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORPOSet?\\$filter=VendorId eq '0000100000'&\\$format=json](https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORPOSet?$filter=VendorId eq '0000100000'&$format=json)

[https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORINVOICESet?\\$filter=VendorId eq '0000100000'&\\$format=json](https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORINVOICESet?$filter=VendorId eq '0000100000'&$format=json)
[https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORMEMOSet?\\$filter=VendorId eq '0000100000'&\\$format=json](https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORMEMOSet?$filter=VendorId eq '0000100000'&$format=json)
[https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORRFQSet?\\$filter=VendorId eq '0000100000'&\\$format=json](https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORRFQSet?$filter=VendorId eq '0000100000'&$format=json)
[https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORAGINGSet?\\$filter=VendorId eq '0000100000'&\\$format=json](https://azktlds5cp.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORAGINGSet?$filter=VendorId eq '0000100000'&$format=json)
[https://AZKTLDS5CP.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORINVOICEPDFSet\('5105600751'\)&\\$format=json](https://AZKTLDS5CP.kcloud.com:44300/sap/opu/odata/sap/ZVENDOR_PORTAL_SRV20_SRV/VENDORINVOICEPDFSet('5105600751')&$format=json)

LOCAL HOST TEST LINKS:

<http://localhost:3000/api/vendor/profile/0000100000>
<http://localhost:3000/api/vendor/rfq/0000100000>
<http://localhost:3000/api/vendor/memo/0000100000>
<http://localhost:3000/api/vendor/invoice/0000100000>
<http://localhost:3000/api/vendor/gr/1000>
<http://localhost:3000/api/vendor/po/1000>
<http://localhost:3000/api/vendor/invoice-pdf/5105600751>
<http://localhost:3000/api/vendor/login/100000/1234>
<http://localhost:3000/api/vendor/aging/100000>

CHATGPT LINKS:

<https://chatgpt.com/share/69ea1d8f-95a0-8321-9701-7512b252a231>(VP MIDDLEWARE)

sap.middleware.js:

```
const axios = require("axios");
const https = require("https");
const config = require("../config/sap.config");

// 🔥 HTTPS agent for SAP (self-signed cert fix)
const agent = new https.Agent({
  rejectUnauthorized: false,
  keepAlive: true
});

// ===== GET =====
const callSAPGet = async (endpoint) => {
  try {
    const url = `${config.baseURL}/${endpoint}`;

    console.log("📡 GET:", url);

    const response = await axios.get(url, {
      auth: config.auth,
      headers: {
        "Accept": "application/json"
      },
      params: {
        "$format": "json"
      },
      httpsAgent: agent,
      timeout: 60000
    });

    return response.data;
  } catch (error) {
    console.error("Error in callSAPGet:", error);
  }
};
```

```

    } catch (error) {
      console.error("❌ GET ERROR:", error.response?.data || error.message);
      throw error;
    }
  };

// ===== PDF =====
const callSAPPDF = async (endpoint) => {
  try {
    const url = `${config.baseURL}/${endpoint}`;

    console.log("📄 PDF GET:", url);

    const response = await axios.get(url, {
      auth: config.auth,
      headers: {
        "Accept": "application/json"
      },
      params: {
        "$format": "json"
      },
      httpsAgent: agent,
      timeout: 60000
    });

    return response.data;

  } catch (error) {
    console.error("🔥 PDF ERROR:", error.response?.data || error.message);
    throw error;
  }
};

// ===== CSRF =====
const getCSRFToken = async () => {
  const response = await axios.get(config.baseURL, {
    auth: config.auth,
    headers: {
      "x-csrf-token": "Fetch"
    },
    httpsAgent: agent
  });

  return {
    token: response.headers["x-csrf-token"],
    cookies: response.headers["set-cookie"]
  };
};

// ===== POST (LOGIN) =====
const callSAPPost = async (endpoint, body) => {
  try {
    const baseUrl = config.baseURL;

```

```

// 🔥 BASIC AUTH
const basicAuth = Buffer.from(
  `${config.auth.username}:${config.auth.password}`
).toString("base64");

// 🛡️ STEP 1: GET CSRF TOKEN
const tokenRes = await axios.get(baseUrl, {
  headers: {
    "Authorization": `Basic ${basicAuth}`,
    "x-csrf-token": "Fetch"
  },
  httpsAgent: agent
});

const csrfToken = tokenRes.headers["x-csrf-token"];
const cookies = tokenRes.headers["set-cookie"];

// 🔥 STEP 2: CORRECT PAYLOAD (VERY IMPORTANT)
const payload = {
  d: {
    VendorId: body.vendorId, // ✅ MUST BE EXACT
    Password: body.password
  }
};

// 🔥 STEP 3: POST
const response = await axios.post(
  `${baseUrl}/${endpoint}`,
  payload,
  {
    headers: {
      "Authorization": `Basic ${basicAuth}`,
      "x-csrf-token": csrfToken,
      "Cookie": cookies.join(";"),
      "Content-Type": "application/json",
      "Accept": "application/json"
    },
    httpsAgent: agent
  }
);

return response.data;

} catch (error) {
  console.error("❌ LOGIN ERROR FULL:");
  console.error("STATUS:", error.response?.status);
  console.error("DATA:", error.response?.data);
  throw error;
}
};

module.exports = {
  callSAPGet,
  callSAPPost,

```

```
    callSAPPDF
  };

```

vendor.routes.js

```
const express = require("express");
const router = express.Router();

const {
  callSAPGet,
  callSAPPost,
  callSAPPDF
} = require("../middleware/sap.middleware");

// ===== UTILITY =====

// 🔥 IMPORTANT: do NOT over-format blindly
// Allow exact SAP ID OR fallback padding
const formatVendorId = (id) => {
  const str = String(id);

  // If already looks like SAP (10 digits) → use as is
  if (/^\d{10}$/.test(str)) return str;

  // fallback (basic padding)
  return str.padStart(10, "0");
};

// ===== GENERIC FETCH =====
const fetchFromSAP = async (endpoint, res) => {
  try {
    console.log("📡 FINAL ENDPOINT:", endpoint);

    const data = await callSAPGet(endpoint);

    let results = [];

    if (data?.d?.results) {
      results = data.d.results;
    } else if (data?.d) {
      results = [data.d];
    } else if (data?.value) {
      results = data.value;
    } else {
      results = data || [];
    }

    res.json({
      success: true,
      data: results
    });
  } catch (error) {
    console.error("❌ SAP ERROR:", JSON.stringify(error.response?.data, null, 2));
  }
};

```

```

    res.status(500).json({
      success: false,
      message:
        error.response?.data?.error?.message?.value ||
        error.message
    });
  }
};

// ===== LOGIN =====
router.post("/login", async (req, res) => {
  try {
    const { vendorId, password } = req.body;

    if (!vendorId || !password) {
      return res.status(400).json({
        success: false,
        message: "vendorId and password required"
      });
    }

    console.log("🔑 LOGIN REQUEST:", vendorId);

    // ✅ IMPORTANT: pass lowercase keys
    const data = await callSAPPost("VENDORLOGINSet", {
      vendorId,
      password
    });

    const sapData = data?.d;

    if (sapData?.IsValid) {
      return res.json({
        success: true,
        message: sapData.Message,
        vendor: { vendorId: sapData.VendorId }
      });
    } else {
      return res.json({
        success: false,
        message: sapData?.Message || "Login failed"
      });
    }
  } catch (error) {
    console.error("❌ LOGIN ERROR:", error.response?.data || error.message);

    res.status(500).json({
      success: false,
      message:
        error.response?.data?.error?.message?.value ||
        error.message
    });
  }
};

```

```

    }
  });

  // ===== PROFILE (FIXED) =====
  router.get("/profile/:vendorId", async (req, res) => {
    try {
      let vendorId = req.params.vendorId;

      if (vendorId.length !== 10) {
        vendorId = vendorId.padStart(10, "0");
      }

      console.log("📡 PROFILE CALL:", vendorId);

      const data = await callSAPGet(
        `VENDORPROFILESet('${vendorId}')`
      );

      const result = data?.d ? [data.d] : [];

      res.json({
        success: true,
        data: result
      });

    } catch (error) {
      console.error("❌ PROFILE ERROR:", JSON.stringify(error.response?.data, null, 2));

      res.status(500).json({
        success: false,
        message:
          error.response?.data?.error?.message?.value ||
          error.message
      });
    }
  });

  // ===== PO (KEEP SAME - WORKING) =====
  router.get("/po/:vendorId", async (req, res) => {
    const vendorId = formatVendorId(req.params.vendorId);

    await fetchFromSAP(
      `VENDORPOSet?$filter=VendorId eq '${vendorId}'`,
      res
    );
  });

  // ===== GR (KEEP SAME - WORKING) =====
  router.get("/gr/:vendorId", async (req, res) => {
    const vendorId = formatVendorId(req.params.vendorId);

    await fetchFromSAP(
      `VENDORGRSet?$filter=VendorId eq '${vendorId}'`,
      res
    );
  });

```

```

});

// ===== INVOICE LIST =====
router.get("/invoice/:vendorId", async (req, res) => {
  const vendorId = req.params.vendorId;

  await fetchFromSAP(
    `VENDORINVOICESet?$filter=VendorId eq '${vendorId}'`,
    res
  );
});

// ===== AGING =====
router.get("/aging/:vendorId", async (req, res) => {
  const vendorId = req.params.vendorId;

  await fetchFromSAP(
    `VENDORAGINGSet?$filter=VendorId eq '${vendorId}'`,
    res
  );
});

// ===== MEMO =====
router.get("/memo/:vendorId", async (req, res) => {
  const vendorId = req.params.vendorId;

  await fetchFromSAP(
    `VENDORMEMOSet?$filter=VendorId eq '${vendorId}'`,
    res
  );
});

// ===== RFQ =====
router.get("/rfq/:vendorId", async (req, res) => {
  const vendorId = req.params.vendorId;

  await fetchFromSAP(
    `VENDORRFQSet?$filter=VendorId eq '${vendorId}'`,
    res
  );
});

// ===== PDF (DO NOT TOUCH - WORKING) =====
router.get("/invoice-pdf/:belnr", async (req, res) => {
  try {
    const belnr = req.params.belnr;

    const data = await callSAPPDF(
      `VENDORINVOICEPDFSet(Belnr='${belnr}')`
    );

    const pdfBase64 = data?.d?.PdfString;

    if (!pdfBase64) {

```



```

    return res.status(404).json({
      success: false,
      message: "PDF not found"
    });
  }

  const pdfBuffer = Buffer.from(pdfBase64, "base64");

  res.set({
    "Content-Type": "application/pdf",
    "Content-Disposition": `inline; filename=invoice_${beInr}.pdf`
  });

  res.end(pdfBuffer);

} catch (error) {
  res.status(500).json({
    success: false,
    message:
      error.response?.data?.error?.message?.value ||
      error.message
  });
}
});

// ===== TEST =====
router.get("/test", (req, res) => {
  res.json({
    success: true,
    message: "Vendor middleware working 🚀"
  });
});

module.exports = router;

```

From your API:

Field	Meaning
EbeIn	PO Number
EbeIp	Item
Matnr	Material
Tx201	Description
Menge	Quantity
Meins	Unit
Netpr	Price
Waers	Currency
Bedat	PO Date
Eindt	Delivery Date
Elikz	Delivered (true/false)

YOUR GR DATA (MAPPED)

SAP Field	UI Meaning
HbInn	GR Number
Mjahn	Year
EbeIn	PO Number
EbeIp	Item
Matnr	Material
Erfmg	Quantity
Erfme	Unit
Budat	Posting Date
Werks	Plant

Invoice Section

Field	Meaning
BeInr	Invoice No
Gjahr	Year
Bldat	Invoice Date
Zfbdt	Due Date
Dmbtr	Amount
Waers	Currency
AgingDays	Aging
Status	Status