

5.MAINTENANCE PORTAL

PACKAGE:ZPM_MAINT_901990

TR:L25K906408

DATABASE TABLE:

ZPM_EMPLOGIN20

STRUCTURES:

ZPM_LOGIN20_S

ZPM_PLANTNAME20_S

ZPM_PLANTNOTI20_S

ZPM_WORKORDER20_S

Transparent Table	ZPM_EMPLOGIN20	Active
Short Description	Table For Employee Login	
Attributes Delivery and Maintenance Fields Input Help/Check Currency/Quantity Fields		
  Srch Help Built-In Type 1		
Field	Key	Init... Data element Data Type Length Decim... Coordinate
MANDT	☒	☒ MANDT CLNT 3 0
PERNR	☒	☒ PERSNO NUMC 8 0
PASSWORD	☐	☐ CHAR20 CHAR 20 0

Structure

ZPM_LOGIN20_S

Active

Short Description

STRUCTURE FOR EMPLOYEE LOGIN

Attributes

Components

Input Help/Check

Currency/quantity fields



Built-In Type

1 / 3

Component	Typing Method	Component Type	Data Type	Length	Decim...	Coord
PERNR	Types	PERSNO	NUMC	8	0	
PASSWORD	Types	CHAR20	CHAR	20	0	
STATUS	Types	CHAR30	CHAR	30	0	

Structure	ZPM_PLANTNAME20_S	Active
Short Description	Structure for Plant Name	
Attributes Components Input Help/Check Currency/quantity fields		
Built-In Type 1 / 5		
Component	Typing Method	Component Type Data Type Length Decim... Coord
WERKS	Types	WERKS_D CHAR 4 0
NAME1	Types	NAME1 CHAR 30 0
LAND1	Types	LAND1 CHAR 3 0
REGIO	Types	REGIO CHAR 3 0
ORT01	Types	ORT01 CHAR 25 0

Structure

ZPM_PLANTNOTI20_S

Active

Short Description

Structure for Plant Notification

Attributes

Components

Input Help/Check

Currency/quantity fields

        Built-In Type

1 / 1

Component	Typing Method	Component Type	Data Type	Length	Decim...	Coor...
QNUM	Types	QNUM	CHAR	12	0	
IWERK	Types	IWERK	CHAR	4	0	
AUSVN	Types	AUSVN	DATS	8	0	
QMAT	Types	QMAT	CHAR	2	0	
QMTXT	Types	QMTXT	CHAR	40	0	
PRIOK	Types	PRIOK	CHAR	1	0	
QMDAT	Types	QMDAT	DATS	8	0	
MZEIT	Types	MZEIT	TIMS	6	0	
STRMN	Types	STRMN	DATS	8	0	
ARBPL	Types	ARBPL	CHAR	8	0	
SWERK	Types	SWERK	CHAR	4	0	
EQU NR	Types	EQU NR	CHAR	18	0	
TPLNR	Types	TPLNR	CHAR	30	0	
PRIOKX	Types	PRIOKX	CHAR	20	0	

Structure

ZPM_WORKORDER20_S

Active

Short Description

Structure for WorkOrder

Attributes

Components

Input Help/Check

Currency/quantity fields

Built-In Type

1 / 1

Component	Typing Method	Component Type	Data Type	Length	Decim...	Co...
AUFNR	Types	▼ AUFNR	CHAR	12	0	
KTEXT	Types	▼ KTEXT	CHAR	20	0	
AUART	Types	▼ AUART	CHAR	4	0	
GSTRS	Types	▼ CO_GSTRS	DATS	8	0	
GLTRS	Types	▼ CO_GLTRS	DATS	8	0	
EQU NR	Types	▼ EQU NR	CHAR	18	0	
KOSTL	Types	▼ KOSTL	CHAR	10	0	
WERKS	Types	▼ WERKS_D	CHAR	4	0	
BUKRS	Types	▼ BUKRS	CHAR	4	0	
TXT04	Types	▼ J_TXT04	CHAR	4	0	
TXT30	Types	▼ J_TXT30	CHAR	30	0	

Entity Types

Model and Service Definition

Model Provider Class

Class Name

Base Class Name

Data Provider Class

Generate Classes

Class Name

Base Class Name

Service Registration

Technical Model Name

Model Version

Technical Service Name

Service Version

SAP GATEWAY URI:

/sap/opu/odata/SAP/ZPLANT_MAINTENANCE_SRV_SRV/PLANTNOTIFICATIONSet?\$filter=lwerk eq '0001'

/sap/opu/odata/SAP/ZPLANT_MAINTENANCE_SRV_SRV/PLANTNAMESet?\$filter=Werks eq '0001'

/sap/opu/odata/sap/ZPLANT_MAINTENANCE_SRV_SRV/WORKORDERSet?\$filter=Werks eq '0001'

/sap/opu/odata/SAP/ZPLANT_MAINTENANCE_SRV_SRV/IOGINSet(Pernr='00000001',Password='1234')

LOCAL HOST TEST LINKS:

<http://localhost:3000/api/login?pernr=00000001&password=1234>

<http://localhost:3000/api/plants?werks=0001>

<http://localhost:3000/api/notifications?iwerk=0001>

<http://localhost:3000/api/workorders?werks=0001>

MIDDLEWARE

sapRoutes.js

```
const express = require('express');
const axios = require('axios');

const router = express.Router();

const SAP_BASE_URL = process.env.SAP_BASE_URL;

const auth = {
  username: process.env.SAP_USERNAME,
  password: process.env.SAP_PASSWORD
};

// Helper function
const callSAP = async (url) => {
  const response = await axios.get(url, {
    auth,
    headers: {
      'Accept': 'application/json'
    }
  });
  return response.data;
};

router.get('/login', async (req, res) => {
  try {
    const { pernr, password } = req.query;

    const url = `${SAP_BASE_URL}/sap/opu/odata/SAP/ZPLANT_MAINTENANCE_SRV_SRV/LOGINSet(Pernr='${pernr}',Password='${password}')`;

    const data = await callSAP(url);

    res.json(data);
  } catch (error) {
    res.status(500).json(error.message);
  }
});

router.get('/plants', async (req, res) => {
```

```

    try {
      const { werks } = req.query;

      const url = `${SAP_BASE_URL}/sap/opu/odata/SAP/ZPLANT_MAINTENANCE_SRV_SRV/PLANTNAMESet?$filter=Werks eq '${werks}'`;

      const data = await callSAP(url);

      res.json(data);
    } catch (error) {
      res.status(500).json(error.message);
    }
  });

  router.get('/notifications', async (req, res) => {
    try {
      const { iwerk } = req.query;

      const url = `${SAP_BASE_URL}/sap/opu/odata/SAP/ZPLANT_MAINTENANCE_SRV_SRV/PLANTNOTIFICATIONSet?$filter=Iwerk eq '${iwerk}'`;

      const data = await callSAP(url);

      res.json(data);
    } catch (error) {
      res.status(500).json(error.message);
    }
  });

  -

  router.get('/workorders', async (req, res) => {
    try {
      const { werks } = req.query;

      const url = `${SAP_BASE_URL}/sap/opu/odata/SAP/ZPLANT_MAINTENANCE_SRV_SRV/WORKORDERSet?$filter=Werks eq '${werks}'`;

      const data = await callSAP(url);

      res.json(data);
    } catch (error) {
      res.status(500).json(error.message);
    }
  })

```

```
});
```

```
module.exports = router;
```

Routes.js

```
const express = require('express');
const cors = require('cors');
require('dotenv').config();

const sapRoutes = require('./routes/sapRoutes');

const app = express();

app.use(cors());
app.use(express.json());

app.use('/api', sapRoutes);

const PORT = 3000;

app.listen(PORT, () => {
  console.log(`Server running on port ${PORT}`);
});
```

.env

```
SAP_BASE_URL=http://AZKTLDS5CP.kcloud.com:8000
SAP_USERNAME=K901990
SAP_PASSWORD=Fathim@2004
```

To run Flutter App: flutter run

To run Node server(Middleware):node server.js