


COREA DEL SUR MÉXICO

PROYECTO FINAL
APP DE TENDENCIAS DEL COMERCIO BILATERAL MÉXICO - COREA DEL SUR
FRIDA ALEJANDRA UBALDO SÁENZ



INFORMACIÓN SOBRE EL PROYECTO

La app de Comercio Bilateral México - Corea del Sur analiza los flujos de importación entre ambos países, detecta anomalías y proyecta el futuro del intercambio de mercancías a través de la IA. Dado el alto volumen comercial actual y la ausencia de un Tratado de Libre Comercio (TLC), estas predicciones te permitirán anticipar la evolución y el potencial de la relación bilateral.



La base de datos para la realización de este proyecto fue tomada del Observatorio de Complejidad Económica, DataMéxico y Secretaría de Economía.

ACLARACIONES

Para mayor entendimiento de la app, se especifican las siguientes cuestiones:

- **Importaciones KR-MX:** hace referencia a la importación de productos *mexicanos a Corea*.
- **Importaciones MX-KR:** hace referencia a la importación de productos *coreanos a México*.

2. La anomalía marcada en el gráfico representa un punto disruptivo en el crecimiento de importaciones de productos mexicanos a Corea.

3. Ambas gráficas buscan representar el desequilibrio comercial (a favor de Corea) de ambos países.





LINK A GOOGLE SHEETS

<https://docs.google.com/spreadsheets/d/1fJhExlc0nr7lGJnvoWpe0F-RsLFL6bvXbbrPm9euf18/edit?usp=sharing>



INTERFAZ SCREEN

RESULTADO





PROGRAMACIÓN DE BLOQUES

The screenshot displays the MIT App Inventor web application in a browser. The address bar shows the URL `ai2a.appinventor.mit.edu/#11350581`. The interface includes a top navigation bar with tabs for 'Projects', 'Connect', 'Build', 'Settings', 'Help', and 'English'. Below this, the project name 'PROYECTO_FINAL_FAUS' is visible, along with a 'Donate to App Inventor' button and a 'Screens' section showing 'Screen1'. The main workspace is divided into a 'Built-in' sidebar on the left, a central 'Code' area, and a 'Media' section at the bottom left. The 'Built-in' sidebar lists categories like Control, Logic, Math, Matrices, Text, Lists, Dictionaries, Colors, Variables, Procedures, and Screen1. The 'Code' area contains four event-driven code blocks, each starting with 'when [button] Click' followed by 'do open another screen screenName [screenName]'. The buttons are 'lineOfBestFitButton', 'cleanDataButton', 'makePredictionsButton', and 'DataViewButton'. The corresponding screen names are 'drawLOBF-screen', 'cleanDataScreen', 'makePredictionsScreen', and 'DataView'. The 'Media' section shows a file named 'apiaplic...a4ac.json' with an 'Upload File...' button. The bottom of the browser window shows a Windows taskbar with various application icons and the system clock indicating 08:17 p.m. on 27/08/2026.



INTERFAZ DATAVIEW

RESULTADO



PROGRAMACIÓN DE BLOQUES

The screenshot displays the MIT App Inventor web interface for a project named "PROYECTO_FINAL_FAUS". The interface is in the "DataView" screen view. The left sidebar shows the "Built-in" components list, including Control, Logic, Math, Matrices, Text, Lists, Dictionaries, Colors, Variables, Procedures, and DataView. The main workspace contains three event-driven block scripts:


- when homeButton.Click**:
 - do open another screen screenName: Screen1
- when showDataButton.Click**:
 - do
 - call topChartData2D.Clear
 - call bottomChartData2D.Clear
 - call spreadsheet1.ReadSheet sheetName: Corea
 - call Spreadsheet2.ReadSheet sheetName: Mexico
- when spreadsheet1.GotSheetData**:
 - do
 - set topChartLabel.Text to Importaciones KR-MX, Importaciones MX-KR
 - call topChartData2D.ImportFromSpreadsheet
 - spreadsheet: spreadsheet1
 - xColumn: Año
 - yColumn: Importaciones KR-MX (MDD)
 - useHeaders: true
 - call bottomChartData2D.ImportFromSpreadsheet
 - spreadsheet: Spreadsheet2
 - xColumn: Año
 - yColumn: Importaciones MX-KR (MDD)
 - useHeaders: true

The bottom of the screen shows a Windows taskbar with various application icons and a system clock indicating 08:49 p.m. on 27/08/2026.



INTERFAZ CLEANDATA

RESULTADO



PROGRAMACIÓN DE BLOQUES

The screenshot displays the MIT App Inventor web interface in a browser window. The address bar shows the URL `ai2a.appinventor.mit.edu/#11350581`. The page header includes the MIT App Inventor logo, navigation links (Projects, Connect, Build, Settings, Help), and a user profile for `kenjvera@gmail.com`. The main workspace is titled **PROYECTO_FINAL_FAUS** and shows a block-based programming interface for a screen named `cleanDataScreen`.

The interface includes a left sidebar with a "Built-in" section containing categories like Control, Logic, Math, Matrices, Text, Lists, Dictionaries, Colors, and Variables. The main workspace contains several event-driven blocks:

- when homeButton Click**: `do` `open another screen` `screenName` `Screen1`.
- when ShowDataButton Click**: `do` `call` `cleanedChartData2D` `Clear`, `call` `dataCleaningChartData2D` `Clear`, `call` `spreadsheet1` `ReadSheet` `sheetName` `Goreia`, `call` `Spreadsheet2` `ReadSheet` `sheetName` `Mexico`.
- when spreadsheet1 GotSheetData**: `do` `set` `topChartLabel` `Text` `to` `Importaciones KR-MX, Importaciones MX-KR`, `call` `dataCleaningChartData2D` `ImportFromSpreadsheet` `spreadsheet` `spreadsheet1` `xColumn` `Año` `yColumn` `Importaciones KR-MX (MDD)` `useHeaders` `K-drama`, `call` `cleanedChartData2D` `ImportFromSpreadsheet` `spreadsheet` `Spreadsheet2` `xColumn` `Año` `yColumn` `Importaciones MX-KR (MDD)` `useHeaders` `true`, `Show Warnings`.
- when drawLineOfBestFitButton Click**: `do` `set` `Trendline1` `ChartData` `to` `cleanedChartData2D`.
- when detectAnomaliesButton Click**: `do` `call` `dataCleaningChartData2D` `HighlightDataPoints` `dataPoints` `call` `AnomalyDetection1` `DetectAnomaliesInChartData` `chartData` `dataCleaningChartData2D` `threshold` `2` `color` `red`.
- when dataCleaningChartData2D EntryClick**: `do` `call` `dataCleaningChartData2D` `RemoveEntry` `x` `get x` `y` `get y`, `call` `cleanedChartData2D` `Clear`, `call` `cleanedChartData2D` `ImportFromList` `list` `call` `dataCleaningChartData2D` `GetAllEntries`.

The bottom of the interface shows a Windows taskbar with the search bar labeled "Buscar" and various application icons. The system clock indicates the time is 08:57 a.m. on 28/08/2026.



INTERFAZ DRAW LOBF

RESULTADO

MIT APP INVENTOR

ai2a.appinventor.mit.edu/#11350581

PROYECTO_FINAL_FAUS

Screens: drawLOBFscreen

drawLOBFscreen

HorizontalArrang

homeButton

SpacerVertic

showDataButt

SpacerVertic

drawLineOfBe

LineHorizontalAn

topChartLabel

topChart

topChartData

TOPTrendline

Appearance

AboutScreen

AlignHorizontal

Center: 3

AlignVertical

Top: 1

BackgroundColor

#FFEADEF

BackgroundImage

None

BigDefaultText

CloseScreenAnimation

Default

HighContrast

OpenScreenAnimation

Default

ScreenOrientation

apiaplic...a4ac.json

Upload File...

09:10 a.m. 28/08/2026



PROGRAMACIÓN DE BLOQUES

The screenshot displays the MIT App Inventor web interface for a project named "PROYECTO_FINAL_FAUS". The interface is divided into several sections:


- Top Bar:** Includes the MIT App Inventor logo, navigation links (Projects, Connect, Build, Settings, Help), and a user profile section.
- Left Sidebar:** Contains a "Built-in" section with categories like Control, Logic, Math, Matrices, Text, Lists, Dictionaries, Colors, Variables, Procedures, and a "drawLOBscreen" block. There is also a "Media" section with an "Upload File..." button.
- Main Workspace:** Displays three event-driven code blocks:
 - when homeButton.Click:** Triggers the "open another screen" block to navigate to "Screen1".
 - when showDataButton.Click:** Triggers a sequence of blocks: "clear" for "topChartData2D" and "bottomChartData2D", "readSheet" for "spreadsheet1" (sheetName: "Corea") and "spreadsheet2" (sheetName: "Mexico"), and "set" blocks for "topChartData2D" and "bottomChartData2D".
 - when spreadsheet1 GotSheetData:** Triggers a sequence of blocks: "set" for "topChartLabel" to "Importaciones KR-MX, Importaciones MX-KR", "importFromSpreadsheet" for "topChartData2D" (spreadsheet: "spreadsheet1", xColumn: "A10", yColumn: "Importaciones KR-MX (MDD)", useHeaders: true), and "importFromSpreadsheet" for "bottomChartData2D" (spreadsheet: "Spreadsheet2", xColumn: "A10", yColumn: "Importaciones MX-KR (MDD)", useHeaders: true).
- Right Sidebar:** Shows a "Designer" view with a visual representation of the app's UI, including a "drawLOBscreen" block and a "Fashion" label.


The bottom of the image shows a Windows taskbar with various application icons and a system clock indicating 09:13 a.m. on 28/08/2026.



INTERFAZ MAKE PREDICTIONS

RESULTADO





PROGRAMACIÓN DE BLOQUES

