The Final Dimension of Fermat's Theorem: The Fractal Structure of Information. Fractal Analysis Demonstration

Boris Batenin and Andrei Preece

Berlin, 2025

Abstract

This paper proposes a novel proof of Fermat's Last Theorem, grounded in the fractal structure of numbers and the golden ratio. The approach involves decomposing the powers of natural numbers into fractal levels and demonstrating that the sum of two fractally-quantized powers cannot equal a third power when $n > 2$. We argue that this impossibility arises from the discrete fractal spectrum of numbers, drawing an analogy with quantized energy states in physics. The proof integrates logical-arithmetic, algebraic-geometric, and fractal perspectives, providing a comprehensive validation.

1 Introduction

1.1 Historical Context

Fermat's Last Theorem asserts that the equation $x^n + y^n = z^n$ has no non-zero integer solutions for $n > 2$. This conjecture, posed by Pierre de Fermat in the 17th century, remained unsolved for over 350 years until Andrew Wiles presented a proof in 1994, relying on modular forms and elliptic curves. This paper introduces an alternative proof based on the fractal properties of numbers and the golden ratio, offering a new perspective on the theorem's insolubility for $n > 2$.

1.2 The Fractal Structure of Numbers

Numbers can be analyzed through a fractal decomposition, analogous to quantized levels in physical systems. Each number occupies a specific fractal level, determined by its relationship to a reference scale. The fractal level of a number X is defined as:

$$N(X) = \frac{\log X}{\log \phi},$$

where:

- X_{ref} is a reference value (e.g., Planck length, speed of light, or the universe's radius),
- $\phi = \frac{1+\sqrt{5}}{2}$ is the golden ratio (≈ 1.618).

This formulation suggests that numbers are distributed across discrete, quantized fractal levels, influencing their mathematical behavior.

2 Main Part

2.1 Decomposition of Fermat's Equation through Fractal Levels

Consider Fermat's equation:

$$x^n + y^n = z^n.$$

We express each variable through its fractal decomposition:

$$x = x_{\text{ref}} \cdot \phi^{-N(x)}, \quad y = y_{\text{ref}} \cdot \phi^{-N(y)}, \quad z = z_{\text{ref}} \cdot \phi^{-N(z)},$$

where $x_{\text{ref}}, y_{\text{ref}}, z_{\text{ref}}$ are reference values, and $N(x), N(y), N(z)$ are the fractal levels. Raising to the power n:

$$(x_{\text{ref}} \cdot \phi^{-N(x)})^n + (y_{\text{ref}} \cdot \phi^{-N(y)})^n = (z_{\text{ref}} \cdot \phi^{-N(z)})^n.$$

Taking the logarithm (base ϕ) of both sides:

$$n \cdot N(x) + n \cdot N(y) = n \cdot N(z),$$

which simplifies to:

$$N(x) + N(y) = N(z).$$

This equality suggests that the fractal levels of x, y, and z must be consistent, a condition we will test for $n > 2$.

2.2 Contradiction for $n > 2$

For $n = 2$, the equation aligns with the fractal scale, as exemplified by the Pythagorean theorem ($3^2 + 4^2 = 5^2$). However, for $n > 2$, the fractal levels $N(x), N(y), N(z)$ become incommensurable due to the nonlinear scaling of ϕ^{-nN}. This incompatibility prevents the equality $N(x) + N(y) = N(z)$ from holding for integer solutions, rendering the equation unsolvable.

3 Confirmation through Physics

3.1 Analogy with Quantum Mechanics

In quantum mechanics, energy levels are discrete:

$$E_n = E_0 \cdot \phi^{-N},$$

where E_0 is a base energy, and N is a quantum number. Similarly, numbers in the fractal model adhere to discrete levels. For $n > 2$, the sum of two quantized powers cannot fit within a single discrete level, mirroring the impossibility of certain electron transitions.

3.2 Connection with the Fractal Wave Function of the Universe

The wave function of the universe is given by:

$$\Psi_{\text{universe}}(t) = \left[A_0 \left(\frac{ct}{l_P} \right)^{-3/2} \cdot \sigma(t_{\text{rec}} - t) + B_0 e^{-\frac{3H}{2}(t - t_{\text{rec}})} \cdot \sigma(t - t_{\text{rec}}) \right] e^{i\left(\frac{\phi t}{t_P} \cdot \sigma(t_{\text{rec}} - t) + Ht \cdot \sigma(t - t_{\text{rec}}) \right)},$$

where $\sigma(x) = \frac{1}{1+e^{-kx}}$ is a sigmoid function facilitating the transition between pre- and post-recombination phases, $\phi = \frac{1+\sqrt{5}}{2}$ is the golden ratio, l_P is the Planck length, $t_P = l_P/c$ is the Planck time, and H is the Hubble constant. This function captures the fractal quantization of energy levels across cosmic evolution, mirroring the discrete fractal levels that preclude solutions to Fermat's equation for $n > 2$. Detailed components of the amplitude and phase are discussed in a companion paper.

4 Conclusion

This paper provides a proof of Fermat's Last Theorem based on the fractal structure of numbers. The impossibility of integer solutions for $n > 2$ arises from the discrete, incommensurable fractal levels governed by the golden ratio. Future research could explore this fractal model's implications for other number theory problems and quantum mechanics, particularly through the lens of the proposed wave function.

5 Supplement to the Proof of Fermat's Theorem

5.1 Statement of the Theorem

For integers x, y, z and $n > 2$, the equation:

$$x^n + y^n = z^n$$

has no non-zero integer solutions.

5.2 Methods of Proof

5.2.1 Method 1: Logical-Arithmetic Proof

- **Prime Factorization and Modular Arithmetic**: The remainders under modular arithmetic create an unsolvable structure. Prime factorization disrupts exponentiation symmetry for $n > 2$, breaking the balance between the equation's sides.
- **Result**: Factor symmetry cannot be maintained for $n > 2$, eliminating integer solutions.

5.2.2 Method 2: Fractal Proof

- The fractal level $N(X) = \frac{\log X}{\log \phi}$ defines each number's position. For $n > 2$, these levels become incommensurable, disrupting the equation's symmetry.
- **Result**: The fractal model confirms the equation's unsolvability due to level inconsistency.

5.2.3 Method 3: Algebraic-Geometric Proof

- In the ring of cyclotomic integers $\mathbb{Z}[\zeta_n]$, where $\zeta_n = e^{2\pi i/n}$, the equation's factorization becomes non-integer:

$$x^n + y^n = (x + y)(x + \zeta_n y)(x + \zeta_n^2 y) \cdots .$$

- **Result**: Non-integer factorization excludes classical integer solutions.

5.2.4 Method 4: Elliptic Curves (Frey Curve)

- Construct an elliptic curve $E : y^2 = x(x - a^n)(x + b^n)$ from a supposed solution a, b, c.
- Ribet's hypothesis and Wiles' theorem demand modularity, which this curve violates.
- **Result**: The contradiction in modularity proves no solutions exist for $n > 2$.

5.2.5 Method 5: Algebraic Number Theory (Ring of Cyclotomic Integers)

- In $\mathbb{Z}[\zeta_n]$, the factorization loses integer integrity, introducing fractional elements.
- **Result**: This violation precludes integer solutions.

5.3 Details of the Methods

5.3.1 Divisibility Theory and Prime Factors

- Prime factorizations $x = p_1^{a_1} p_2^{a_2} \cdots$, $y = q_1^{b_1} q_2^{b_2} \cdots$, $z = r_1^{c_1} r_2^{c_2} \cdots$ must have multiplicities as multiples of n. For $n > 2$, this condition fails, creating a contradiction (e.g., $n = 2$ works with $3^2 + 4^2 = 5^2$, but not for $n > 2$).

5.3.2 Summary: Mathematical and Fractal Structure

Four contradictions confirm the theorem:

1. **Divisibility Theory**: Mismatched prime factor multiplicities for $n > 2$.
2. **Elliptic Curves**: Non-modular Frey curve contradicts Wiles' theorem.
3. **Algebraic Structure**: Non-integer factorization in $\mathbb{Z}[\zeta_n]$.
4. **Fractal Structure**: Incommensurable levels via the golden ratio.

This multi-faceted proof solidifies the impossibility of solutions. Namaste.

6 References

References

[1] Wiles, A. (1995). Modular Elliptic Curves and Fermat's Last Theorem. *Annals of Mathematics*, 141(3), 443–551.

[2] Mandelbrot, B. B. (1982). *The Fractal Geometry of Nature*. W. H. Freeman and Company.

[3] Livio, M. (2002). *The Golden Ratio: The Story of Phi, the World's Most Astonishing Number*. Broadway Books.

[4] Calcagni, G. (2017). Fractal Universe and Quantum Gravity. *Physical Review D*, 95(6), 064057.

[5] Penrose, R. (2004). *The Road to Reality: A Complete Guide to the Laws of the Universe*. Jonathan Cape.

[6] Horodecki, R., et al. (2009). Quantum Entanglement. *Reviews of Modern Physics*, 81(2), 865–942.

[7] Connes, A. (1994). *Noncommutative Geometry*. Academic Press.

[8] Nāgārjuna. (2nd century). *Mūlamadhyamakakārikā*. Translated by Garfield, J. L. (1995). Oxford University Press.

[9] Baez, J. C. (2001). An Introduction to Spin Foam Models of Quantum Gravity. *Living Reviews in Relativity*, 4(2), 1–45.

[10] Rovelli, C. (1998). Loop Quantum Gravity. *Living Reviews in Relativity*, 1(1), 1–58.

[11] Smolin, L. (2001). *Three Roads to Quantum Gravity*. Basic Books.