

Reproducible Articulatory-to-Acoustic Reproduction Pipeline

Documentation of the GitHub repository and the Zenodo archive

Companion material of the article “Assessing a Mathematical Model of Syllable Production via CTW Alignment with EMA Data”

by F. Berthommier (Univ. Grenoble Alpes, CNRS, Grenoble INP, GIPSA-lab, France)
(Interspeech 2026 submission 2479, resubmitted to arXiv)

F. Berthommier – Gipsa-Lab, CNRS, University Grenoble Alpes

September 2026

Finalization banner. Repository URLs: GitHub <https://github.com/FBerthommier/EMA-to-Maeda> and Zenodo archive DOI [10.5281/zenodo.22961484](https://doi.org/10.5281/zenodo.22961484). Still pending: the arXiv identifier and the official Interspeech-style reference (see [docs/FINALIZATION-CHECKLIST.md](#)).

1 Overview

This documentation explains, for non-expert users, how to install and run the complete pipeline that reproduces every figure of the article and of its supplement, the corpus of synthesized short syllables, and the MP4 stimulus videos. The same document serves as the guide to the components of the Zenodo archive.

The pipeline operates on articulatory trajectories of spoken syllables. An EMA (electromagnetic articulography) corpus recorded by **Kasper and colleagues** [1] provides the raw material; the data were kindly transmitted to the author personally by the authors of that publication (personal communication, 2026). Reference articulatory parameter tracks are compared, condition A (natural alignment) versus condition B (randomized control), using **Canonical Time Warping (CTW)**: a Maeda-style articulatory model is aligned onto the reference tracks, and the agreement is quantified by per-parameter correlations with paired statistical tests (Holm-corrected). The same comparison is carried out on formant tracks (F1–F3). Synthesis and video generation then turn the aligned parameters into audible and visible stimuli.

2 Repository layout (GitHub)

<code>data/</code>	All data. <code>mat/</code> raw EMA recordings; <code>wav/</code> , <code>copywav/</code> audio; <code>maeda/</code> Maeda model parameters; <code>copyparam/</code> reference articulatory tracks; <code>copyformants/</code> reference formant tracks; <code>modelctw/</code> , <code>modelctwrandom/</code> CTW aligned outputs (conditions A and B); <code>paramodelctw/</code> , <code>paramodelctwrandom/</code> aligned parameter tracks.
<code>src/</code>	Reusable library: CTW alignment, correlation computation, statistical tests.
<code>figures/</code>	One self-documented script per article/supplement figure.

<code>synthesis/</code>	Short-syllable synthesis pipeline.
<code>video/</code>	Audio/video stimulus makers (MP4 reproduction).
<code>docs/</code>	This documentation, script mapping, finalization checklist.
<code>results/</code>	Outputs regenerated by the scripts (not tracked).

3 Installation

Python ≥ 3.9 is required; `ffmpeg` must be on the `PATH` for video reproduction.

```
git clone https://github.com/FBerthommier/EMA-to-Maeda
cd EMA-to-Maeda
python -m venv .venv
.venv\Scripts\activate % Windows (Linux/macOS: source .venv/bin/activate)
pip install -r requirements.txt
```

4 Reproducing the figures

Each figure of the article and of the supplement is generated by one script (see `docs/mapping.md` for the correspondence with the original research scripts). Every script saves a PNG in `results/figures/` and prints the associated statistics.

```
python figures/fig2a_articulatory_correlations.py % Figure 2a (article)
python figures/fig2b_formant_correlations.py % Figure 2b (article)
python figures/fig3_formant_trajectories.py % Figure 3 (article)
python figures/figs1a_ctw_paths_condition_a.py % Fig. S1a (supplement)
python figures/figs1b_ctw_paths_condition_b.py % Fig. S1b (supplement)
python figures/figs3_<name>.py % Fig. S3 (supplement)
```

Each script reads only the `data/` directory; no network access is required. All printed output (correlation tables, paired t -tests with Holm correction) is part of the reproducible record and should match the numbers reported in the article and supplement.

5 Reproducing the syllable synthesis

```
python synthesis/run_synthesis.py --condition A --output-dir results/synthesis
```

The synthesis pipeline regenerates the short-syllable corpus from the aligned articulatory parameters. Stimuli are named `Y0X` with $X \in [10, 16]$ and $Y \in [2, 11]$ (63 syllables per condition).

6 Reproducing the MP4 videos

The article videos (`CondA.mp4`, `CondB.mp4`, `mixAB.mp4`) are reproduced as follows (see `video/README.md` for details):

```
python video/vlam_audio_maker_v2.py % assemble audio stimuli
python video/vlam_video_maker.py % render trajectory animations, encode MP4
```

Outputs are written to `results/videos/`. Rendering time depends on the machine; the codec and frame rate are fixed by the scripts so that the reproduced videos match the archived ones in content and duration.

7 Guide to the Zenodo archive

The Zenodo deposit mirrors and extends the GitHub repository. It contains:

1. **Supplement** — the (slightly amended) supplement of the article, updated so that every described experiment is reproducible with the scripts of this repository.
2. **Figures** — all figures of the article and of the supplement (PNG), exactly as generated by the `figures/` scripts.
3. **Programs** — a versioned snapshot of the GitHub repository (code without the heavy `data/` directory).
4. **Videos** — the stimulus videos `CondA.mp4`, `CondB.mp4`, `mixAB.mp4`.
5. **Simulations** — the intermediate and final outputs of the CTW alignment and the statistical analyses (parameter tracks, formant tracks, correlation matrices).

Each component is documented in `GUIDE.md` at the root of the Zenodo package. Licenses: code, figures, documentation and videos under MIT (Berthommier, Gipsa-Lab); EMA data under MIT third party (Kasper et al.).

8 Licenses and citation

See `LICENSE`, `LICENSES/LICENSE-EMA-data.md` and `CITATION.cff` (Zenodo DOI <https://doi.org/10.5281/zenodo.22961484>). **TODO-FINALIZATION:** insert the arXiv identifier and the official Interspeech-style reference in `CITATION.cff`, `README.md` and this document once available.

References

1. J. Kasper, C. A. Kell, P. Perrier, “An informational account of anticipatory coarticulation – theoretical considerations and empirical plausibility”, *Journal of Neurolinguistics*, vol. 78, p. 101298, 2026. doi:10.1016/j.jneuroling.2025.101298. The EMA data used in this work were kindly transmitted personally by the authors of this publication.