

**IDEA:** <https://www.jetbrains.com/idea/>

1.从 *eclipse* 导入项目后有很多引用错误,

**解决办法:** 修改一个配置, 把 *filesize* 调大一点


```
#-----  
# Maximum file size (kilobytes) IDE should provide code assistance for.  
# The larger file is the slower its editor works and higher overall system memory requirements are  
# if code assistance is enabled. Remove this property or set to very large number if you need  
# code assistance for any files available regardless their size.  
#-----  
idea.max.intellisense.filesize=250000  
  
#-----  
# Maximum file size (kilobytes) IDE is able to open.  
#-----  
idea.max.content.load.filesize=20000
```

Maximum file size

Maximum file size (kilobytes) IDE should provide code assistance for. The larger file is, the slower its editor works and higher overall system memory requirements are, if code assistance is enabled.  
<https://youtrack.jetbrains.com/issue/IDEA-72543>  
Remove this property or set to a very large number, if you need code assistance for any files to be available, regardless of their size.



```
idea.max.intellisense.filesize=2500
```

从 *idea* 界面可直接打开调整 *filesize* 和内存大小:



## 2.不能用 svn,

解决办法：设置一下 *svn* 路径，注意，本地 *svn* 安装时要把命令行装上，也就是说要有 *svn.exe* 这个文件，没有的话，去下个 *svn* 最新版安装一下覆盖之前的就有了，




3. 搜狗输入法卡,

解决办法: 更新输入法到最新




#### 4. 错误: java: OutOfMemoryError: insufficient memory

解决办法, 加大运行内存,



#### 5. svn 提交时过滤哪些是忽略的,

解决办法：配置忽略路径或文件后缀名或特定文件



6. 汉化后发现许多毛病，比如 *structure* 里面没东西，*run* 的配置乱码等等，

解决办法：不用汉包，汉化包有许多的问题

## 7. 乱码

解决办法：

*IntelliJ IDEA 2016.1\bin\idea64.exe.vmoptions*

*IntelliJ IDEA 2016.1\bin\idea.exe.vmoptions*

都添加

(第一种) *-Duser.language=en*

(第二种)


*-Duser.country=EN*

*-Duser.language=us*

*-Dfile.encoding=UTF-8*

8.idea 鼠标放在变量上面不提示,


解决办法:



9.配置文件头,

解决办法:





/\*\*

\*

\*

\* @author Array

\* @version \${DATE}

\*

\*/

## 10.idea 调试快捷键

解决办法:


## idea Debug快捷键

快捷键	介绍
F7	在 Debug 模式下, 进入下一步, 如果当前行断点是一个方法, 则进入当前方法体内, 如果该方法体还有方法, 则不会进入该内嵌的方法中 *
F8	在 Debug 模式下, 进入下一步, 如果当前行断点是一个方法, 则不进入当前方法体内 *
F9	在 Debug 模式下, 恢复程序运行, 但是如果该断点下面代码还有断点则停在下一个断点上 *
Alt + F8	在 Debug 的状态下, 选中对象, 弹出可输入计算表达式调试框, 查看该输入内容的调试结果
Ctrl + F8	在 Debug 模式下, 设置光标当前行为断点, 如果当前已经是断点则去掉断点
Shift + F7	在 Debug 模式下, 智能步入。断点所在行上有多个方法调用, 会弹出进入哪个方法
Shift + F8	在 Debug 模式下, 跳出, 表现出来的效果跟 F9 一样
Ctrl + Shift + F8	在 Debug 模式下, 指定断点进入条件
Alt + Shift + F7	在 Debug 模式下, 进入下一步, 如果当前行断点是一个方法, 则进入当前方法体内, 如果方法体还有方法, 则会进入该内嵌的方法中, 依此循环进入


怎么说呢, 反正我改成了 *eclipse* 快捷键,

### 11.远程调试

解决办法: 和 *eclipse* 一样啦其实,








填上远程 ip 和端口,

## 12. 条件断点

解决办法:



## 13. 设置包头不 import\*

## 解决办法:

416



It's obvious why you'd want to disable this: to force IntelliJ to include each and every import individually. It makes it easier for people to figure out exactly where classes you're using come from.

Click on the Settings "wrench" icon on the toolbar, open "Imports" under "Code Style", and check the "Use single class import" selection. You can also completely remove entries under "Packages to use import with \*", or specify a threshold value that only uses the "\*" when the individual classes from a package exceeds that threshold.

**Update:** in IDEA 13 "Use single class import" does not prevent wildcard imports. The solution is to go to Preferences ( + on macOS / + + on Windows) > Editor > Code Style > Java > Imports tab Set Class count to use import with '\*' and Names count to use static import with '\*' to a higher value. Any value over 99 seems to work fine.

share edit

edited Aug 28 at 12:09

answered Jul 27 '10 at 23:45



DimaSan

4,262 ● 8 ● 23 ● 34



duffymo

254k ● 30 ● 295 ● 476

14.无法输入（还没有找到能解决办法，也不是必现的，但经常的话会出现，调时间容易出现）

解决办法：听说点一下小黄点或者

### 关于IntelliJ IDEA 文档无法编辑的解决办法

问题：在调试的时候，光标无法聚焦到代码区，导致无法编辑代码。停止调试后，问题仍然存在，需要重启idea.

这个问题困扰了我一个上午，百狗一通，发现都是说要卸载vim插件啥的，但是我是没装过vim插件。

想着这个问题是第一次遇到，而且比较担心是不是哪里设置错了，就找了半天没结果。

最后翻了好久看到了一篇技术问答的评论，豁然开朗，原来是自己改时间的锅。

intelij idea有个特别之处，就是只要改过电脑时间就无法输入。

想到自己因为调试定时器故意改系统时间导致的，顿时领悟了，老泪纵横~

标签：工具使用

好文要顶

关注我

收藏该文



lfm601508022

关注 - 5

粉丝 - 0


+加关注

« 上一篇：华硕 ZX50JX4200 安装ssd固态硬盘

» 下一篇：该网页已屏蔽以下插件Adobe Flash Player


15.设置文件级别注释

解决办法:



16.快速定位到某一行

解决办法: `ctrl + L`, `ctrl + G`




17.编译时 JDK 版本不对

解决方法:

▲  
5  
▼

I changed my compiler to Eclipse and run my project. Afterwards changed back to Javac and problem solved. I don't know exact problem but it can help who is looking for solution.



share edit

answered Jul 24 '17 at 7:41



omerhakanbilici  
160 ● 1 ● 5 ● 16


add a comment

## 18.快速大小写转换

解决办法: *ctrl + shift + u*

## 19.单击打开了文件，不想让其单击打开

解决办法:



## 20. 标签页重叠


解决办法:

### IntelliJ IDEA 打开文件tab数量限制的调整

最近在阅读一个开源项目，发现IDEA对同时打开的文件TAB有限制，最多只能打开10个文件Tab，再多开就会把原来的Tab关闭了。

找了半天，在菜单中找到了调整方法，以Mac为例，调整路径为“IntelliJ IDEA” -> “Perferences...” -> “Editor” -> “Editor Tabs”，调整 Tab Closing Policy 的 Tab Limit，默认是10个，修改为你需要的个数即可。

## 21. 直接查看内存够不够:



## 22.sumlime minimap 插件

### CodeGlance






### 23.装逼背景插件

#### *Background Image Plus*



### 24.找 bug 插件




#### *FindBugs*




25.调试中查看某一表达式的值:

选中, *alt* + 鼠标左键

26.添加自定义菜单栏, 打开文件所在位置:





27.清理导入:


*ctrl + alt + o*

28.批量修改变量名:


*shift + F6*

29.设置 *svn* 忽略的 2 中方式:

(1) 若文件还没有进入到版本, 直接添加 *svn* 的 *ignore*



(2) 若文件已经进入到版本管理, 则通过新建 *changelist* 来解决



30.continue.....

——IDEA use by FCBarry <https://github.com/FCBarry>