

# ASSESSING MODEL ACCURACY

DAVID ORME

# OVERVIEW

- The confusion matrix
- Measures of model accuracy
- Thresholds for continuous predictions
- Application to Species Distribution Models

# MODIS LAND COVER CLASSIFICATION

Site Class	Class Name	Classification Outcome																Total
		1	2	3	4	5	6	7	8	9	10	11	12	14	15	16		
1	Evergreen Needleleaf	1460	42	18	11	266	7	9	17	23	10	15	21	2	0	0	1901	
2	Evergreen Broadleaf	31	4889	0	14	14	11	18	79	23	17	4	38	10	0	1	5149	
3	Deciduous Needleleaf	87	0	104	25	118	0	0	4	0	0	0	10	0	0	0	348	
4	Deciduous Broadleaf	22	56	16	384	278	0	3	11	1	3	0	47	82	0	0	903	
5	Mixed Forest	405	63	94	148	1355	3	1	27	7	8	40	41	17	0	0	2209	
6	Closed Shrubland	34	35	2	12	5	140	124	29	15	30	2	158	19	0	8	613	
7	Open Shrubland	10	12	3	9	1	41	1002	33	45	203	0	210	6	0	213	1788	
8	Woody Savanna	62	133	0	16	110	11	104	577	141	71	0	221	22	0	3	1471	
9	Savanna	10	53	1	0	21	18	48	93	440	43	1	252	79	0	16	1075	
10	Grasslands	2	16	0	2	20	4	179	6	101	632	0	249	13	0	363	1587	
11	Pmnt WtInd	63	24	0	5	28	23	1	2	36	2	89	1	7	0	0	281	
12	Cropland	6	75	2	7	16	8	61	42	132	133	2	5168	183	0	18	5853	
14	Cropland/Natural Vegn	2	133	0	48	28	2	8	16	66	8	1	320	832	0	7	1471	
15	Snow+ice	1	0	0	0	0	1	2	0	0	0	5	1	0	1297	5	1312	
16	Barren	0	2	1	0	0	1	162	4	5	126	3	56	5	14	3537	3916	
Total		2195	5533	241	681	2260	270	1722	940	1035	1286	162	6793	1277	1311	4171	29877	

$$\text{Accuracy} = 21906 / 29877 = 73.3\%$$

# A SIMPLER CONFUSION MATRIX

Zoom in on just two of those categories:

<i>Site Class</i>	<i>Class Name</i>		
		<i>1</i>	<i>2</i>
<b>1</b>	<b>Evergreen Needleleaf</b>	1460	42
<b>2</b>	<b>Evergreen Broadleaf</b>	31	4889

Model predicts: Is this evergreen forest needleleaf or  
broadleaf

# ACCURACY

Easy to calculate accuracy:

	Pred. Needle	Pred. Broad	Sum
Obs. Needle	1460	42	1502
Obs. Broad	31	4889	4920
Sum	1491	4931	6422

$$A = \frac{1460 + 4889}{1460 + 4889 + 42 + 31} = 98.9$$

# ACCURACY

But **random** models can have reasonable accuracy!

	Pred. Needle	Pred. Broad	Sum
Obs. Needle	756	746	1502
Obs. Broad	2441	2479	4920
Sum	3197	3225	6422

$$A = \frac{756 + 2479}{6422} = 50.4$$

# ACCURACY

And so can stupid ones: **everything** is a broadleaf.

	Pred. Needle	Pred. Broad	Sum
Obs. Needle	0	1502	1502
Obs. Broad	0	4920	4920
Sum	0	6422	6422

$$A = \frac{0 + 4920}{6422} = 76.6$$

# PREVALENCE

**Prevalence** is simple the proportion of the observed positive outcomes:

$$\text{Prevalence} = \frac{1502}{6422} = 0.234$$



# ACCURACY

And accuracy is affected by prevalence

	Pred. Needle	Pred. Broad	Sum
Obs. Needle	0	35	35
Obs. Broad	0	6407	6407
Sum	0	6442	6442

$$A = \frac{0 + 6407}{6422} = 99.5$$

# PREDICTION OUTCOMES

Giving some simple names to the four outcomes:

	Pred. Needle	Pred. Broad
Obs. Needle	True Positive	False Negative
Obs. Broad	False Positive	True Negative

# PREDICTION OUTCOMES

Other more confusing names do get used:

	Pred. Needle	Pred. Broad
Obs. Needle	True Positive	Type II Error
Obs. Broad	Type I Error	True Negative

# RATES OF OUTCOMES

Divide the four outcomes by the **observed** positive and negative counts to give **rates**:

	Pred. Needle	Pred. Broad
Obs. Needle	True Positive Rate	False Negative Rate
Obs. Broad	False Positive Rate	True Negative Rate

# RATES OF OUTCOMES

Calculate those values:

	Pred. Needle	Pred. Broad	Sum
Obs. Needle	$\frac{1460}{1502} = 97.2$	$\frac{42}{1502} = 2.8$	1502
Obs. Broad	$\frac{31}{4920} = 0.6$	$\frac{4889}{4920} = 99.4$	4920

# SENSITIVITY AND SPECIFICITY

## Sensitivity

- Another name for the True Positive Rate
- The proportion of correctly predicted positive observations

## Specificity

- Another name for the True Negative Rate
- The proportion of correctly predicted negative observations

# SENSITIVITY AND SPECIFICITY

	Pred. Needle	Pred. Broad	Sum
Obs. Needle	1460	42	1502
Obs. Broad	2010	2910	4920
Sum	3470	2952	6422

Outcome rates for the new model above

	Pred. Needle	Pred. Broad
Obs. Needle	97.2%	2.8%
Obs. Broad	40.9%	59.1%

# COHEN'S KAPPA

Cohen's kappa ( $\kappa$ ) is a measure of agreement that rescales accuracy ( $A$ ) to account for chance agreement ( $P_e$ ):

$$\kappa = \frac{A - P_e}{1 - P_e}$$

It can take values from  $-\infty$  to 1, where 1 is perfect prediction and anything below zero is worse than chance.



# COHEN'S KAPPA

Multiply proportions of observed and predicted to get probability of each outcome

	Pred. Needle	Pred. Broad	Sum
Obs. Needle	1460	42	1502
Obs. Broad	31	4889	4920
Sum	1491	4931	6422

$$P_{YY} = \frac{1491}{6422} \times \frac{1502}{6422} = 0.054$$

# COHEN'S KAPPA

	Pred. Needle	Pred. Broad	p
Obs. Needle	0.054	0.180	0.234
Obs. Broad	0.178	0.588	0.766
p	0.232	0.768	1.000

$$P_e = P_{YY} + P_{NN}\kappa = \frac{0.989 - (0.054 + 0.588)}{1 - (0.054 + 0.588)} = 0.9$$

# TRUE SKILL STATISTIC

TODO - MathJax linebreak fix?


An alternative measure is TSS:

$$\text{TSS} = \text{Sensitivity} + \text{Specificity} - 1 \quad \text{TSS} = [0, 1] +$$


- $\text{TSS} = 1$  (perfect)
- $\text{TSS} = 0$  (random)
- $\text{TSS} = -1$  (always wrong)
- Unaffected by prevalence.

# THRESHOLD MODEL

A model predicting the probability of success.




# THRESHOLD MODEL




	0	1
1	0	59
0	0	41
value		
Sens		1
Spec		0
TSS		0

# THRESHOLD MODEL




	0	1
1	2	57
0	19	22
value		
Sens	0.966	
Spec	0.463	
TSS	0.430	

# THRESHOLD MODEL



	0	1
	10	49
	35	6
	value	
Sens	0.831	
Spec	0.854	
TSS	0.684	


# THRESHOLD MODEL



	0	1
	30	29
	40	1
	value	
Sens	0.492	
Spec	0.976	
TSS	0.467	




# THRESHOLD MODEL




	0	1
	59	0
	41	0
	value	
Sens		0
Spec		1
TSS		0

# ROC CURVE



- Receiver operating characteristic (ROC)
- A random model gives the red line

# AREA UNDER ROC CURVE (AUC)




- AUC varies between 0 and 1.
- $AUC = 0.5$  is random.
- Overall model performance

# SPECIES DISTRIBUTION MODELS




Kinkajou (*Potos flavus*)




# SPECIES DISTRIBUTION MODELS



- Observed (red)
- Background (black)



# SPECIES DISTRIBUTION MODELS




Threshold = 0.1

	Present	Absent
Obs	200	0
Back	159	41

	value
Sens	0.205
Spec	1.000
TSS	0.205

# SPECIES DISTRIBUTION MODELS




Threshold = 0.4

	Present	Absent
Obs	186	14
Back	121	79

	value
Sens	0.395
Spec	0.930
TSS	0.325

# SPECIES DISTRIBUTION MODELS



Threshold = 0.55


	Present	Absent
Obs	80	120
Back	51	149

	value
Sens	0.745
Spec	0.400
TSS	0.145




# AUC FOR THE KINKAJOU

Maximum sensitivity + specificity shown in red.



# SPECIES DISTRIBUTION MODELS



Threshold = 0.371

	Present	Absent
Obs	195	5
Back	126	74

	value
Sens	0.370
Spec	0.975
TSS	0.345

# THRESHOLD CHOICES

Method	Definition
Fixed value	An arbitrary fixed value (e.g. probability = 0.5)
Lowest predicted value	The lowest predicted value corresponding with an observed occurrence record
Sensitivity-specificity equality	The threshold at which sensitivity and specificity are equal
Sensitivity-specificity sum maximization	The sum of sensitivity and specificity is maximized
Maximize Kappa	The threshold at which Cohen's Kappa statistic is maximized
Equal prevalence	Proportion of presences relative to the number of sites is equal in prediction and calibration data

# FAST MOVING FIELD

