

Sites: http://localhost:1337 http://localhost:3000

Generated on Sun, 6 Jul 2025 22:08:21

ZAP Version: 2.16.1

ZAP by Checkmarx

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	3
Low	3
Informational	2
False Positives:	0

Summary of Sequences

For each step: result (Pass/Fail) - risk (of highest alert(s) for the step, if any).

Alerts

Name	Risk Level	Number of Instances
CSP: Failure to Define Directive with No Fallback	Medium	3
Content Security Policy (CSP) Header Not Set	Medium	1
Missing Anti-clickjacking Header	Medium	1
<u>Server Leaks Information via "X-Powered-By" HTTP</u> <u>Response Header Field(s)</u>	Low	9
<u>Timestamp Disclosure - Unix</u>	Low	19
X-Content-Type-Options Header Missing	Low	4
Information Disclosure - Suspicious Comments	Informational	3
Modern Web Application	Informational	1

Alert Detail

Medium	CSP: Failure to Define Directive with No Fallback
Description	The Content Security Policy fails to define one of the directives that has no fallback. Missing/excluding them is the same as allowing anything.

URL	http://localhost:3000/logo.png
Method	GET
Paramete r	Content-Security-Policy
Attack	
Evidence	default-src 'none'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:3000/robots.txt
Method	GET
Paramete r	Content-Security-Policy
Attack	
Evidence	default-src 'none'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
URL	http://localhost:3000/sitemap.xml
Method	GET
Paramete r	Content-Security-Policy
Attack	

Evidence	default-src 'none'
Other Info	The directive(s): frame-ancestors, form-action is/are among the directives that do not fallback to default-src.
Instances	3
Solution	Ensure that your web server, application server, load balancer, etc. is properly configured to set the Content-Security-Policy header.
Reference	https://www.w3.org/TR/CSP/ https://caniuse.com/#search=content+security+policy https://content-security-policy.com/ https://github.com/HtmlUnit/htmlunit-csp https://developers.google.com/web/fundamentals/security/csp#policy_applies_to_a_wide_variet y_of_resources
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	<u>10055</u>

Medium	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://localhost:3000

Method	GET
Paramete r	
Attack	
Evidence	
Other Info	
Instances	1
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en- US/docs/Web/Security/CSP/Introducing_Content_Security_Policy https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	<u>10038</u>

Medium	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.

URL	http://localhost:3000
Method	GET
Paramete r	x-frame-options
Attack	
Evidence	
Other Info	
Instances	1
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
CWE Id	<u>1021</u>
WASC Id	15
Plugin Id	10020
Low	Somer Looks Information via "V Dowered By" HTTP Peopones Hooder Field(s)
LOW	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP

response headers. Access to such information may facilitate attackers identifying other

	frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	http://localhost:1337/api
Method	GET
Paramete r	
Attack	
Evidence	X-Powered-By: Strapi <strapi.io></strapi.io>
Other Info	
URL	http://localhost:3000
Method	GET
Paramete r	
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:3000/logo.png
Method	GET
Paramete r	

Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:3000/robots.txt
Method	GET
Paramete r	
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:3000/sitemap.xml
Method	GET
Paramete r	
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:3000/static/js/bundle.js
Method	GET

Paramete r	
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:3000/static/js/main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	X-Powered-By: Express
Other Info	
URL	http://localhost:1337/api

Method	POST
Paramete r	
Attack	
Evidence	X-Powered-By: Strapi <strapi.io></strapi.io>
Other Info	
Instances	9
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	https://owasp.org/www-project-web-security-testing-guide/v42/4- Web_Application_Security_Testing/01-Information_Gathering/08- Fingerprint_Web_Application_Framework https://www.troyhunt.com/2012/02/shhh-dont-let-your-response-headers.html
CWE Id	<u>497</u>
WASC Id	13
Plugin Id	<u>10037</u>
Low	Timestamp Disclosure - Unix
	·
Description	A timestamp was disclosed by the application/web server Unix
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET

Paramete r	
Attack	
Evidence	1444681467
Other Info	1444681467, which evaluates to: 2015-10-12 17:24:27.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1473231341
Other Info	1473231341, which evaluates to: 2016-09-07 03:55:41.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1502002290
Other Info	1502002290, which evaluates to: 2017-08-06 03:51:30.
URL	http://localhost:3000/static/js/vendors~main.chunk.js

Method	GET
Paramete r	
Attack	
Evidence	1530992060
Other Info	1530992060, which evaluates to: 2018-07-07 16:34:20.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1560198380
Other Info	1560198380, which evaluates to: 2019-06-10 17:26:20.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1700485571
Other Info	1700485571, which evaluates to: 2023-11-20 10:06:11.

URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1732584193
Other Info	1732584193, which evaluates to: 2024-11-25 22:23:13.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1732584194
Other Info	1732584194, which evaluates to: 2024-11-25 22:23:14.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1735328473

Other Info	1735328473, which evaluates to: 2024-12-27 16:41:13.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1770035416
Other Info	1770035416, which evaluates to: 2026-02-02 09:30:16.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1804603682
Other Info	1804603682, which evaluates to: 2027-03-09 11:48:02.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	

Evidence	1839030562
Other Info	1839030562, which evaluates to: 2028-04-10 22:49:22.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1873313359
Other Info	1873313359, which evaluates to: 2029-05-12 17:49:19.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1894986606
Other Info	1894986606, which evaluates to: 2030-01-18 14:10:06.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	

Attack	
Evidence	1926607734
Other Info	1926607734, which evaluates to: 2031-01-19 13:48:54.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1958414417
Other Info	1958414417, which evaluates to: 2032-01-22 17:00:17.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	1990404162
Other Info	1990404162, which evaluates to: 2033-01-26 23:02:42.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET

ZAP Report 06/07/2025, 22:10

Paramete r	
Attack	
Evidence	2022574463
Other Info	2022574463, which evaluates to: 2034-02-03 07:14:23.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	2054922799
Other Info	2054922799, which evaluates to: 2035-02-12 16:53:19.
Instances	19
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	<u>497</u>
WASC Id	13
Plugin Id	<u>10096</u>
Low	X-Content-Type-Options Header Missing

Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://localhost:3000
Method	GET
Paramete r	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/static/js/bundle.js
Method	GET
Paramete r	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages

	away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/static/js/main.chunk.js
Method	GET
Paramete r	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	x-content-type-options
Attack	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	4

Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application/web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/iedeveloper/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	<u>693</u>
WASC Id	15
Plugin Id	<u>10021</u>

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker.
URL	http://localhost:3000/static/js/bundle.js
Method	GET
Paramete r	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// add entry modules from loaded chunk to deferred list", see evidence field for the suspicious comment/snippet.

URL	http://localhost:3000/static/js/main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// import Header from '/Header';", see evidence field for the suspicious comment/snippet.
URL	http://localhost:3000/static/js/vendors~main.chunk.js
Method	GET
Paramete r	
Attack	
Evidence	from
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// Real errors are hidden from us by the browser", see evidence field for the suspicious comment/snippet.
Instances	3
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	<u>615</u>
WASC Id	13

Plugin Id <u>10027</u>

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	http://localhost:3000
Method	GET
Paramete r	
Attack	
Evidence	<script src="/static/js/bundle.js"></script>
Other Info	No links have been found while there are scripts, which is an indication that this is a modern web application.
Instances	1
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	<u>10109</u>

Sequence Details

With the associated active scan results.