# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☑ source   ☐ outline   ☐ image report

[Options…]

Check by [text input ▾]   ☐ css

```
<!DOCTYPE html>
<html lang="zxx">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta name="keywords" content="Barbershop, San Fransisco, california," />
    <meta name="description" content="Template for a barbershop " />
    <meta name="author" content="Isak Westerberg" />
    <title>Barbershop | IsakMedia</title>
    <link rel="stylesheet" href="style.css" />
  </head>
  <body>
    <header>
      <!--Hamburger meny-->
```

[Check]

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering]

1. **Warning** **Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.**

   From line 4, column 5; to line 4, column 28

   ```
   head>↵    <meta charset="UTF-8" />↵    <
   ```

2. **Warning** **Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.**

   From line 5, column 5; to line 5, column 59

```
8" />↵     <meta http-equiv="X-UA-Compatible" content="IE=edge" />↵    <
```

3. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 6, column 5; to line 6, column 76

```
e" />↵     <meta name="viewport" content="width=device-width, initial-
scale=1.0" />↵     <
```

4. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 7, column 5; to line 7, column 77

```
0" />↵     <meta name="keywords" content="Barbershop, San Fransisco,
california," />↵     <
```

5. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 8, column 5; to line 8, column 68

```
," />↵     <meta name="description" content="Template for a barbershop " />↵
<
```

6. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 9, column 5; to line 9, column 52

```
" />↵     <meta name="author" content="Isak Westerberg" />↵    <
```

7. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features**

(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 11, column 5; to line 11, column 46

```
itle>↵      <link rel="stylesheet" href="style.css" />↵   </h
```

8. **Warning** **Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 54, column 11; to line 54, column 75

```
        <img src="img/hairspray-500px.jpg" alt="guy being hairsprayed" />↵
```

9. **Warning** **Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 65, column 11; to line 65, column 66

```
        <img src="img/trim-500px.jpg" alt="guy being trimmed" />↵
```

10. **Warning** **Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 75, column 11; to line 75, column 68

```
        <img src="img/shave-500px.jpg" alt="guy getting shaved" />↵
```

11. **Warning** **Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 85, column 11; to line 85, column 71

```
        <img src="img/shampoo-500px.jpg" alt="guy being shampooed" />↵
```

12. **Warning**   Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 97, column 9; to line 101, column 10

```
>↵           <img↵          class="about-barber-img"↵           src="img/barber-
chairs-800x1000.jpg"↵         alt="picture of our barbershop chairs"↵
/>↵
```

13. **Warning**   Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 112, column 15; to line 112, column 71

```
        <img src="icons/calender.png" alt="icon of a calender" />↵
```

14. **Error**   An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 126, column 13; to line 126, column 64

```
        <img class="qoute-icon" src="icons/qoutation.png" />↵
```

15. **Warning**   Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 126, column 13; to line 126, column 64

```
        <img class="qoute-icon" src="icons/qoutation.png" />↵
```

16. **Warning**   Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 132, column 15; to line 136, column 16

```
        <img↵                 class="reviewer"↵
src="img/reviewer-R-300px.jpg"↵                  alt="a picture of a reviewer
of our site"↵            />↵
```

17. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 138, column 17; to line 142, column 18

```
        <img↵                 class="rev-icon"↵
src="icons/star-icon-fusk.svg"↵              alt="five stars"↵
/>↵
```

18. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 151, column 13; to line 151, column 64

```
        <img class="qoute-icon" src="icons/qoutation.png" />↵
```

19. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 151, column 13; to line 151, column 64

```
        <img class="qoute-icon" src="icons/qoutation.png" />↵
```

20. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 157, column 15; to line 161, column 16

```
        <img↵                 class="reviewer"↵
src="img/reviewer-R-300px.jpg"↵                  alt="a picture of a reviewer
of our site"↵            />↵
```

21. **Warning** Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features**

(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 163, column 17; to line 167, column 18

```
            <img↵                         class="rev-icon"↵
src="icons/star-icon-fusk.svg"↵                      alt="five stars"↵
/>↵
```

22.   `Error`   An `img` element must have an `alt` attribute, except under certain conditions. For details, consult **guidance on providing text alternatives for images**.

From line 176, column 13; to line 176, column 64

```
            <img class="qoute-icon" src="icons/qoutation.png" />↵
```

23.   `Warning`   Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 176, column 13; to line 176, column 64

```
            <img class="qoute-icon" src="icons/qoutation.png" />↵
```

24.   `Warning`   Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 182, column 15; to line 186, column 16

```
            <img↵                         class="reviewer"↵
src="img/reviewer-R-300px.jpg"↵                      alt="a picture of a reviewer
of our site"↵                  />↵
```

25.   `Warning`   Self-closing tag syntax in text/html documents is **widely discouraged**; it's unnecessary and **interacts badly with other HTML features** (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, **without any option to prevent it from doing so**, then consider switching to a different tool.

From line 188, column 17; to line 192, column 18

```
        <img↵                        class="rev-icon"↵
src="icons/star-icon-fusk.svg"↵                        alt="five stars"↵
/>↵
```

26. `Warning`   **Self-closing tag syntax in text/html documents is [widely
discouraged](); it's unnecessary and [interacts badly with other HTML features]()
(e.g., unquoted attribute values). If you're using a tool that injects self-closing
tag syntax into all void elements, [without any option to prevent it from doing
so](), then consider switching to a different tool.**

[From line 210, column 13; to line 211, column 12]()

```
        <img src="icons/facebook.svg" alt="the facebook icon"↵            />
</a>↵
```

27. `Warning`   **Self-closing tag syntax in text/html documents is [widely
discouraged](); it's unnecessary and [interacts badly with other HTML features]()
(e.g., unquoted attribute values). If you're using a tool that injects self-closing
tag syntax into all void elements, [without any option to prevent it from doing
so](), then consider switching to a different tool.**

[From line 213, column 13; to line 214, column 12]()

```
        <img src="icons/twitter.svg" alt="the twitter icon"↵            />
</a>↵
```

28. `Warning`   **Self-closing tag syntax in text/html documents is [widely
discouraged](); it's unnecessary and [interacts badly with other HTML features]()
(e.g., unquoted attribute values). If you're using a tool that injects self-closing
tag syntax into all void elements, [without any option to prevent it from doing
so](), then consider switching to a different tool.**

[From line 216, column 13; to line 217, column 12]()

```
        <img src="icons/instagram.svg" alt="the instagram icon"↵
/></a>↵
```

29. `Warning`   **Self-closing tag syntax in text/html documents is [widely
discouraged](); it's unnecessary and [interacts badly with other HTML features]()
(e.g., unquoted attribute values). If you're using a tool that injects self-closing
tag syntax into all void elements, [without any option to prevent it from doing
so](), then consider switching to a different tool.**

[From line 245, column 13; to line 249, column 14]()

```
        <img↵                    class="last-card"↵
src="/src/icons/map-icon.svg"↵                    alt="a map icon"↵                    />↵
```

30. [**Warning**]   **Self-closing tag syntax in text/html documents is [widely](#)**
     [discouraged](#); it's unnecessary and [interacts badly with other HTML features](#)
     (e.g., unquoted attribute values). If you're using a tool that injects self-closing
     tag syntax into all void elements, [without any option to prevent it from doing](#)
     [so](#), then consider switching to a different tool.

     [From line 250, column 13; to line 254, column 14](#)

     ```
                     <img↵                    class="last-card"↵
     src="icons/phone-icon.svg"↵                    alt="a phone icon"↵          />↵
     ```

31. [**Warning**]   **Self-closing tag syntax in text/html documents is [widely](#)**
     [discouraged](#); it's unnecessary and [interacts badly with other HTML features](#)
     (e.g., unquoted attribute values). If you're using a tool that injects self-closing
     tag syntax into all void elements, [without any option to prevent it from doing](#)
     [so](#), then consider switching to a different tool.

     [From line 255, column 13; to line 259, column 14](#)

     ```
                     <img↵                    class="last-card"↵
     src="icons/readme-icon.svg"↵                    alt="a readme icon"↵
     />↵
     ```

Document checking completed.

Source

```
 1.  <!DOCTYPE html>↵
 2.  <html lang="zxx">↵
 3.    <head>↵
 4.      <meta charset="UTF-8" />↵
 5.      <meta http-equiv="X-UA-Compatible" content="IE=edge" />↵
 6.      <meta name="viewport" content="width=device-width, initial-scale=1.0" />↵
 7.      <meta name="keywords" content="Barbershop, San Fransisco, california," />↵
 8.      <meta name="description" content="Template for a barbershop " />↵
 9.      <meta name="author" content="Isak Westerberg" />↵
10.      <title>Barbershop | IsakMedia</title>↵
11.      <link rel="stylesheet" href="style.css" />↵
12.    </head>↵
13.    <body>↵
14.      <header>↵
15.        <!--Hamburger meny-->↵
16.        <div class="menu-wrapper">↵
17.          <nav class="first-nav">↵
18.            <h1>barbershop</h1>↵
19.  ↵
20.            <button id="menu-button">MENU</button>↵
21.            <div class="menu">↵
22.              <ul>↵
23.                <li><a href="#">HOME</a></li>↵
24.                <li><a href="#">ABOUT</a></li>↵
25.                <li><a href="#">PRICING</a></li>↵
26.                <li><a href="#">GALLERY</a></li>↵
27.                <li><a href="#">TEAM</a></li>↵
28.                <li><a href="#">BLOG</a></li>↵
29.                <li><a href="#">CONTACT</a></li>↵
```

```
30.              </ul>↵
31.            </div>↵
32.          </nav>↵
33.        </div>↵
34.      </header>↵
35.  ↵
36.      <main>↵
37.        <div class="landing-container-dimmer"></div>↵
38.  ↵
39.        <section class="landing">↵
40.          <div class="landing-container">↵
41.            <h2>welcome to barbershop</h2>↵
42.            <h3>we will make <span>your style</span> of your dreams</h3>↵
43.            <p>↵
44.              A small river named Duden flows by their place and supplies it
     with↵
45.              the necessary regelialia. It is a paradisematic country, in which↵
46.              roasted parrts of sentences fly into your mouth.↵
47.            </p>↵
48.            <button class="landing-btn">learn more about us</button>↵
49.          </div>↵
50.        </section>↵
51.  ↵
52.        <section class="appointments">↵
53.          <div class="app-cards">↵
54.            <img src="img/hairspray-500px.jpg" alt="guy being hairsprayed" />↵
55.            <h3 class="card-headings">hairstyles</h3>↵
56.            <p>↵
57.              Lorem ipsum dolor sit amet, consectetur adipisicing elit. Optio↵
58.              pariatur, aut perferendis neque non ducimus quo recusandae eum↵
59.              exercitationem omnis laborum, quas voluptatum amet. Architecto↵
60.              pariatur cumque nisi incidunt nobis.↵
61.            </p>↵
62.          </div>↵
63.  ↵
64.          <div class="app-cards">↵
65.            <img src="img/trim-500px.jpg" alt="guy being trimmed" />↵
66.            <h3 class="card-headings">beard trim</h3>↵
67.            <p>↵
68.              Lorem ipsum dolor sit amet, consectetur adipisicing elit. Optio↵
69.              pariatur, aut perferendis neque non ducimus quo recusandae eum↵
70.              exercitationem omnis laborum, quas voluptatum amet. Architecto↵
71.              pariatur cumque nisi incidunt nobis.↵
72.            </p>↵
73.          </div>↵
74.          <div class="app-cards">↵
75.            <img src="img/shave-500px.jpg" alt="guy getting shaved" />↵
76.            <h3 class="card-headings">hot shave</h3>↵
77.            <p>↵
78.              Lorem ipsum dolor sit amet, consectetur adipisicing elit. Optio↵
79.              pariatur, aut perferendis neque non ducimus quo recusandae eum↵
80.              exercitationem omnis laborum, quas voluptatum amet. Architecto↵
81.              pariatur cumque nisi incidunt nobis.↵
82.            </p>↵
83.          </div>↵
84.          <div class="app-cards">↵
85.            <img src="img/shampoo-500px.jpg" alt="guy being shampooed" />↵
86.            <h3 class="card-headings">hair shampoo</h3>↵
87.            <p>↵
88.              Lorem ipsum dolor sit amet, consectetur adipisicing elit. Optio↵
89.              pariatur, aut perferendis neque non ducimus quo recusandae eum↵
90.              exercitationem omnis laborum, quas voluptatum amet. Architecto↵
91.              pariatur cumque nisi incidunt nobis.↵
92.            </p>↵
93.          </div>↵
94.        </section>↵
95.  ↵
96.        <section class="about-barber">↵
97.          <img↵
98.            class="about-barber-img"↵
99.            src="img/barber-chairs-800x1000.jpg"↵
```

```
100.                alt="picture of our barbershop chairs"↵
101.            />↵
102.          <div class="about-barber-text">↵
103.            <h2>about barber</h2>↵
104.            <h3>a smoother barber experience in your town</h3>↵
105.            <p>↵
106.              Lorem ipsum dolor, sit amet consectetur adipisicing elit. Odio,↵
107.              expedita Lorem ipsum dolor, sit amet consectetur adipisicing
      elit.↵
108.              Odio, expedita.↵
109.            </p>↵
110.            <div class="about-barber-booking">↵
111.              <div class="circle">↵
112.                <img src="icons/calender.png" alt="icon of a calender" />↵
113.              </div>↵
114.              <h3><span>20</span> years of experience</h3>↵
115.            </div>↵
116.          </div>↵
117.        </section>↵
118.  ↵
119.        <section class="testimonial">↵
120.          <h2>testimonial</h2>↵
121.          <h3>people say about barber</h3>↵
122.  ↵
123.          <div class="all-cards">↵
124.            <div class="test-card">↵
125.              <div class="qoute-background"></div>↵
126.              <img class="qoute-icon" src="icons/qoutation.png" />↵
127.              <p>↵
128.                Lorem ipsum dolor sit amet consectetur adipisicing elit.↵
129.                Laudantium, magnam?↵
130.              </p>↵
131.              <div class="test-card-person">↵
132.                <img↵
133.                  class="reviewer"↵
134.                  src="img/reviewer-R-300px.jpg"↵
135.                  alt="a picture of a reviewer of our site"↵
136.                />↵
137.                <div class="test">↵
138.                  <img↵
139.                    class="rev-icon"↵
140.                    src="icons/star-icon-fusk.svg"↵
141.                    alt="five stars"↵
142.                  />↵
143.                  <h3 class="test-name">Justin Case</h3>↵
144.                  <div class="costumer">costumer</div>↵
145.                </div>↵
146.              </div>↵
147.            </div>↵
148.  ↵
149.            <div class="test-card">↵
150.              <div class="qoute-background"></div>↵
151.              <img class="qoute-icon" src="icons/qoutation.png" />↵
152.              <p>↵
153.                Lorem ipsum dolor sit amet consectetur adipisicing elit.↵
154.                Laudantium, magnam?↵
155.              </p>↵
156.              <div class="test-card-person">↵
157.                <img↵
158.                  class="reviewer"↵
159.                  src="img/reviewer-R-300px.jpg"↵
160.                  alt="a picture of a reviewer of our site"↵
161.                />↵
162.                <div class="test">↵
163.                  <img↵
164.                    class="rev-icon"↵
165.                    src="icons/star-icon-fusk.svg"↵
166.                    alt="five stars"↵
167.                  />↵
168.                  <h3>Mike Hunt</h3>↵
169.                  <div class="costumer">costumer</div>↵
```

```
170.                </div>↵
171.              </div>↵
172.            </div>↵
173.  ↵
174.          <div class="test-card">↵
175.            <div class="qoute-background"></div>↵
176.            <img class="qoute-icon" src="icons/qoutation.png" />↵
177.            <p>↵
178.              Lorem ipsum dolor sit amet consectetur adipisicing elit.↵
179.              Laudantium, magnam?↵
180.            </p>↵
181.            <div class="test-card-person">↵
182.              <img↵
183.                class="reviewer"↵
184.                src="img/reviewer-R-300px.jpg"↵
185.                alt="a picture of a reviewer of our site"↵
186.              />↵
187.              <div class="test">↵
188.                <img↵
189.                  class="rev-icon"↵
190.                  src="icons/star-icon-fusk.svg"↵
191.                  alt="five stars"↵
192.                />↵
193.                <h3 class="test-name">Joe King</h3>↵
194.                <div class="costumer">costumer</div>↵
195.              </div>↵
196.            </div>↵
197.          </div>↵
198.        </div>↵
199.      </section>↵
200.    </main>↵
201.  ↵
202.    <footer class="main-footer">↵
203.      <div class="footer-card">↵
204.        <div class="footer-text-container">↵
205.          <h2>barbershop</h2>↵
206.          <p>Lorem ipsum dolor sit amet Lorem ipsum dolor sit amet.</p>↵
207.        </div>↵
208.        <div class="buttons-flex">↵
209.          <a class="social" href="#">↵
210.            <img src="icons/facebook.svg" alt="the facebook icon"↵
211.          /></a>↵
212.          <a class="social" href="#">↵
213.            <img src="icons/twitter.svg" alt="the twitter icon"↵
214.          /></a>↵
215.          <a class="social" href="#">↵
216.            <img src="icons/instagram.svg" alt="the instagram icon"↵
217.          /></a>↵
218.        </div>↵
219.      </div>↵
220.  ↵
221.      <div class="footer-card">↵
222.        <h2>explore</h2>↵
223.        <ul>↵
224.          <li><a href="#">about</a></li>↵
225.          <li><a href="#">services</a></li>↵
226.          <li><a href="#">gallery</a></li>↵
227.          <li><a href="#">blog</a></li>↵
228.        </ul>↵
229.      </div>↵
230.  ↵
231.      <div class="footer-card">↵
232.        <h2>info</h2>↵
233.        <ul>↵
234.          <li><a href="#">Join us</a></li>↵
235.          <li><a href="#">Make appointment</a></li>↵
236.          <li><a href="#">Privacy & Policy</a></li>↵
237.          <li><a href="#">Terms and Conditions</a></li>↵
238.        </ul>↵
239.      </div>↵
240.  ↵
```

```
241.        <div class="flexbox">↵
242.          <h2>have a question?</h2>↵
243.          <div class="footer-card-last">↵
244.            <div class="icons">↵
245.              <img↵
246.                class="last-card"↵
247.                src="/src/icons/map-icon.svg"↵
248.                alt="a map icon"↵
249.              />↵
250.              <img↵
251.                class="last-card"↵
252.                src="icons/phone-icon.svg"↵
253.                alt="a phone icon"↵
254.              />↵
255.              <img↵
256.                class="last-card"↵
257.                src="icons/readme-icon.svg"↵
258.                alt="a readme icon"↵
259.              />↵
260.            </div>↵
261.            <div class="last-card-list">↵
262.              <ul>↵
263.                <li>231 fake st mountain san fransisco california,USA</li>↵
264.                <li>+439 3939 299 9</li>↵
265.                <li>barbershop@barber.com</li>↵
266.              </ul>↵
267.            </div>↵
268.          </div>↵
269.        </div>↵
270.      </footer>↵
271. ↵
272.      <script>↵
273.        const menuBtn = document.querySelector("#menu-button");↵
274.        menuBtn.addEventListener("click", () => {↵
275.          menuBtn.classList.toggle("menu-open");↵
276.        });↵
277.      </script>↵
278.    </body>↵
279. </html>
```

Used the HTML parser.

Total execution time 22 milliseconds.

About this checker • Report an issue • Version: 22.10.2