

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for uploaded file index2.html

### Checker Input

Show ☐ source ☐ outline ☐ image report

Options...

Check by   No file chosen

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Message Filtering

1. **Warning** This document appears to be *Lorem ipsum* text but the `html` start tag has `lang="en"`. Consider using `lang="zxx"` (or variant) instead.

From line 1, column 16; to line 2, column 16

TYPE html>...<html lang="en">... <he

For further guidance, consult [Tagging text with no language](#), [Declaring the overall language of a page](#) and [Choosing language tags](#).

If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).

2. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 4, column 5; to line 4, column 28

head>... <meta charset="UTF-8" />... <

3. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 5, column 5; to line 5, column 59

```
8" /> <meta http-equiv="X-UA-Compatible" content="IE=edge" /> <
```

4. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 6, column 5; to line 6, column 76

```
e" /> <meta name="viewport" content="width=device-width, initial-scale=1.0" /> <
```

5. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 9, column 5; to line 9, column 45

```
tle> <link rel="stylesheet" href="main.css" /> <
```

6. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 10, column 5; to line 13, column 6

```
s" /> <link href="https://fonts.googleapis.com/css?family=Barlow+Semi+Condensed:wght@800&family=Poppins:ital@1&display=swap" rel="stylesheet" /> <
```

7. **Error** Bad value `100%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 46, column 9; to line 51, column 10

```
> 
```

8. **Error** Bad value `auto` for attribute `height` on element `img`: Expected a digit but saw `a` instead.

From line 46, column 9; to line 51, column 10

```
>...      <img...      src="img_header.jpg"...  
alt="barbershop-image"...      width="100%"...      height="auto"..  
/>...
```

9. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 46, column 9; to line 51, column 10

```
>...      <img...      src="img_header.jpg"...  
alt="barbershop-image"...      width="100%"...      height="auto"..  
/>...
```

10. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 73, column 11; to line 73, column 55

```
...
```

11. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 83, column 11; to line 83, column 49

```
...
```

12. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 92, column 11; to line 92, column 50

```
...
```

13. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 102, column 11; to line 102, column 56

```

```

14. **Error** Bad value `100%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 114, column 11; to line 114, column 78

```

```

15. **Error** Bad value `auto` for attribute `height` on element `img`: Expected a digit but saw `a` instead.

From line 114, column 11; to line 114, column 78

```

```

16. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 114, column 11; to line 114, column 78

```

```

17. **Error** Bad value `30px` for attribute `width` on element `img`: Expected a digit but saw `p` instead.

From line 131, column 13; to line 136, column 14

```

```

18. **Error** Bad value `30px` for attribute `height` on element `img`: Expected a digit but saw `p` instead.

From line 131, column 13; to line 136, column 14

```

```

19. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 131, column 13; to line 136, column 14

```

```

20. **Error** Bad value `100%` for attribute `width` on element `img`: Expected a digit but saw `%` instead.

From line 147, column 11; to line 153, column 12

```

```

21. **Error** Bad value `auto` for attribute `height` on element `img`: Expected a digit but saw `a` instead.

From line 147, column 11; to line 153, column 12

```

```

22. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 147, column 11; to line 153, column 12

```

```

23. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#)

(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 171, column 13; to line 171, column 79

```

```

24. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 174, column 15; to line 178, column 16

```

```

25. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 179, column 15; to line 183, column 16

```

```

26. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 184, column 15; to line 188, column 16

```

```

27. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#)

(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 189, column 15; to line 193, column 16

```

```

28. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 194, column 15; to line 198, column 16

```

```

29. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 216, column 13; to line 216, column 80

```

```

30. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 219, column 15; to line 223, column 16

```

```

31. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#)



(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.

From line 224, column 15; to line 228, column 16

```

```

32. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 229, column 15; to line 233, column 16

```

```

33. **Warning** Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.

From line 234, column 15; to line 238, column 16

```

```

34. **Warning** Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, without any option to prevent it from doing so, then consider switching to a different tool.

From line 239, column 15; to line 243, column 16

```

```

35. **Warning** Self-closing tag syntax in text/html documents is widely discouraged; it's unnecessary and interacts badly with other HTML features



(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 261, column 13; to line 261, column 80

```

```

36. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 264, column 15; to line 268, column 16

```

```

37. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 269, column 15; to line 273, column 16

```

```

38. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 274, column 15; to line 278, column 16

```

```

39. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#)

(e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 279, column 15; to line 283, column 16

```

```

40. **Warning** Self-closing tag syntax in text/html documents is [widely discouraged](#); it's unnecessary and [interacts badly with other HTML features](#) (e.g., unquoted attribute values). If you're using a tool that injects self-closing tag syntax into all void elements, [without any option to prevent it from doing so](#), then consider switching to a different tool.

From line 284, column 15; to line 288, column 16

```

```

Document checking completed.

Used the HTML parser.

Total execution time 83 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 22.9.27