

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for **index.html**

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Choose File](#) No file chosen

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Element [button](#) not allowed as child of element [ul](#) in this context. (Suppressing further errors from this subtree.)

From line 23, column 7; to line 23, column 31

```
ul>↔      <button id="menu-button">ME
```

Contexts in which element [button](#) may be used:

Where [phrasing content](#) is expected.

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

2. **Error** Element `div` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 24, column 7; to line 24, column 24

```
on><div class="menu"><
```

Contexts in which element `div` may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element `ul`:

Zero or more [li](#) and [script-supporting](#) elements.

3. **Error** End tag `ul` seen, but there were open elements.

From line 32, column 7; to line 32, column 11

```
li></ul>< </
```

4. **Error** Unclosed element `div`.

From line 24, column 7; to line 24, column 24

```
on><div class="menu"><
```

5. **Error** Stray end tag `div`.

From line 33, column 4; to line 33, column 9

```
</ul>< </div>< <
```

6. **Error** Stray end tag `div`.

From line 34, column 5; to line 34, column 10

```
/div>< </div>
```

7. **Error** The element `a` must not appear as a descendant of the `button` element.

From line 53, column 36; to line 53, column 52

```
t-us-btn"><a href="#about">LEARN
```

8. **Error** End tag `div` seen, but there were open elements.

From line 90, column 9; to line 90, column 14

>␣</div>

9. **Error** Unclosed element `span`.

From line 89, column 91; to line 89, column 96

EXPERIENCE↩

10. **Error** Unclosed element `span`.

From line 89, column 45; to line 89, column 64

`/span>
YEARS`

11. **Error** End tag `div` seen, but there were open elements.

From line 254, column 1; to line 254, column 6

v>↵</div>↵</div>↵</mai

12. **Error** Unclosed element `main`.

From line 62, column 1; to line 62, column 6

```
↵</div>↵↵<main>↵<!--
```

13. **Error** Stray end tag `main.`

From line 255, column 1; to line 255, column 7

```
v></div></main><<<!--
```

14. **Error** Element `div` not allowed as child of element `ul` in this context. (Suppressing further errors from this subtree.)

From line 319, column 15; to line 319, column 37

<div class="nodesktop">↵

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

15. **Error** Element [div](#) not allowed as child of element [ul](#) in this context. (Suppressing further errors from this subtree.)

From line 324, column 15; to line 324, column 36

```
<div class="nomobile">↵
```

Contexts in which element [div](#) may be used:

Where [flow content](#) is expected.

As a child of a [dl](#) element.

Content model for element [ul](#):

Zero or more [li](#) and [script-supporting](#) elements.

16. **Warning** Consider using the [h1](#) element as a top-level heading only (all [h1](#) elements [are treated as top-level headings by many screen readers and other tools](#)).

From line 19, column 7; to line 19, column 10

```
o">↵      <h1>BARBER
```

Document checking completed.

Used the HTML parser.

Total execution time 24 milliseconds.

