1	XSLT		2
	1.1 A		2
		b5a_termin.xlst	
	1.1.2	b5a_termin.html	3
	1.2 B		4
	1.2.1	b5b_termin.xlst	4
	1.2.2	b5b_termin.html	5
	1.3 C		7
	1.3.1	b5c_termin.xslt	7
	1.3.2	b5_formatierung.xslt	8
	1.3.3	b5c_termin.html	9

1 XSLT

1.1 A

1.1.1 b5a_termin.xlst

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
         <xsl:output method="html" version="5.0" encoding="UTF-8" indent="yes"/>
         <!-- Termin Template rendering -->
         <!-- 1. Level (Parent: root node) -->
         <!-- 1. Stage Entry point of traverse -->
         <xsl:template match="Termin">
                   <html xmlns="http://www.w3.org/1999/xhtml">
                            <head>
                                      <title>Termine</title>
                            </head>
                            <body>
                                      <thead>
                                                         Beginn
                                                                  Ende
                                                         </thead>
                                               <!-- Go to 2. Level -->
                                                                  <xsl:apply-templates select="TerminInfos"/>
                                                         <br/>
                                      <span>Dauer: </span>
                                      <xsl:value-of select="./TerminInfos/Dauer/text()"/> (<xsl:value-of
select="./TerminInfos/Dauer/@einheit"/>)<br/>
                                      <span>Verschiebbar: </span>
                                      <xsl:value-of select="TerminInfos/@verschiebbar"/>
                                      <span>Serientermin: </span>
                                      <xsl:value-of select="TerminInfos/@Serientermin"/>
                                      <br/>br/>
                                      <br/>br/>
                                      <xsl:apply-templates select="TeilnehmerListe"/>
                            </body>
                   </html>
         </xsl:template>
         <!-- Beginn Template rendering -->
         <!-- 3. Level (Parent: Termininfos) -->
         <xsl:template match="Beginn">
                   <xsl:value-of select="Datum/@tag"/>-<xsl:value-of select="Datum/@monat"/>-<xsl:value-of</pre>
select="Datum/@jahr"/> (<xsl:value-of select="Uhrzeit/@stunden"/>:<xsl:value-of select="Uhrzeit/@minuten"/>)
                   </xsl:template>
         <!-- Ende Template rendering -->
         <!-- 3. Level (Parent: Termininfos) -->
         <xsl:template match="Ende">
                   <xsl:value-of select="Datum/@tag"/>-<xsl:value-of select="Datum/@monat"/>-<xsl:value-of</p>
select="Datum/@jahr"/> (<xsl:value-of select="Uhrzeit/@stunden"/>:<xsl:value-of select="Uhrzeit/@minuten"/>)
                   </xsl:template>
         <!-- Nothing to do on Dauer -->
         <!-- 3. Level (Parent: Termininfos) -->
         <xsl:template match="Dauer"/>
         <!-- Nothing to do on Beschreibung -->
         <!-- 3. Level (Parent: TeilnehmerListe) -->
         <xsl:template match="Beschreibung"/>
         <!-- Teilnehmerliste Template rendering -->
         <xsl:template match="TeilnehmerListe">
```

```
<!-- Go to Person node on same level -->
                                <xsl:apply-templates select="Person"/>
                        </xsl:template>
        <!-- Person Template rendering -->
        <!-- 3. Level (Parent: TeilnehmerListe) -->
       <xsl:template match="Person">
                <xsl:number/>
                        <xsl:value-of select="Nachname/text()"/>, <xsl:value-of select="Vorname/text()"/>
                        </xsl:template>
</xsl:stylesheet>
```

1.1.2 b5a_termin.html

```
Eude
26-04-2002 (13-00) 25-04-2002 (14:90)
Dusen 1,5 (Standan)
Verschiebber neur
Sersentermin ja
1 Keneti, On-War
2 Solo, Tan
5 D2, K2
48kyvalka, Luke
5 Chevy.
<!DOCTYPE html >
<html xmlns="http://www.w3.org/1999/xhtml">
      <head>
            <title>Termine</title>
      </head>
      <body>
            <br/>
            <thead>
                         Beginn
                               Ende
                         </thead>
                  26-04-2002 (13:00)
            26-04-2002 (14:30)
            1
                               Kenobi, Obi-Wan
```

2

```
Solo, Han
             3
                 D2, R2
             4
                 Skywalker, Luke
             5
                 Chewy, 
             </body>
</html>
```

1.2 B

1.2.1 b5b_termin.xlst

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
         <xsl:output method="html" version="5.0" encoding="UTF-8" indent="yes"/>
         <!-- Termin Templae rendering -->
         <xsl:template match="Termin">
                  <html xmlns="http://www.w3.org/1999/xhtml">
                           <head>
                                    <title>Termine</title>
                           </head>
                           <body>
                                    <!-- Loop over each Person in Teilnehmerliste -->
                                    <xsl:for-each select="TeilnehmerListe/Person">
                                             <span>
                                                      <xsl:number/>.)
                                                      <xsl:value-of select="Nachname"/>,
                                                      <xsl:value-of select="Vorname"/>
                                             <!-- Call related TerminInfos -->
                                             <xsl:call-template name="termin_info_template"/>
                                             <br/>br/>
                                    </xsl:for-each>
                           </body>
                  </html>
         </xsl:template>
         <!-- TerminInfos Template rendering -->
         <xsl:template name="termin_info_template">
                  Beginn
                                             Ende
                                    <xsl:call-template name="begin_date_template"/>
                                    <xsl:call-template name="end_date_template"/>
                           <xsl:call-template name="begin_time_template"/>
                                    <xsl:call-template name="end_time_template"/>
                           </xsl:template>
         <!-- -Beginn Date Template rendering -->
         <xsl:template name="begin_date_template">
                  <xsl:value-of select="//TerminInfos/Beginn/Datum/@tag"/>-
                                             <xsl:value-of select="//TerminInfos/Beginn/Datum/@monat"/>-
                                             <xsl:value-of select="//TerminInfos/Beginn/Datum/@jahr"/>
                  </xsl:template>
```

```
<!-- Ende Date Template rendering -->
         <xsl:template name="end_date_template">
                  <xsl:value-of select="//TerminInfos/Ende/Datum/@tag"/>-
                                              <xsl:value-of select="//TerminInfos/Ende/Datum/@monat"/>-
                                              <xsl:value-of select="//TerminInfos/Ende/Datum/@jahr"/>
                  </xsl:template>
         <!-- Beginn Time Template rendering -->
         <xsl:template name="begin_time_template">
                            <xsl:value-of select="//TerminInfos/Beginn/Uhrzeit/@stunden"/>:
                                              <xsl:value-of select="//TerminInfos/Beginn/Uhrzeit/@minuten"/>
                  </xsl:template>
         <!-- Ende Time Template rendering -->
         <xsl:template name="end_time_template">
                  <xsl:value-of select="//TerminInfos/Ende/Uhrzeit/@stunden"/>:
                                              <xsl:value-of select="//TerminInfos/Ende/Uhrzeit/@minuten"/>
                  </xsl:template>
</xsl:stylesheet>
```

1.2.2 b5b_termin.html



Beginn	Ende	
26- 04- 2002	26- 04- 2002	
13:00	14:30	

3.) D2, R2

Beginn Ende

26- 04- 2002 26- 04- 2002

13: 00 14: 30





```
<!DOCTYPE html >
<html xmlns="http://www.w3.org/1999/xhtml">
      <head>
            <title>Termine</title>
      </head>
      <body>
            <span>1.)
                                    Kenobi.
                                    Obi-Wan</span>
            Beginn
                              Ende
                        26-
                              04-
                              2002
                        26-
                              04-
                              2002
```

```
13:
           00
       14:
           30
   <br/>br/>
<span>2.)
               Solo,
               Han</span>
Beginn
           Ende
       26-
           04-
           2002
       26-
           04-
           2002
   13:
           00
       14:
           30
   <br/>br/>
<span>3.)
               D2,
               R2</span>
Beginn
           Ende
       26-
           04-
           2002
       26-
           04-
           2002
   13:
           00
       14:
           30
   <br/>br/>
<span>4.)
               Skywalker,
               Luke</span>
Beginn
           Ende
       26-
           04-
           2002
       26-
           04-
```

```
2002
            13:
                    00
                14:
                    30
            <br/>br/>
        <span>5.)
                        Chewy,
                        </span>
        Beginn
                    Ende
                26-
                    04-
                    2002
                26-
                    2002
            13:
                    00
                14:
                    30
            <br/>
    </body>
</html>
```

1.3 C

1.3.1 b5c_termin.xslt

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
        <xsl:output method="html" version="5.0" encoding="UTF-8" indent="yes"/>
        <xsl:include href="b5_formatierung.xslt"/>
        <!-- Termin Template rendering -->
        <!-- 1. Level (Parent: root node) -->
        <!-- 1. Stage Entry point of traverse -->
        <xsl:template match="Termin">
                 <html xmlns="http://www.w3.org/1999/xhtml">
                         <head>
                                  <title>Termine</title>
                         </head>
                         <body>
                                  <br/>
                                  <thead>
                                                    Beginn
                                                            Ende
                                                    </thead>
                                           <!-- Call Beginn and Ende Templates -->
                                                            <xsl:call-template name="begin_template"/>
                                                             <xsl:call-template name="end_template"/>
                                                    <br/>
```

```
<span>Dauer: </span>
                                      <xsl:value-of select="./TerminInfos/Dauer/text()"/> (<xsl:value-of
select="./TerminInfos/Dauer/@einheit"/>)<br/>
                                      <span>Verschiebbar: </span>
                                      <xsl:value-of select="TerminInfos/@verschiebbar"/>
                                     <span>Serientermin: </span>
                                      <xsl:value-of select="TerminInfos/@Serientermin"/>
                                     <hr/>
                                      <!-- Iterate over each Person and call corresponding template -->
                                                        <xsl:for-each select="TeilnehmerListe/Person">
                                                                  <xsl:call-template name="person_template"/>
                                                        </xsl:for-each>
                                               </body>
                  </html>
         </xsl:template>
         <!-- Beginn Template rendering -->
         <xsl:template name="begin_template">
                            <xsl:value-of select="TerminInfos/Beginn/Datum/@tag"/>-<xsl:value-of
select="TerminInfos/Beginn/Datum/@monat"/>-<xsl:value-of select="TerminInfos/Beginn/Datum/@jahr"/> (<xsl:value-of
select="TerminInfos/Beginn/Uhrzeit/@stunden"/>:<xsl:value-of select="TerminInfos/Beginn/Uhrzeit/@minuten"/>)
         </xsl:template>
         <!-- Ende Template rendering -->
         <xsl:template name="end_template">
                  >
                            <xsl:value-of select="TerminInfos/Ende/Datum/@tag"/>-<xsl:value-of</p>
select="TerminInfos/Ende/Datum/@monat"/>--xsl:value-of select="TerminInfos/Ende/Datum/@jahr"/> (<xsl:value-of
select="TerminInfos/Ende/Uhrzeit/@stunden"/>:<xsl:value-of select="TerminInfos/Ende/Uhrzeit/@minuiten"/>)
         </xsl:template>
         <!-- Person Template rendering -->
         <xsl:template name="person_template">
                            <xsl:value-of select="Nachname/text()"/>, <xsl:value-of select="Vorname/text()"/>
                                     <xsl:if test="@id = //Termin/TerminInfos/@Terminersteller"> (is creator)</xsl:if>
                                     <hr/>
                                     <xsl:call-template name="delimiter_template"/>
                            </xsl:template>
</xsl:stylesheet>
```

1.3.2 b5_formatierung.xslt

1.3.3 b5c_termin.html

```
Beginn
26-04-2002 (13:00) 26-04-2002 (14:30)
Dauer: 1,5 (Standen)
Verschiebbar: nein
Serientermin: ja
1Kenobi, Obi-Wan
......
2Solo, Him (is creator)
 ......
3D2, R2
4Skywalker, Luke
5Chewy,
***********
<?xml version="1.0" encoding="UTF-8"?>
<html xmlns="http://www.w3.org/1999/xhtml">
      <head>
            <title>Termine</title>
      </head>
      <body>
            <br/>br/>
            <thead>
                         Beginn
                               Ende
                         </thead>
                  26-04-2002 (13:00)
            26-04-2002 (14:30)
            <br/>
            <span>Dauer: </span>1,5 (Stunden)br/><span>Verschiebbar: </span>neinbr/><span>Serientermin:
</span>ja<br/>>
                  1Kenobi, Obi-Wan<br/>
<br/>
br/>
<br/>
            <br/>
                         2Solo, Han (is creator)<br/><br/>
            <br/>
                         <br/>
                         4Skywalker, Luke<br/>br/>
            <br/>
                         5Chewy, <br/>br/>
            *********
```