

This dataset is created based on Gen 1 FHS participants' self-reported information.

The following is the timeline for related questions found in individual FHS core exams (N = No, Y = Yes):

FHS Core Exam	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32
Aspirin	N	N	N	N	N	N	N	N	N	N	N	Y	Y	N	N	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y

- Each derived variable will contain information of the source variable name, source question and the underlying logic programming.

Table of Contents

<u>ID</u>	3
<u>Aspirin Use Variables</u>	4
<u>Aspirin Quantity Variables</u>	11
<u>Aspirin Frequency Variables</u>	15
<u>Aspirin Dose Variables</u>	19
<u>Aspirin Purpose Variables</u>	23

ID

IDTYPE

Variable name: idtype

Description: Framingham Heart Study cohort identifier

Code or Value	Description
0	Gen 1

ID

Variable name: id

Description: Framingham Heart Study participant identifier within cohort

IDTYPE and ID must be used together to form a unique study participant identification number or use variable “framid” instead

Code or Value	Description
0 – 9999	Range of values

Note: To preserve confidentiality, the exact range for the ID is not reflected in the coding manual.

FRAMID

Variable name: Framid

Description: Framingham ID assigned to each participant

Code or Value	Description
00000 – 99999	Gen 1

Note: To preserve confidentiality, the exact range for the ID is not reflected in the coding manual.

ASPIRIN_USE_CORE12

Variable name: aspirin_use_core12

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable is based on the variable FE100 in core exam 12:

INTERIM HISTORY OF MEDICINE USED:

ASPIRIN - TABS/DAY

0 NONE

1 ONE OR LESS

2 TWO

3 THREE

4 FOUR

5 FIVE

6 SIX

7 SEVEN OR MORE

8 OCCAS. HEAVY USE

9 UNKNOWN

Value 0 is recoded as 0; 1-7 and 8 are recoded as 1, and 9 is recoded as .

ASPIRIN_USE_CORE13

Variable name: aspirin_use_core13

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable is based on the variable FF102 in core exam 13:

INTERIM HISTORY OF MEDICINE USED:

ASPIRIN - TABS/WEEK

0 NONE

1 ONE OR LESS

2-90 KNOWN

Aspirin Use Variables

. UNKNOWN (100)

Value 0 is recoded as 0; positive values are recoded as 1, and . is recoded as .

ASPIRIN_USE_CORE17

Variable name: aspirin_use_core17

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable is based on the variable FJ37 in core exam 17:

INTERIM HISTORY OF MEDICINE USED:

NO OF TABS, ASPIRIN/WEEK

00 NONE

01 =OR<1 PER WEEK

98 98 OR MORE/WK

. UNKNOWN (60)

Value 0 is recoded as 0; positive values are recoded as 1, and . is recoded as .

ASPIRIN_USE_CORE18

Variable name: aspirin_use_core18

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable is based on the variable FK130 in core exam 18:

MEDICINE USE: # OF ASPIRIN TABLETS PER WEEK

0 NONE

1 1 OR <1 PER WEEK

2-80 PER WEEK

98 98 OR MORE/WK

Aspirin Use Variables

. UNKNOWN (13)

Value 0 is recoded as 0; positive values are recoded as 1, and . is recoded as .

ASPIRIN_USE_CORE19

Variable name: aspirin_use_core19

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable is based on the variable FK130 in core exam 19:

* ASPIRIN # OF ASPIRIN PER WEEK
 0-84
 . UNKNOWN (11)

Value 0 is recoded as 0; positive values are recoded as 1, and . is recoded as .

ASPIRIN_USE_CORE20

Variable name: aspirin_use_core20

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable is based on the variable FL162 in core exam 20:

* ASPIRIN # OF ASPIRIN PER WEEK
 0-84
 . UNKNOWN (11)

Value 0 is recoded as 0; positive values are recoded as 1, and . is recoded as .

ASPIRIN_USE_CORE21

Variable name: aspirin_use_core21

Aspirin Use Variables

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable is based on the variable FL162 in core exam 21:

NUMBER OF ASPIRINS PER WEEK

0 NONE

1 - 84

. UNKNOWN (49)

Value 0 is recoded as 0; positive values are recoded as 1, and . is recoded as .

ASPIRIN_USE_CORE22

Variable name: aspirin_use_core22

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable is derived from the aspirin_quantity_core22 and aspirin_freq_core22 variables.

If aspirin_quantity_core22 or aspirin_freq_core22 is 0, code as 0

If aspirin_quantity_core22 = 1 or more and aspirin_freq_core22 = (1 or 2), code as 1

If aspirin_quantity_core22 = 4 or more and aspirin_freq_core22 = (3), code as 1

If aspirin_quantity_core22 = any value and aspirin_freq_core22 = (4), code as 0

Else NA

ASPIRIN_USE_CORE23

Variable name: aspirin_use_core23

Description: Do you take aspirin regularly?

Code or Value	Description
0	No

Aspirin Use Variables

1	Yes
.	Did not attend/Unknown

Note: This variable is derived from the aspirin_quantity_core23 and aspirin_freq_core23 variables.

If aspirin_quantity_core23 or aspirin_freq_core23 is 0, code as 0

If aspirin_quantity_core23 = 1 or more and aspirin_freq_core23 = (1 or 2), code as 1

If aspirin_quantity_core23 = 4 or more and aspirin_freq_core23 = (3), code as 1

If aspirin_quantity_core23 = any value and aspirin_freq_core23 = (4), code as 0

Else NA

ASPIRIN_USE_CORE24

Variable name: aspirin_use_core24

Description: Take aspirin regularly

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FQ128 in core exam 24.

ASPIRIN_USE_CORE25

Variable name: aspirin_use_core25

Description: Take aspirin regularly

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FR180 in core exam 25.

ASPIRIN_USE_CORE26

Variable name: aspirin_use_core26

Description: Take aspirin regularly?

Code or Value	Description
0	No

Aspirin Use Variables

1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FS265 in core exam 26.

ASPIRIN_USE_CORE27

Variable name: aspirin_use_core27

Description: Take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FT272 in core exam 27.

ASPIRIN_USE_CORE28

Variable name: aspirin_use_core28

Description: Aspirin: Take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FU010 in core exam 28.

ASPIRIN_USE_CORE29

Variable name: aspirin_use_core29

Description: Medical History - Medications: Take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FV011 in core exam 29.

ASPIRIN_USE_CORE30

Aspirin Use Variables

Variable name: aspirin_use_core30

Description: Medical History - Medications: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FW009 in core exam 30.

ASPIRIN_USE_CORE31

Variable name: aspirin_use_core31

Description: Medical History - Medications: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FX009 in core exam 31.

ASPIRIN_USE_CORE32

Variable name: aspirin_use_core32

Description: Do you take aspirin regularly?

Code or Value	Description
0	No
1	Yes
.	Did not attend/Unknown

Note: This variable was originally marked as FY009 in core exam 32.

ASPIRIN_QUANTITY_CORE22

Variable name: aspirin_quantity_core22

Description: Number of aspirins per time interval

Code or Value	Description
0	Does not take aspirin regularly
1 – 35	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FO091 in core exam 22.

ASPIRIN_QUANTITY_CORE23

Variable name: aspirin_quantity_core23

Description: Number of aspirins per time interval

Code or Value	Description
0	Does not take aspirin regularly
1 – 16	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FP044 in core exam 23.

ASPIRIN_QUANTITY_CORE24

Variable name: aspirin_quantity_core24

Description: Number of aspirins taken regularly

Code or Value	Description
0	Does not take aspirin regularly
1 – 15	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FQ129 in core exam 24.

ASPIRIN_QUANTITY_CORE25

Variable name: aspirin_quantity_core25

Description: Number of aspirin taken regularly

Code or Value	Description
---------------	-------------

Aspirin Quantity Variables

0	Does not take aspirin regularly
1 – 4	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FR181 in core exam 25.

ASPIRIN_QUANTITY_CORE26

Variable name: aspirin_quantity_core26

Description: Aspirin: Number aspirins taken regularly

Code or Value	Description
0	Does not take aspirin regularly
1 – 15	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FS266 in core exam 27.

ASPIRIN_QUANTITY_CORE27

Variable name: aspirin_quantity_core27

Description: Aspirin: Number aspirins taken regularly

Code or Value	Description
0	Does not take aspirin regularly
1 – 4	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FT273 in core exam 27.

ASPIRIN_QUANTITY_CORE28

Variable name: aspirin_quantity_core28

Description: Aspirin: Number aspirins taken regularly

Code or Value	Description
0	Does not take aspirin regularly
1 – 5	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FU011 in core exam 28.

ASPIRIN_QUANTITY_CORE29

Variable name: aspirin_quantity_core29

Description: Medical History - Medications : Number aspirins taken regularly

Code or Value	Description
0	Does not take aspirin regularly
1 – 5	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FV012 in core exam 29.

ASPIRIN_QUANTITY_CORE30

Variable name: aspirin_quantity_core30

Description: Medical History - Medications : Number of aspirin taken regularly

Code or Value	Description
0	Does not take aspirin regularly
1 – 5	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FW010 in core exam 30.

ASPIRIN_QUANTITY_CORE31

Variable name: aspirin_quantity_core31

Description: Medical History - Medications : Number of aspirin taken regularly

Code or Value	Description
0	Does not take aspirin regularly
1 – 2	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FX010 in core exam 31.

ASPIRIN_QUANTITY_CORE32

Variable name: aspirin_quantity_core32

Description: Medical History - Medications : Number of aspirin taken regularly

Code or Value	Description
---------------	-------------

Aspirin Quantity Variables

0	Does not take aspirin regularly
1 – 2	Range of values
.	Did not attend/Unknown

Note: This variable was originally marked as FY010 in core exam 32.

ASPIRIN_FREQ_CORE22

Variable name: aspirin_freq_core22

Description: Time interval for aspirin taken

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FO092 in core exam 22.

ASPIRIN_FREQ_CORE23

Variable name: aspirin_freq_core23

Description: Time interval for aspirin taken

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FP045 in core exam 23.

ASPIRIN_FREQ_CORE24

Variable name: aspirin_freq_core24

Description: Aspirin frequency – number taken regularly

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Aspirin Frequency Variables

Note: This variable was originally marked as FQ130 in core exam 24.

ASPIRIN_FREQ_CORE25

Variable name: aspirin_freq_core25

Description: Aspirin frequency

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FR182 in core exam 25.

ASPIRIN_FREQ_CORE26

Variable name: aspirin_freq_core26

Description: Aspirin: Aspirin frequency

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FS267 in core exam 26.

ASPIRIN_FREQ_CORE27

Variable name: aspirin_freq_core27

Description: Aspirin: Aspirin frequency

Code or Value	Description
0	Never
1	Day
2	Week

Aspirin Frequency Variables

3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FT274 in core exam 27.

ASPIRIN_FREQ_CORE28

Variable name: aspirin_freq_core28

Description: Aspirin: Aspirin frequency – number taken regularly

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FU012 in core exam 28.

ASPIRIN_FREQ_CORE29

Variable name: aspirin_freq_core29

Description: Medical History - Medications: Aspirin frequency, number taken regularly

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FV013 in core exam 29.

ASPIRIN_FREQ_CORE30

Variable name: aspirin_freq_core30

Description: Medical History - Medications: Aspirin frequency, number taken regularly

Code or Value	Description
---------------	-------------

Aspirin Frequency Variables

0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FW011 in core exam 30.

ASPIRIN_FREQ_CORE31

Variable name: aspirin_freq_core31

Description: Medical History - Medications: Aspirin frequency, number taken regularly

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FX011 in core exam 31.

ASPIRIN_FREQ_CORE32

Variable name: aspirin_freq_core32

Description: Medical History - Medications: Aspirin frequency, number taken regularly

Code or Value	Description
0	Never
1	Day
2	Week
3	Month
4	Year
.	Did not attend/Unknown

Note: This variable was originally marked as FY011 in core exam 32.

ASPIRIN_DOSE_CORE23

Variable name: aspirin_dose_core23

Description: Usual aspirin dose

Code or Value	Description
0	Does not take aspirin regularly
80	Baby
160	Half dose
325	Normal
500	Extra or larger
.	Did not attend/Unknown

Note: This variable was originally marked as FP046 in core exam 23.

ASPIRIN_DOSE_CORE24

Variable name: aspirin_dose_core24

Description: Usual aspirin dose

Code or Value	Description
0	Does not take aspirin regularly
81	Baby
160	Half dose
325	Normal
500	Extra or larger
.	Did not attend/Unknown

Note: This variable was originally marked as FQ131 in core exam 24.

ASPIRIN_DOSE_CORE25

Variable name: aspirin_dose_core25

Description: Usual aspirin dose

Code or Value	Description
0	Does not take aspirin regularly
81	Baby
160	Half dose
325	Normal
500	Extra or larger
.	Did not attend/Unknown

Aspirin Dose Variables

Note: This variable was originally marked as FR183 in core exam 25.

ASPIRIN_DOSE_CORE26

Variable name: aspirin_dose_core26

Description: Aspirin: Usual aspirin dose

Code or Value	Description
0	Does not take aspirin regularly
81	Baby
160	Half dose
325	Normal
500	Extra or larger
.	Did not attend/Unknown

Note: This variable was originally marked as FS268 in core exam 26.

ASPIRIN_DOSE_CORE27

Variable name: aspirin_dose_core27

Description: Aspirin: Usual aspirin dose

Code or Value	Description
0	Does not take aspirin regularly
81	Baby
160	Half dose
325	Normal
500	Extra or larger
.	Did not attend/Unknown

Note: This variable was originally marked as FT275 in core exam 27.

ASPIRIN_DOSE_CORE28

Variable name: aspirin_dose_core28

Description: Aspirin: Usual aspirin dose

Code or Value	Description
0	Does not take aspirin regularly
81	Baby
160	Half dose

Aspirin Dose Variables

325	Normal
500	Extra or larger
.	Did not attend/Unknown

Note: This variable was originally marked as FU013 in core exam 28.

ASPIRIN_DOSE_CORE29

Variable name: aspirin_dose_core29

Description: Medical History - Medications: Usual aspirin dose

Code or Value	Description
0	Does not take aspirin regularly
81	Baby
160	Half dose
325	Normal
.	Did not attend/Unknown

Note: This variable was originally marked as FV014 in core exam 29.

ASPIRIN_DOSE_CORE30

Variable name: aspirin_dose_core30

Description: Medical History - Medications: Usual dose of aspirin

Code or Value	Description
0	Does not take aspirin regularly
81	Baby
160	Half dose
325	Normal
.	Did not attend/Unknown

Note: This variable was originally marked as FW012 in core exam 30.

ASPIRIN_DOSE_CORE31

Variable name: aspirin_dose_core31

Description: Medical History - Medications: Usual dose of aspirin

Units: mgs

Code or Value	Description
0	Does not take aspirin regularly

Aspirin Dose Variables

81	Baby
160	Half dose
250	Like Excedrin
325	Normal
500	Extra strength
.	Did not attend/Unknown

Note: This variable was originally marked as FW012 in core exam 31.

ASPIRIN_DOSE_CORE32

Variable name: aspirin_dose_core32

Description: Medical History - Medications: Usual dose of aspirin

Units: mgs

Code or Value	Description
0	Does not take aspirin regularly
81	Baby
160	Half dose
250	Like Excedrin
325	Normal
500	Extra strength
.	Did not attend/Unknown

Note: This variable was originally marked as FY012 in core exam 32.

ASPIRIN_PURPOSE_CORE23

Variable name: aspirin_purpose_core23

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core23, aspirin_freq_core23, and aspirin_dose_core23 variables.

Programming logic:

If FP044 = 1 and FP045 = 1 and FP046 = 80-325 then aspirin_purpose_core23 = 1
 If FP044 = 2 and FP045 = 1 and FP046 = 80-160 then aspirin_purpose_core23 = 1
 If FP044 = 3-4 and FP045 = 1 and FP046 = 80 then aspirin_purpose_core23 = 1
 If FP044 = 7-14 and FP045 = 2 and FP046 = 80-160 then aspirin_purpose_core23 = 1
 If FP044 = 3-6 and FP045 = 2 and FP046 = 80-325 then aspirin_purpose_core23 = 1
 If FP044 = 15-16 and FP045 = 2 and FP046 = 80 then aspirin_purpose_core23 = 1
 If FP044 = 7-9 and FP045 = 2 and FP046 = 325 then aspirin_purpose_core23 = 1
 If FP044 = 10-16 and FP045 = 1 and FP046 = 325 then aspirin_purpose_core23 = 3
 If FP044 = 6-16 and FP045 = 1 and FP046 = 500 then aspirin_purpose_core23 = 3
 If FP044 = (0, NA) or FP045 = (0, 3, 4, NA) or FP046 = (0, NA) then aspirin_purpose_core23 = NA
 Else aspirin_purpose_core23 = 2

ASPIRIN_PURPOSE_CORE24

Variable name: aspirin_purpose_core24

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core24, aspirin_freq_core24, and aspirin_dose_core24 variables.

Programming logic:

If FQ129 = 1 and FQ130 = 1 and FQ131 = 81-325 then aspirin_purpose_core24 = 1

Aspirin Purpose Variables

If FQ129 = 2 and FQ130 = 1 and FQ131 = 81-160 then aspirin_purpose_core2 = 1
If FQ129 = 3-4 and FQ130 = 1 and FQ131 = 81 then aspirin_purpose_core24 = 1
If FQ129 = 7-9 and FQ130 = 2 and FQ131 = 81-160 then aspirin_purpose_core24 = 1
If FQ129 = 3-6 and FQ130 = 2 and FQ131 = 81-325 then aspirin_purpose_core24 = 1
If FQ129 = 15 and FQ130 = 2 and FQ131 = 81 then aspirin_purpose_core24 = 1
If FQ129 = 7-9 and FQ130 = 2 and FQ131 = 325 then aspirin_purpose_core24 = 1
If FQ129 = 10-15 and FQ130 = 1 and FQ131 = 325 then aspirin_purpose_core24 = 3
If FQ129 = 6-15 and FQ130 = 1 and FQ131 = 500 then aspirin_purpose_core24 = 3
If FQ129 = (0, NA) or FQ130 = (0, 3, 4, NA) or FQ131 = (0, NA) then aspirin_purpose_core24 = NA
Else aspirin_purpose_core24 = 2

ASPIRIN_PURPOSE_CORE25

Variable name: aspirin_purpose_core25

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core25, aspirin_freq_core25, and aspirin_dose_core25 variables.

Programming logic:

If FR181 = 1 and FR182 = 1 and FR183 = 81-325 then aspirin_purpose_core25 = 1
If FR181 = 2 and FR182 = 1 and FR183 = 81-160 then aspirin_purpose_core25 = 1
If FR181 = 3-4 and FR182 = 1 and FR183 = 81 then aspirin_purpose_core25 = 1
If FR181 = 3-4 and FR182 = 2 and FR183 = 81-325 then aspirin_purpose_core25 = 1
If FR181 = (0, NA) or FR182 = (0, 3, 4, NA) or FR183 = (0, NA) then aspirin_purpose_core25 = NA
Else aspirin_purpose_core25 = 2

ASPIRIN_PURPOSE_CORE26

Variable name: aspirin_purpose_core26

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose

Aspirin Purpose Variables

.	Unknown
---	---------

Note: This variable is derived from the aspirin_quantity_core26, aspirin_freq_core26, and aspirin_dose_core26 variables.

Programming logic:

In Gen 1 Exam 26:

If FS266 = 1 and FS267 = 1 and FS268 = 81-325 then aspirin_purpose_core26 = 1

If FS266 = 2 and FS267 = 1 and FS268 = 81-160 then aspirin_purpose_core26 = 1

If FS266 = 3-4 and FS267 = 1 and FS268 = 81 then aspirin_purpose_core26 = 1

If FS266 = 7-14 and FS267 = 2 and FS268 = 81-160 then aspirin_purpose_core26 = 1

If FS266 = 3-6 and FS267 = 2 and FS268 = 81-325 then aspirin_purpose_core26 = 1

If FS266 = 15 and FS267 = 2 and FS268 = 81 then aspirin_purpose_core26 = 1

If FS266 = 7-9 and FS267 = 2 and FS268 = 325 then aspirin_purpose_core26 = 1

If FS266 = 10-15 and FS267 = 1 and FS268 = 325 then aspirin_purpose_core26 = 3

If FS266 = 6-15 and FS267 = 1 and FS268 = 500 then aspirin_purpose_core26 = 3

If FS266 = (0, NA) or FS267 = (0, 3, 4, NA) or FS268 = (0, NA) then aspirin_purpose_core26 = NA

Else aspirin_purpose_core26 = 2

ASPIRIN_PURPOSE_CORE27

Variable name: aspirin_purpose_core27

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core27, aspirin_freq_core27, and aspirin_dose_core27 variables.

Programming logic:

If FT273 = 1 and FT274 = 1 and FT275 = 81-325 then aspirin_purpose_core27 = 1

If FT273 = 2 and FT274 = 1 and FT275 = 81-160 then aspirin_purpose_core27 = 1

If FT273 = 3-4 and FT274 = 1 and FT275 = 81 then aspirin_purpose_core27 = 1

If FT273 = 3-4 and FT274 = 2 and FT275 = 81-325 then aspirin_purpose_core27 = 1

If FT273 = (0, NA) or FT274 = (0, 3, 4, NA) or FT275 = (0, NA) then aspirin_purpose_core27 = NA

Else aspirin_purpose_core27 = 2

ASPIRIN_PURPOSE_CORE28

Variable name: aspirin_purpose_core28

Aspirin Purpose Variables

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core28, aspirin_freq_core28, and aspirin_dose_core28 variables.

Programming logic:

If FU011 = 1 and FU012 = 1 and FU013 = 81-325 then aspirin_purpose_core28 = 1

If FU011 = 2 and FU012 = 1 and FU013 = 81-160 then aspirin_purpose_core28 = 1

If FU011 = 3-4 and FU012 = 1 and FU013 = 81 then aspirin_purpose_core28 = 1

If FU011 = 3-5 and FU012 = 2 and FU013 = 81-325 then aspirin_purpose_core28 = 1

If FU011 = (0, NA) or FU012 = (0, 3, 4, NA) or FU013 = (0, NA) then aspirin_purpose_core28 = NA

Else aspirin_purpose_core28 = 2

ASPIRIN_PURPOSE_CORE29

Variable name: aspirin_purpose_core29

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core29, aspirin_freq_core29, and aspirin_dose_core29 variables.

Programming logic:

If FV012 = 1 and FV013 = 1 and FV014 = 81-325 then aspirin_purpose_core29 = 1

If FV012 = 2 and FV013 = 1 and FV014 = 81-160 then aspirin_purpose_core29 = 1

If FV012 = 3-4 and FV013 = 1 and FV014 = 81 then aspirin_purpose_core29 = 1

If FV012 = 3-5 and FV013 = 2 and FV014 = 81-325 then aspirin_purpose_core29 = 1

If FV012 = (0, NA) or FV013 = (0, 3, 4, NA) or FV014 = (0, NA) then aspirin_purpose_core29 = NA

Else aspirin_purpose_core29 = 2

ASPIRIN_PURPOSE_CORE30

Aspirin Purpose Variables

Variable name: aspirin_purpose_core30

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core30, aspirin_freq_core39, and aspirin_dose_core30 variables.

Programming logic:

If FW010 = 1 and FW011 = 1 and FW012 = 81-325 then aspirin_purpose_core30 = 1

If FW010 = 2 and FW011 = 1 and FW012 = 81-160 then aspirin_purpose_core30 = 1

If FW010 = 3-4 and FW011 = 1 and FW012 = 81 then aspirin_purpose_core30 = 1

If FW010 = 3-5 and FW011 = 2 and FW012 = 81-325 then aspirin_purpose_core30 = 1

If FW010 = (0, NA) or FW011 = (0, 3, 4, NA) or FW012 = (0, NA) then aspirin_purpose_core30 = NA

Else aspirin_purpose_core30 = 2

ASPIRIN_PURPOSE_CORE31

Variable name: aspirin_purpose_core31

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core31, aspirin_freq_core31, and aspirin_dose_core31 variables.

Programming logic:

If FX010 = 1 and FX011 = 1 and FX012 = 81-325 then aspirin_purpose_core31 = 1

If FX010 = 2 and FX011 = 1 and FX012 = 81-160 then aspirin_purpose_core31 = 1

If FX010 = (0, NA) or FX011 = (0, 3, 4, NA) or FX012 = (0, NA) then aspirin_purpose_core31 = NA

Else aspirin_purpose_core31 = 2

ASPIRIN_PURPOSE_CORE32

Aspirin Purpose Variables

Variable name: aspirin_purpose_core32

Description: Derived variable on the purpose of the aspirin intake

Code or Value	Description
1	Standard cardiovascular dose
2	Non-standard dose
3	Analgesic dose
.	Unknown

Note: This variable is derived from the aspirin_quantity_core32, aspirin_freq_core32, and aspirin_dose_core32 variables.

Programming logic:

If FY010 = 1 and FY011 = 1 and FY012 = 81-325 then aspirin_purpose_core32 = 1

If FY010 = 2 and FY011 = 1 and FY012 = 81-160 then aspirin_purpose_core32 = 1

If FY010 = (0, NA) or FY011 = (0, 3, 4, NA) or FY012 = (0, NA) then aspirin_purpose_core32 = NA

Else aspirin_purpose_core32 = 2