



ZAP by
Checkmarx

ZAP by GL3R Scanning Report

Sites: <https://localhost:3000> <http://localhost:3000>

Generated on Fri, 8 May 2026 17:49:24

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	0
Low	0
Informational	3

Insights

Level	Reason	Site	Description	Statistic
High	Exceeded High	http://localhost:3000	Percentage of authentication failures	100 %
Low	Warning		ZAP warnings logged - see the zap.log file for details	59
Low	Exceeded High	http://localhost:3000	Percentage of slow responses	62 %
Info	Informational	http://localhost:3000	Percentage of responses with status code 2xx	62 %
Info	Exceeded Low	http://localhost:3000	Percentage of responses with status code 4xx	37 %

Alerts

Name	Risk Level	Number of Instances
Authentication Request Identified	Informational	1
Session Management Response Identified	Informational	2
User Agent Fuzzer	Informational	Systemic

Alert Detail

Informational	Authentication Request Identified
Description	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	http://localhost:3000/api/auth/login
Node Name	http://localhost:3000/api/auth/login ()({email,password})
Method	POST
Attack	
Evidence	password
Other Info	userParam=email userValue=ramooncamacho@hotmail.com passwordParam=password
Instances	1
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/
CWE Id	
WASC Id	
Plugin Id	10111

Informational	Session Management Response Identified
Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	http://localhost:3000/api/auth/login
Node Name	http://localhost:3000/api/auth/login ()({email,password})
Method	POST
Attack	
Evidence	data.accessToken
Other Info	json:data.accessToken
URL	http://localhost:3000/api/auth/login
Node Name	http://localhost:3000/api/auth/login ()({email,password})
Method	POST
Attack	
Evidence	data.accessToken
Other Info	json:data.accessToken
Instances	2

Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/
CWE Id	
WASC Id	
Plugin Id	10112

Informational	User Agent Fuzzer
Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://localhost:3000/api/users
Node Name	http://localhost:3000/api/users
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:3000/api/users/query
Node Name	http://localhost:3000/api/users/query
Method	GET
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:3000/api/users
Node Name	http://localhost:3000/api/users ()({query})
Method	POST
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
Instances	Systemic
Solution	
Reference	https://owasp.org/wstg
CWE Id	
WASC Id	
Plugin Id	10104