

클래스설계보고서

1조

1.클래스 다이어그램



1.클래스 다이어그램



1.클래스 다이어그램



<<Java Class>> Region com.kh.dc.info.region.model.vo

SeF seria Version UID: long a no: int a title: String

<<Java Class>> **G**Like com.kh.dc.common.vo

SerialVersionUID: long no: int n likeDate: Date:

n hoardNo: String

<<Java Class>> @Comment

SerialVersionUID: long no: int

a content: String m writeDate: Date

memberNo: int boardNo: int

<<Java Class>> @Location com.kh.dc.member.model.vo no: int

parentno: int □ location: String

CLocation() Location(String)

<<Java Class>> **○** Code com.kh.dc.common.vo SoF serial/VersionUID: long

<<Java Class>>

GCompany

<<Java Class>>

○ ReportCategory

<<Java Class>>

com.kh.dc.common.vo

SaF serialVersionUID: long

@ Report

SoF serialVersionUID: long

content: String

_C_____

SoF serialVersionUID: long

a id: String

no: int

a no: int

no: int

a rcNo: int

a no: int

m email: String

nickName: String

password: String

a enrollDate: Date

point int

p boardNo: int

membmerNo: int

m reportDate: Date <<Java Class>>

@ Member

com.kh.dc.member.model.vo

name: String

com.kh.dc.common.vo Sof serialVersionUID: long no: int

<<Java Class>>

♠ AdPage

<<Java Class>> (Ad com.kh.dc.common.yo SaF seria/VersionUID: lo... no no int

adContentPath: String □ startDate: Date

<<Java Class>> Authority com.kh.dc.common.vo SerialVersionUID: long no: int

a content: String C Authority

<<Java Class>> @ Point com.kh.dc.common.vo SoF serialVersionUID: long

a no: int a getPoint; int getDate: Date

memberNo: int a contentNo: int

no: int

a toMember: int a status: Strina

a no int

a content: String

<<Java Class>>

● PointContent

com.kh.dc.common.vo

SaF seria/VersionUID: long

<<Java Class>>

GMessage

com.kh.dc.message.model.vo

a content: String

CDointContent()

a no: int

no: int

a content: String

n fromMember: int

a date: Date

<<Java Class>> **G**Used com.kh.dc.sale.used.model.vo

price: int □ dealType: String a boardNo: int a status: String a goodsNo: int

<<Java Class>> (AdSection com.kh.dc.common.vo Sof serialVersionUID: long no: int

⊕Message com.kh.dc.common.vo SoF serialVersionUID: long a no: int

SerialVersionUID: long no no int


price: int maxCount: int

currentCount: int n hoardNo int

n type: String a salary: int a startdate: Date a anddata: Data

<<Java Class>> **○**Board com.kh.dc.common.vo Sof serialVersionUID: long title: String <<Java Class>> <<Java Class>> (A.JobBoard **G**Group com.kh.dc.iob.model.vo com.kh.dc.sale.group.model.vo SoF serial/VersionUID: long no: int

2.패키지 다이어그램



2.패키지 다이어그램

