

Autodesk® Scaleform®

CLIK

Kit CLIK™

Scaleform®

Common Lightweight Interface

: Matthew Doyle
: 3.0
: 2010 8 18

Copyright Notice

Autodesk® Scaleform® 4.2

© 2012 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AUGI, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo) Built with ObjectARX (design/logo), Burn, Buzzsaw, CAiCE, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, DesignServer, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWFX, DXF, Ecotect, Evolver, Exposure, Extending the Design Team, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, Freewheel, GDX Driver, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, RiverCAD, Robot, Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Sparks, SteeringWheels, Stitcher, Stone, StormNET, Tinkerbox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Autodesk Scaleform

CLIK

Autodesk Scaleform Corporation
6305 Ivy Lane, Suite 310
Greenbelt, MD 20770, USA

www.scaleform.com

info@scaleform.com

(301) 446-3200

(301) 446-3199

1.		1
1.1		1
2. Scaleform CLIK Scaleform		2
2.1	Scaleform CLIK Flash CS3.....	2
2.2	Scaleform CLIK Flash CS4.....	3
2.3	Scaleform 	5
3.		6
3.1	Shell.....	8
3.2		10
3.3	Options Screen 	13
3.4		14
3.5		16
3.6		19
3.7	OK Cancel 	21
4. ActionScript		22
4.1		22
4.2	aaGroup 	23
4.3		24
4. 4		25
5.		26
5.1		27
5.2		31
5.3		34
5.4		35
6.		36

1.

Autodesk® Scaleform® CLIK™

Scaleform CLIK ActionScript™

Flash

1.1

- Scaleform 3.0
- Adobe® Flash® CS3
- Adobe Photoshop® CS3

2. Scaleform CLIK Scaleform

Scaleform CLIK	Adobe Flash	Scaleform CLIK	
	Scaleform CLIK	Flash	Adobe
Creative Suite® 3 (CS3)	CS4/CS5	CS3	CS4/CS5


2.1 增加 **Scaleform CLIK** □ 路径到 **Flash CS3**

Flash Scaleform CLIK

- Flash CS3
- Flash*
- ActionScript*

ActionScript 2.0

- Language* *ActionScript 2.0*
- ActionScript 2.0* *[+]*



1 CS3 *ActionScript 2.0*

2 CS3 *ActionScript 2.0*


- | | | | |
|----|--|----------------|-----------------|
| 6. | CS3 | Scaleform CLIK | Windows |
| | C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/
scaleform_gfx_4.2_macos/Resources/AS2/CLIK | | |
| | | | Scaleform 4 SDK |
| 7. | ActionScript 2.0 | Classpath | Arrow |
| | \$(LocalData)/Classes | | Arrow |
| | \$(UserConfig)/Classes | Scaleform CLIK | |
| | Adobe | Scaleform CLIK | |
| 8. | OK | OK | Preferences |
| | ActionScript 2.0 | | |

2.2 添加 Scaleform CLIK 路径到 Flash CS4, CS5

Flash Scaleform CLIK

1. Flash CS4 or CS5
2. *Flash*
3. *ActionScript*
4. *Language* *ActionScript 2.0*

5. *ActionScript 2.0* [+]



3: CS4 *ActionScript 2.0*

4: CS4 *ActionScript 2.0*

6. CS4 Scaleform CLIK
C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/
scaleform_gfx_4.2_macos/Resources/AS2/CLIK/
7. ActionScript 2.0 Classpath Arrow
\$(LocalData)/Classes Arrow
\$(UserConfig)/Classes Scaleform CLIK
Adobe Scaleform CLIK
8. OK ActionScript 2.0

9. *OK Preferences*


2.3 *Scaleform*

Scaleform	Flash	Scaleform	SWF
		Scaleform 4	2.4 2.6


3.

Scaleform 4.2 SDK
Resources/AS2/CLIK/tutorial
Resources/AS2/CLIK/tutorial/art_assets

CLIK




5:



6:


3.1 ☐建菜☐Shell

- Flash ActionScript 2.0
- Player 8 *File* 'Publish Settings'
- Flash* Version ' Flash Player 8 '
- ActionScript* version dropdown ' ActionScript 2.0 '
- OK* *Publish Settings*



7

6. *Layer 1* *Layer 1* ' scene '
7. *Insert Layer* 'actions'



8:

8.

10

action


scene

scene

‘ Insert Keyframe ’

Option

action



9: 10

9.

scene

‘ mainMenu ’


1

Scaleform “goto” mainMenu

Properties

1

Main



10: 1 ‘ mainMenu’

10.

scene

‘ optionsScreen ’

10

Scaleform

“goto ”

optionsScreen

11.

actions

1

Actions window (F9)

actions

1

2

“stop();”

stop

10

actions

10

12.

Flash

3.2 添加主菜单□□航控制功能

Main Menu


Options

Options Screen

1. Scaleform 4 SDK
CLIK_Components.fla

Resources/AS2/CLIK/components

2. CLIK_Components.fla Library
Label Copy



11:library

label

3. CLIK_Components.fla Flash

4. scene 1

5. Library Paste Label

6. Library Label

7. text ' Main Menu'
CS3 Properties Filters CS4
Component Inspector [Shift + F7]
Window – Component Inspector

SWF





Figure 12: CS3 properties

8. 10 6 7 Options - ' Options '

9. CLIK_Components.fla Library Button
Copy



□ 13 : library 面板中的按钮件


10. Flash

11. Library Paste button

12. scene


13. Main Menu

14. - Properties 'optionsBtn'



14: option 'optionsBtn'

15. *Parameter label 'Options'*



15: 'Options'

16. *Scaleform* *Scaleform Launcher panel* *Test*
with[Executable Name] *Scaleform*



16: Scaleform option

3.3 Options Screen

					Options
Screen	Scaleform CLIK				
Scaleform CLIK	Scaleform CLIK				
	Options			Options Screen	
1.	actions				
2.	"stop();" 10				
	function OpenOptionsScreen() { gotoAndPlay("optionsScreen"); }				
3.	optionsBtn “ ” —openOptionsScreen—				
	optionsBtn.addEventListener("click", this, "OpenOptionsScreen");				
4.	optionsBtn.focused = true;				
5.	Options Options Options				
	screen				


3.4

Options Stepper

Options Menu

Easy Medium Hard Insane


1. CLIK_Components.fla
2. *Library OptionsStepper Copy*
3. Flash
4. *scene Options Menu 10*
5. *OptionsStepper Library*



17: library


OptionsStepper

6. OptionsStepper *Library*
- OptionsStepper
7. OptionsStepper 'difficultyOption'
8. *Label Difficulty*



18: **'difficultyOption'**

9. *Label* 'Difficulty' *text*




19: **difficulty option stepper**

3.5


on off

1. *Difficulty* *Label* 'Video Settings'
2. CLIK_Components.fla
3. *CheckBox* *Copy*
4. *Flash* *Library*
5. *Library*



20: library

6. 'bloomBtn'



21: bloom 'bloomBtn'

7. *label* 'Bloom'

8. *copy bloom* 'aaBtn'

9. *label* 'Anti-Aliasing'

10. *RadioButton.fla*

11.

12.

13. 'edgeaaBtn'

22: Edge AA 'edgeaaBtn'.

14. *label* 'Edge AA'


15. 'aaGroup'

16. Edge AA 'hwaaBtn' ☒

17. *label* 'Hardware FSAA'
18. 'aaGroup'

Parameters ×	
data	
group	aaGroup
label	Edge AA
selected	false

23: 'aaGroup'




24: Video Settings

3.6 增加音量□□条


1. *Label* 'Sound

2. CLIK_Components.fla FLA




25: library

3. 'soundSlider'



26: 'soundSlider'



27:

4. ActionScript

ActionScript

Actions

(F9)

Actions

4.1 增加□度□作□□的□度等□

'dataProvider'

Easy Medium Hard Insane

1.	<i>actions</i>	10
----	----------------	----

2. Actions

3. "stop();"

```
difficultyOption.dataProvider = ["Easy", "Medium", "Hard", "Insane"];
```

4. _____ -

4.2 aaGroup 按钮群

1. `actions` 10
2. `Actions` `CLIK` `ButtonGroup`
`import gfx.controls.ButtonGroup;`
3. `difficultyOption.dataProvider` `ButtonGroup`
`'aaGroup'. edgeaaBtn hwaaBtn`
`var aaGroup:ButtonGroup = new ButtonGroup();`
`edgeaaBtn.group = hwaaBtn.group = aaGroup;`
4. `/`
`function EnableAARadioButtons()`
`{`
`edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;`
`}`
5. `aaBtn.addEventListener("click", this, "EnableAARadioButtons");`
- 6.

4.3

OK

1. "vars"
2. 1.
3. " "
4. 10
5. difficultyOption options.selectedDifficulty
difficultyOption 0 " " options.selectedDifficulty
6. bloomBtn aaBtn
bloomBtn.selected = options.bloom;
aaBtn.selected = options.aa;
7. aaBtn edgeaaBtn hwaaBtn " " " "
edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;
8. edgeaaBtn options.edgeaa edgeaaBtn
" " edgeaaBtn
edgeaaBtn.selected = (options.edgeaa) ? options.edgeaa : true;
9. hwaaBtn " "
hwaaBtn.selected = (options.hwaa) ? options.hwaa : false;
10. soundSlider
soundSlider.value = options.soundVolume;

4.4

Cancel OK

1. actions 10

2. OK 1 4.3 Options
"stop();" options

```
function ReturnToMainMenu()
{
    options.selectedDifficulty = difficultyOption.selectedIndex;
    options.bloom = bloomBtn.selected;
    options.aa = aaBtn.selected;
    options.edgeaa = edgaaaBtn.selected;
    options.hwaa = hwaaBtn.selected;
    options.soundVolume = soundSlider.value;
    gotoAndPlay("mainMenu");
}
```

3. Cancel 1
function CancelToMainMenu()
{
 gotoAndPlay("mainMenu");
}

4. OK Cancel


```
okBtn.addEventListener("click", this, "ReturnToMainMenu");
cancelBtn.addEventListener("click", this, "CancelToMainMenu");
```

5. Cancel
cancelBtn.focused = true;

6. Options Screen

5.

UI




29:




5.1

	Photoshop®	Illustrator®	Flash CS3
UI	Down Photoshop Photoshop Flash	Illustrator Illustrator	Up Over
Flash			3 - Up Over Down
1.	Photoshop	PSD	<i>Options</i>
a.		<i>Labels</i>	
b.	up over down		
2.	PSD	(CTRL)	<i>Merge Layers</i>
a.		over	over
3.	Flash		- up - Photoshop <i>Layers</i> Flash



30: Photoshop

4. (Optional) Flash *up over down*
5. PSD 'mergedLayers'
- 2 PSD
6. Flash *Options*
7. *button*
Remove Frames
8. 9
9. 'Import' 'Import to Stage'
CTRL+R)
a. 'Import to Stage'
10. PSD UI Adobe Illustrator (AI) - PSD
11. a. : Flash 8 PSD CS3 CS4
Flash 8 PSD



31:

12. *Convert layers* “ ”

13. *Import this image layer as* *Bitmap image with editable layer styles*

a. : -

14.


a. PSD *button* *button* *button*

b. AI *button*

15. *Labels*
- down*

up

over



32: **button**

16. *Text* *textField* *-up over down-*
textField


17. *Options*



33:

5.2

5.1



34: Photoshop

1.

2.


3. PSD AI
registration

4.

5.

6. PSD AI

a. : registration



35: registration

7. X '0.0'

8. registration



36:

9. *textField*

10.




37:

5.3

selected_down *selected_out* *selected_disabled* *selected_up* *selected_over*

5.1



38:Photoshop

textField



39: edge AA

5.4

/

1. 5.1

a.

Flash

2.

/

PSD

5.1

3.

/

4.

left

5.

PSD

5.1

States

6.

4-5

7.

— Difficulty option stepper

—

textField

8.



40:

6.



41:

Scaleform CLIK

Scaleform CLIK

Scaleform CLIK

Scaleform CLIK

Scaleform CLIK

Scaleform 4 SDK

Windows :

- – C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/demos
- – C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/gfx

:

- – scaleform_gfx_4.2_macos/Resources/AS2/CLIK/demos
- – scaleform_gfx_4.2_macos/Resources/AS2/CLIK/gfx

- [Getting Started with CLIK](#) – CLIK