

Autodesk® Scaleform®

Getting Started with CLIK

Scaleform® Common Lightweight Interface Kit (CLIK™)

: Matthew Doyle
: 3.0
: 2010 8 18

Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AUGI, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo) Built with ObjectARX (design/logo), Burn, Buzzsaw, CAiCE, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, DesignServer, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWFX, DXF, Ecotect, Evolver, Exposure, Extending the Design Team, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, Freewheel, GDX Driver, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, RiverCAD, Robot, Scaleform, Scaleform GfX, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Sparks, SteeringWheels, Stitcher, Stone, StormNET, Tinkerbox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Autodesk Scaleform :

Getting Started with CLIK (CLIK)

Autodesk Scaleform Corporation

6305 Ivy Lane, Suite 310

Greenbelt, MD 20770, USA

www.scaleform.com

info@scaleform.com

(301) 446-3200

Fax

(301) 446-3199

1.		4
1.1		4
2. CLIK	Scaleform Launcher.....	2
2.1	Scaleform CLIK Flash CS3	2
2.2	Scaleform CLIK Flash CS4	4
2.3	Scaleform Launcher	5
3. CLIK		6
3.1		8
3.2	Main Menu	11
3.3	Options Screen	15
3.4		16
3.5		18
3.6		21
3.7	OK	23
4. ActionScript		24
4.1		24
4.2	aaGroup	25
4.3	Options	26
4.4	Options Screen	27
5.		29
5.1	Options	30
5.2		34
5.3		37
5.4		38
6.		39

はじめに

Autodesk® Scaleform® Common Lightweight Interface Kit (CLIK™)

ActionScript™

Scaleform CLIK


ご注意：

Flash

1.1 ソフトウェアの最小要件

- Scaleform 3
- Adobe® Flash® CS3
- Adobe Photoshop® CS3

の構成と



2.1 *Scaleform CLIK* クラス パスを *Flash CS3* に追加する

Flash Scaleform CLIK

1. Flash CS3
2. Flash [] []
3. [] [ActionScript]
4. [] [ActionScript 2.0]
5. [ActionScript 2.0] [+]

1: CS3 Windows) ActionScript 2.0

CS3 Mac ActionScript 2.0

6. [] Scaleform CLIK
CS3

Windows :

Mac Scaleform 4 SDK

```
7. [ActionScript 2.0] [ ] ▲
   /▼ Windows
   Mac "$ (UserConfig)/Classes" Scaleform CLIK
                                     Scaleform CLIK
```

Adobe

8. [OK] [ActionScript 2.0]


9. [OK] []

2.2 Scaleform CLIK クラス パスを Flash CS4 に追加する

Flash

Scaleform CLIK

1. Flash CS4
2. Flash [] []
3. [] [ActionScript]
4. [] [ActionScript 2.0]
5. [ActionScript 2.0] [+]



3: CS4 Windows ActionScript 2.0

: CS4 Mac ActionScript 2.0

6. [] Scaleform CLIK
CS4
Windows :
Mac
7. [ActionScript 2.0] []
/▼ Windows “\$(LocalData)/Classes”
Mac “\$(UserConfig)/Classes” Scaleform CLIK
Scaleform CLIK Adobe
8. [OK] [ActionScript 2.0] [OK]

2.3 Scaleform Launcher パネルを追加する

Scaleform Launcher Flash SWF

Scaleform Scaleform Launcher

[Getting Started with Scaleform 4.1](#)

2.4 2.6 Scaleform Launcher

コンポーネントを使ってメニューをつくってみる


1

2

:

Scaleform 4.2 SDK


CLIK



5:


Options Screen

:



6:


3.1 メニュー シェルを作成する



'scene'

8: []

9: 10



'mainMenu'

mainMenu

Main



10: 1

'optionsScreen'

stop()


3.2 Main Menu のナビゲーション コントロールを追加する

Main Menu

1. Scaleform SDK 4.0
CLIK_Components fla

2. $\begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix}$

```
11: [      ] Label
```



- ### 3. Flash


4. $\left[\begin{array}{c} \\ \\ \end{array} \right] \quad \left[\begin{array}{c} \\ \\ \end{array} \right]$

5. [] Label ()

6. Label [] 'Main Menu'
 [] Player
 CS4 []
 Shift + F7 []
 [] CS3 []
 : SWF
 12: CS3 [] []

7. 10 6 7 Options Screen
 'Options'

8. [] []



13: [] Button

9. Flash

10. [] [] []

11.

12. []
Main Menu

13. []
 'optionsBtn'




14: Options

'optionsBtn'

14. [] 'Options'

15: ‘

15.  [Test with ()]  Scaleform



16: Scaleform Player

Options Screen

Main Menu

3.3 Options Screen ボタンをリスンする

Main Menu Options

Scaleform CLIK
Scaleform CLIK

Scaleform CLIK

1.

```
2.         "stop(); "                                     10
           Options Screen                                  :
```

```
function OpenOptionsScreen()
{
    gotoAndPlay("optionsScreen");
}
```

3. "click" OpenOptionsScreen

```
optionsBtn.addEventListener("click", this, "OpenOptionsScreen");
```

4. Options :

```
optionsBtn.focused = true;
```

5.

3.4 難易度オプション設定を追加する

Options Menu

Insane 2 Easy Medium Hard


1. CLIK_Components.fla

2. [] []

3. Flash

4. 10 (Options Menu)

5. []



17: [] OptionStepper

6. OptionsStepper [] OptionsStepper

7. OptionsStepper 'difficultyOption'

3.5 ビデオ設定のチェックボックスとラジオ ボタンを追加する

2 [Bloom] [Anti-Aliasing]
2
/
1


1. 'Video Settings'

2. CLIK_Components.fla

3. [] []

4. Flash CheckBox []

5. [] CheckBox



20: [] CheckBox

6. 'bloomBtn'



21: [Bloom] ']

7. [] 'Bloom'

8. Bloom
'aaBtn'

9. [] 'Anti-Aliasing'

10. []

11. RadioButton []

12. RadioButton Anti-Aliasing

13. 'edgeaaBtn'



22: Edge AA radiobutton 'edgeaaBtn'

14. [] 'Edge AA'

15. 'aaGroup'

16. Edge AA

'hwaaBtn'

17. [] 'Hardware FSA'

18. 'aaGroup'

23: group 'aaGroup'

textField

textField

textField


textField

textField

textField

24:


3.6 音量スライダを追加する

1. 

Thumb Track Thumb

text Label
'Sound Volume'

CLIK_Components.fla FLA



2. 

Slider
'soundSlider'


er'



3.7 OK ボタンとキャンセル ボタンを追加する

OK

1. [] Button
- 2.
3. [] 'OK'
4. 'okBtn'
5. 'cancelBtn'
6. [] 'Cancel'



28: Options Screen

で機能を追加する

F9 ActionScript []

C:\Program Files\Scaleform\GFx SDK
4.0\Resources\AS2\CLIK\tutorial\ CLIK_tutorial_unskinned fla

4.1 難易度レベルを難易度オプション設定に追加する

```

1. difficultyOption = 10
2. [ "Easy", "Medium", "Hard", "Insane" ]
3. difficultyOption.dataProvider = ["Easy", "Medium", "Hard", "Insane"];
4.

```

4.2 aaGroup にあるラジオ ボタン グループを設定する

```

Anti-Aliasing
    Anti-Aliasing
        Anti-Aliasing
            (
                )

1.
    "stop();"
    10
    4.1

2.
    Actions
        :
        CLIK ButtonGroup

    import gfx.controls.ButtonGroup;

3.
    difficultyOption.dataProvider
        edgeaaBtn    hwaaBtn
        :
        'aaGroup'

    var aaGroup:ButtonGroup = new ButtonGroup();
    edgeaaBtn.group = hwaaBtn.group = aaGroup;

4.
    /

    function EnableAARadioButtons()
    {
        edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;
    }

5.
    Anti-Aliasing
    :

    aaBtn.addEventListener("click", this, "EnableAARadioButtons");

6.
    Anti-Aliasing

```

4.3 Options の初期ステートを設定する

- | | | | |
|--|---------|----|-----------|
| | options | OK | Main Menu |
|--|---------|----|-----------|
1. 'vars'
 2. 1
 3. 'options'
- ```

if (!options)
{
 var options:Object = {};
}

```
4. 10
  5. difficultyOption

|                  |                            |
|------------------|----------------------------|
|                  | options.selectedDifficulty |
| difficultyOption | '0' 'Easy'                 |
|                  | options.selectedDifficulty |

```

difficultyOption.selectedIndex = (options.selectedDifficulty) ?
 options.selectedDifficulty : 0;

```
  6. bloomBtn aaBtn

```

bloomBtn.selected = options.bloom;
aaBtn.selected = options.aa;

```
  7. edgeaaBtn hwaaBtn aaBtn

```
edgeaaaBtn.disabled = hwaaaBtn.disabled = !aaaBtn.selected;
```

```
8. edgeaaaBtn options.edgeaaa
 edgeaaaBtn true
 options.edgeaaa
```

```
edgeaaaBtn.selected = (options.edgeaaa) ? options.edgeaaa : true;
```

```
9. hwaaaBtn false
```

```
hwaaaBtn.selected = (options.hwaaa) ? options.hwaaa : false;
```

```
10. soundSlider
```

```
soundSlider.value = options.soundVolume;
```

## 4.4 Options Screen を終了する

*Main Menu*

```
1. 10
2. 1 (Main Menu) 4.3
 "stop();" options
 options :
```

```
function ReturnToMainMenu()
{
 options.selectedDifficulty = difficultyOption.selectedIndex;
 options.bloom = bloomBtn.selected;
 options.aa = aaBtn.selected;
 options.edgeaaa = edgeaaaBtn.selected;
 options.hwaaa = hwaaaBtn.selected;
 options.soundVolume = soundSlider.value;
 gotoAndPlay("mainMenu");
}
```

3.

1 *Main Menu*

```
function CancelToMainMenu()
{

 gotoAndPlay("mainMenu");
}
```

4.

:

```
okBtn.addEventListener("click", this, "ReturnToMainMenu");
cancelBtn.addEventListener("click", this, "CancelToMainMenu");
```

5.


```
cancelBtn.focused = true;
```

6.



## メニューのスキニング

UI



29:



## 5.1 Options ボタンをスキニングする

Photoshop® Illustrator® Flash CS3  
Illustrator Flash CS4

Photoshop

UI

Up ( ) Over ( )  
Down ( )

Photoshop Illustrator 1

Photoshop Illustrator

Flash

1

Flash

Up Over Down 3

1. Photoshop Document (PSD)

a.

b.

up over down

2. PSD

1

Photoshop [ ] Ctrl [ ]

a.

3. Flash ( ) Photoshop  
[ ]  
Flash



30: Options

Photoshop

4. ( ) Flash

5. PSD

'\_mergedLayers'  
2

PSD

6. Flash

7.

]

[

8. 1  
9


9. [ ] (Ctrl + R) [ ] [

a. [ ]

10. UI PSD Adobe Illustrator (AI)  
PSD

11. [ ]

a. CS3 CS4 Flash 8 PSD  
Flash 8 PSD



31: [ ]

12. [ ] [ ]

13. [ ] [ ]

a.

14.

a. PSD

b. AI


15.

( )

2

disabled

3




32: button

16.

up over down  
textField

17.




33: Options Main Menu

## 5.2 音量スライダーをスキニングする

2  
) 1  
5.1  
Thumb Track  
34: Thumb Photoshop



- 1.
- 2.
- 3.
- 4.
5. Thumb
6.
  - a. Thumb



35:

7.

8.



36: Thumb

9.

10.



37:



### 5.3 ラジオ ボタンとチェックボックスをスキニングする

## 5.4 難易度オプション設定をスキニングする

- 3 / 2
1. 5.1
- a. 1 1
  - Flash
- 2.
3. /
- 4.
5. 5.1 PSD
6. 4-5
7. 2
- 8.



40:

最後に



41: Options

Scaleform CLIK 1

Scaleform CLIK Scaleform CLIK

Scaleform CLIK Scaleform CLIK

Scaleform 4.2 SDK :

Windows

- -
- -

Mac

- -
- -

:

- [Getting Started with CLIK Buttons](#) - CLIK Button