

Autodesk® Scaleform®

CLIK

Interface Kit CLIK™

Scaleform®

Common Lightweight

: Matthew Doyle
: 3.0
: 2010 8 18

Copyright Notice

Autodesk® Scaleform® 4.2

© 2012 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AUGI, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo) Built with ObjectARX (design/logo), Burn, Buzzsaw, CAiCE, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, DesignServer, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWFX, DXF, Ecotect, Evolver, Exposure, Extending the Design Team, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, Freewheel, GDX Driver, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, RiverCAD, Robot, Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Sparks, SteeringWheels, Stitcher, Stone, StormNET, Tinkerbox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Autodesk Scaleform

CLIK

Autodesk Scaleform Corporation
6305 Ivy Lane, Suite 310

Greenbelt, MD 20770, USA

www.scaleform.com

info@scaleform.com

(301) 446-3200

(301) 446-3199

1.		1
1.1		1
2. Scaleform CLIK Scaleform		2
2.1	Scaleform CLIK Flash CS3	2
2.2	Scaleform CLIK Flash CS4	3
2.3	Scaleform 	5
3.		6
3.1	Shell	8
3.2		11
3.3	Options Screen 	14
3.4		15
3.5		17
3.6		20
3.7	OK Cancel 	22
4. ActionScript		23
4.1		23
4.2	aaGroup 	24
4.3		25
4.4		26
5.		27
5.1		28
5.2		32
5.3		35
5.4		36
6.		38

1.

Autodesk® Scaleform® CLIK™

Scaleform CLIK ActionScript™

Flash

1.1

- Scaleform 3
- Adobe® Flash® CS3
- Adobe Photoshop® CS3

2. Scaleform CLIK Scaleform


Scaleform CLIK Adobe Flash Scaleform CLIK
Flash
Adobe

Creative Suite® 3 (CS3) CS4 CS3 CS4

2.1 **Scaleform CLIK** **Flash CS3**

Flash Scaleform CLIK

1. Flash CS3
2. *Flash*
3. *ActionScript*
4. *Language* *ActionScript 2.0*
5. *ActionScript 2.0* *[+]*



1 CS3 **ActionScript 2.0** (Windows)

2 CS3 *ActionScript 2.0* (Mac)


6. CS3 , Scaleform CLIK Windows
:C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/,
scaleform_gfx_4.2_macos/Resources/AS2/CLIK Scaleform 4 SDK
7. ActionScript 2.0 , Classpath Arrow
\$(LocalData)/Classes , Arrow ,
\$(UserConfig)/Classes Scaleform CLIK
Adobe Scaleform CLIK
8. OK ActionScript 2.0 OK Preferences

2.2 Scaleform CLIK *Flash CS4*

Flash Scaleform CLIK

1. Flash CS4
2. *Flash*

3. *ActionScript*
4. *Language* *ActionScript 2.0*
5. *ActionScript 2.0* *[+]*



3: CS4 *ActionScript 2.0* (Windows)

4: CS4 *ActionScript 2.0* (Mac)

6. CS4 , Scaleform CLIK
:C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/,
scaleform_gfx_4.2_macos/Resources/AS2/CLIK/


7. ActionScript 2.0 , Classpath Arrow
 \$(LocalData)/Classes , Arrow ,
 \$(UserConfig)/Classes Scaleform CLIK
 , Adobe Scaleform CLIK
8. OK *ActionScript 2.0*
9. OK *Preferences*

2.3 Scaleform


Scaleform	Flash	Scaleform	SWF
	,	Scaleform 4	2.4 2.6

3.

Scaleform 4.2 SDK CLIK :
Resources/AS2/CLIK/tutorial
Resources/AS2/CLIK/tutorial/art_assets




5:



6:


3.1 *Shell*

1. Flash *ActionScript 2.0*
2. *Player 8* *File*
 'Publish Settings' *Flash*
3. *Version* 'Flash Player8 '
4. *ActionScript version* dropdown 'ActionScript 2.0 '
5. *OK* *Publish Settings*




7

6. *Layer 1* *Layer 1*
 ' scene '
7. *Insert Layer* 'actions'




8:

8. 10 *action scene* *scene* 10
- ‘ Insert Keyframe ’
- Option *action*



9: 10

9. *scene* ‘ mainMenu ’ 1
- Properties* Scaleform “goto”
- mainMenu 1 Main



10: 1 ‘ mainMenu’

10. *scene* 'optionsScreen' 10
Scaleform "goto" *optionsScreen*
11. *actions* 1 *Actions* window (F9) *actions* 1 2
"stop();" *stop*
10 *actions* 10
12. Flash

3.2

Main Menu


Options

Options Screen

1. Scaleform 4 SDK
CLIK_Components.fla

Resources/AS2/CLIK/components

2. *Label* *CLIK_Components.fla* *Library*
Copy



11:library

label

3. *CLIK_Components.fla*
Flash

4. *scene* *1*

5. *Library* *Paste* *Label*

6. *Library* *Label*

7. *text* *' Main Menu'*
CS3 *Properties* *Filters*
CS4 *Component Inspector* *[Shift + F7]*

Window – Component Inspector

SWF





Figure 12: CS3 properties

8. 10 6 7 Options -
' Options '

9. *CLIK_Components.fla* *Library* *Button*
Copy



13 library


10. Flash

11. *Library* *Paste* *button*

12. *scene*


13. *Main Menu*

14. *Properties* 'optionsBtn'



14: option 'optionsBtn'

15. *Parameter label* 'Options'



15: 'Options'

16. *Scaleform* *Scaleform Launcher panel*
Test with[Executable Name] *Scaleform*



16: Scaleform option

3.3 Options Screen

Options Screen Scaleform CLIK
 Scaleform CLIK Scaleform CLIK
 Options

Options Screen

1. actions

2. "stop();" 10

```
function OpenOptionsScreen()
{
    gotoAndPlay("optionsScreen");
}
```

3. optionsBtn " " —
 openOptionsScreen—

```
optionsBtn.addEventListener("click", this, "OpenOptionsScreen");
```

4. optionsBtn.focused = true;

5. Options Options
 Options screen

3.4


Options Stepper

Options Menu

Easy Medium Hard

Insane

1. CLIK_Components.fla
2. *Library OptionsStepper Copy*
3. Flash
4. *scene Options Menu 10*
5. *OptionsStepper Library*



17: library


OptionStepper

6. OptionsStepper *Library*
OptionsStepper
7. OptionsStepper 'difficultyOption'

8.

Label

Difficulty



18:


'difficultyOption'

9.

Label

'Difficulty'

text




19:

difficulty option stepper

3.5


on off

1. *Difficulty* *Label* ‘Video Settings’
2. CLIK_Components.fla
3. *CheckBox* *Copy*
4. Flash *Library*
5. *Library*



20: library

6. 'bloomBtn'



21: bloom

'bloomBtn'

7. *label* 'Bloom'

8. *copy bloom* 'aaBtn'


9. *label* 'Anti-Aliasing'

10. *RadioButton.fla*

11.

12.

13. 'edgeaaBtn'



22: Edge AA

'edgeaaBtn'.

14. *label* 'Edge AA'

15. 'aaGroup'

16.

Edge AA

'hwaaBtn'
17.


label

'Hardware FSAA'
18.

'aaGroup'

Parameters x		
data		
group	aaGroup	
label	Edge AA	
selected	false	

23: 'aaGroup'



24: Video Settings


3.6

1. *Label*

‘Sound Volume’

2. CLIK_Components.fla


FLA




25: library

3.

‘soundSlider’



26: 'soundSlider'



27:

3.7 *OK Cancel*

OK Cancel

1.


2.

3. 'OK'

4. 'okBtn'

5. 'cancelBtn'

6. 'Cancel'



28: Options

4. **ActionScript**

ActionScript *Actions* (F9) *Actions*

4.1

 'dataProvider'
 Easy Medium Hard Insane

1. *actions* 10

2. *Actions*

3. "stop();" -

 difficultyOption. dataProvider = ["Easy", "Medium", "Hard", "Insane"];

4. -

4.2 *aaGroup*

1. *actions* 10
2. Actions CLIK ButtonGroup

`import gfx.controls.ButtonGroup;`
3. difficultyOption.dataProvider ButtonGroup
'aaGroup'. edgeaaBtn hwaaBtn

`var aaGroup:ButtonGroup = new ButtonGroup();
edgeaaBtn.group = hwaaBtn.group = aaGroup;`
4. , / :
`function EnableAARadioButtons()
{
 edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;
}`
5.

`aaBtn.addEventListener("click", this, "EnableAARadioButtons");`
- 6.

4.3

OK

1. (), "vars"
2. 1.
3. " " , :
if (!options) {
 var options:Object = {};
}
4. 10
5. difficultyOption options.selectedDifficulty
 , difficultyOption 0(" "), ,
options.selectedDifficulty :

 difficultyOption.selectedIndex = (options.selectedDifficulty) ?
 options.selectedDifficulty : 0;
7. bloomBtn aaBtn :

 bloomBtn.selected = options.bloom;
 aaBtn.selected = options.aa;
8. aaBtn , edgeaaBtn hwaaBtn " " " "

 edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;
9. edgeaaBtn options.edgeaa , edgeaaBtn
 " ", edgeaaBtn :

 edgeaaBtn.selected = (options.edgeaa) ? options.edgeaa : true;
10. hwaaBtn , , " "

 hwaaBtn.selected = (options.hwaa) ? options.hwaa : false;
11. soundSlider

 soundSlider.value = options.soundVolume;

4.4

Cancel OK

1. actions 10

2. OK 1 4.3
 "stop();" options
 Options

```
function ReturnToMainMenu()
{
    options.selectedDifficulty = difficultyOption.selectedIndex;
    options.bloom = bloomBtn.selected;
    options.aa = aaBtn.selected;
    options.edgeaa = edgaaaBtn.selected;
    options.hwaa = hwaaBtn.selected;
    options.soundVolume = soundSlider.value;
    gotoAndPlay("mainMenu");
}
```

3. Cancel 1

```
function CancelToMainMenu()
{
    gotoAndPlay("mainMenu");
}
```

4. OK Cancel

```
okBtn.addEventListener("click", this, "ReturnToMainMenu");
cancelBtn.addEventListener("click", this, "CancelToMainMenu");
```


5. , Cancel

```
cancelBtn.focused = true;
```

6. Options Screen

5.


UI




29:




5.1





30: Photoshop

4. (Optional) Flash *up over down*
5. PSD 'mergedLayers'
2 PSD
6. Flash *Options*
7. *button*
Remove Frames
8. 9
9. 'Import' 'Import to Stage'
CTRL+R)
a. 'Import to Stage'
10. PSD UI Adobe Illustrator (AI) -
PSD
11. a. : Flash 8 PSD CS3
CS4 Flash 8 PSD



31:

12. Convert layers “ ”


13. Import this image layer as Bitmap image with
editable layer styles

a. : -

14. a. PSD button button button

b. AI *button*


15. *Labels*
up
down
over



32: **button**

16. *Text* *textField* *-up over down-*
textField


17. *Options*



33:

5.2

5.1



34: Photoshop

1.

2.


3. PSD AI
registration

4.

5.

6. PSD AI

a. : registration



35: registration

7. X '0.0'

8. registration



36:

9. *textField*

10.




37:

5.3

selected_up *selected_over*

selected_down *selected_out* *selected_disabled*

5.1



38:Photoshop

textField



39: edge AA

5.4

/

1.

5.1

a.

Flash

2.

/

PSD

5.1

3.

/

4.

left

5.

PSD

5.1

States

6.

4-5

7.

— Difficulty option stepper

—

textField

8.



40:

6.



41:

Scaleform CLIK

Scaleform CLIK

Scaleform CLIK

Scaleform CLIK

Scaleform CLIK

Scaleform 4.2 SDK :

Windows :

- - C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/demos
- - C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/Program 3/AS2/P4gg-2(l)x(e