

Autodesk® **Scaleform**®

Scaleform CLIK

Scaleform CLIK

Prasad Silva, Matthew Doyle

2.0

2010 8 19

Copyright Notice

Autodesk® Scaleform® 4.3

© 2013 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk 123D, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo), BIM 360, Built with ObjectARX (design/logo), Burn, Buzzsaw, CADmep, CAiCE, CAMduct, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, Design Server, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWGX, DXF, Ecotect, ESTmep, Evolver, Exposure, Extending the Design Team, FABmep, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, ForceEffect, Freewheel, GDX Driver, Glue, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, Map It, Build It, Use It, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, Revit LT, RiverCAD, Robot, Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Socialcam, Sparks, SteeringWheels, Stitcher, Stone, StormNET, TinkerBox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

How to Contact Autodesk Scaleform:


Document	Scaleform 4.0 CLIK AS3 User Guide
Address	Autodesk Scaleform Corporation 6305 Ivy Lane, Suite 310 Greenbelt, MD 20770, USA
Website	www.scaleform.com
Email	info@scaleform.com
Direct	(301) 446-3200
Fax	(301) 446-3199

1	簡介.....	6
1.1	概要	6
1.1.1.	在Scaleform CLIK包含的內容.....	6
1.2	元件理解.....	7
1.3	UI關注.....	7
2	內置元件.....	8
2.1	基本按鈕和文本類型.....	9
2.1.1	Button	10
2.1.2	CheckBox.....	15
2.1.3	Label	18
2.1.4	TextInput	20
2.1.5	TextArea	24
2.2	分組類型.....	27
2.2.1	RadioButton.....	27
2.2.2	ButtonGroup.....	31
2.2.3	ButtonBar	33
2.3	滾動類型.....	35
2.3.1	ScrollIndicator.....	35
2.3.2	ScrollBar	37
2.3.3	Slider	40
2.4	列表類型.....	41
2.4.1	NumericStepper	43
2.4.2	OptionStepper	45
2.4.3	ListItemRenderer.....	47
2.4.4	ScrollingList	50
2.4.5	TileList	55
2.4.6	DropDownMenu	59
2.5	進度類型.....	65
2.5.1	StatusIndicator.....	65
2.5.2	ProgressBar.....	67
2.6	其他類型.....	69
2.6.1	Dialog.....	69
2.6.2	UILoader.....	71
2.6.3	ViewStack.....	73

3	藝術細節.....	75
3.1	最優方法.....	75
3.1.1	圖元圖像.....	75
3.1.2	蒙版.....	76
3.1.3	動畫.....	76
3.1.4	圖層和繪製元素.....	77
3.1.5	複雜皮膚介面.....	77
3.1.6	2的指數倍.....	77
3.2	已知問題和推薦工作流程.....	77
3.2.1	複製元件.....	77
3.3	皮膚繪製實例.....	79
3.3.1	StatusIndicator皮膚繪製.....	80
3.4	字體和本地化.....	82
3.4.1	概要.....	82
3.4.2	內置字體.....	83
3.4.3	在textField嵌入字體.....	83
3.4.4	本地化系統.....	83
4	編程詳述.....	85
4.1	UI元件UIComponent.....	86
4.1.1	初始化.....	86
4.2	元件狀態.....	86
4.2.1	按鈕元件.....	87
4.2.2	非按鈕交互元件.....	88
4.2.3	非交互元件.....	89
4.2.4	特殊案例.....	89
4.3	事件模型.....	89
4.3.1	最佳使用方法.....	89
4.4	焦點處理.....	90
4.4.1	最佳使用方法.....	90
4.4.2	在複合附件捕獲焦點.....	91
4.5	輸入處理.....	92
4.5.1	最佳使用方法.....	92
4.5.2	多滑鼠游標.....	94
4.6	失效.....	95
4.6.1	最佳使用方法.....	95
4.7	元件縮放.....	95
4.7.1	Scale9Grid.....	96

4.7.2	強制	96
4.8	元件和資料設置	97
4.8.1	最佳使用方法	97
4.9	動態動畫	98
4.9.1	最佳使用方法	98
4.10	彈出式支援	99
4.10.1	最佳使用方法	99
4.11	拖放	99
4.11.1	最佳使用方法	100
4.12	雜項	101
4.12.1	代理Delegate	101
4.12.2	本地Locale	101
5	實例	102
5.1	基礎	102
5.1.1	包含兩個textField的ListItem Renderer	102
5.1.2	圖元滾動視圖	104
5.2	合成	105
5.2.1	使用ScrollingList 的TreeView	105
5.2.2	可複用視窗	107

1



1.1



1.1.1. Scaleform CLIK

UI

Button	Slider
ButtonBar	StatusIndicator
CheckBox	ProgressBar
RadioButton	UILoader
Label	ScrollingList
TextInput	TileList
TextArea	DropDownMenu
ScrollIndicator	Dialog
ScrollBar	NumericStepper


API

InputManager	Locale
FocusManager	Tween
DragManager	DataProvider
PopUpManager	IDataProvider
EventDispatcher	IList
Delegate	IListItemRenderer


Constraints	GameDataProvider
-------------	------------------


CLIK
CLIK
CLIK API
CLIK
CLIK Flash
CLIK

1.2



1.3 UI





2




- **User interaction**
- **Component setup** Flash
- **States**
- **Inspectable properties** Flash
- **Events** UI


- *Tips and tricks*

2.1

Button CheckBox Label TextInput
 TextArea Button CheckBox Button Label
 TextInput TextArea



1 *Free Realms*




2 *Free Realms* Check box



3 *Free Realms* Label



4: *Crysis Warhead* Text input




5 *Mercenaries 2* Text area

2.1.1 Button



6

on Button CLIK But
 gfx.controls.Button textField Slider



7 AnimatedButton AnimatedToggleButton ToggleButton


CLIK
Button

ToggleButton AnimatedButton

AnimatedToggleButton Button.fla

2.1.1.1

Programming



2.1.1.2


- CLIK Button MovieClip
- **textField:** () TextField
 - **focusIndicator:** () MovieClip
- MovieClip
“ show ” “ hide ” over
- Button
- over

2.1.1.3

CLIK

- **up**

- *over*
- *down*
- *disabled*



8 Button

Flash

[CLIK](#)

2.1.1.4

Flash IDE Component

Inspector

Parameters

CS4

Window

Component Inspector


(Shift+F7)

Component

Inspector

“ ”

AS



9 CS4

:

disableConstraints	Button	textField
	true	

rollout	<i>mouseIndex</i>	0-3	
Press	<i>mouseIndex</i>	0-3	-
doubleClick	<i>mouseIndex</i>	<i>doubleClickEnabled</i>	true
	<i>mouseIndex</i>	0-3	-
Click	<i>mouseIndex</i>	0-3	-
dragOver	<i>mouseIndex</i>	0-3	-
dragOut	<i>mouseIndex</i>	0-3	-
releaseOutside	<i>mouseIndex</i>	0-3	-

ActionScript

```
myButton.addEventListener("click", this, "onButtonPress");
function onButtonPress(event:Object) {
    //
}
```

“ click ”

‘ myButton ’

onButto

nPress函數。相同的代碼類型也可以用來處理其他的事件。事件控制碼中返回的Object參數（例子中名為‘event’）包含了事件的相關資訊。這些資訊作為Object參數屬性返回並與多數事件有所不同。

2.1.1.6

```
import gfx.controls.Button;
attachMovie("Button", "btnInstanceName", someDepth, {_x:33, _y:262, ...});
```

CLIK

Toggle

```
btn.toggle = true;
```

```
btn.doubleClickEnabled = true;  
btn.addEventListener("doubleClick", this, "onDoubleClick");  
function onDoubleClick(e:Object):Void {  
    //  
    !  
}
```

```
btn.autoRepeat = true;
```

2.1.2 CheckBox



10

CheckBox

CheckBox

(gfx.controls.CheckBox)

true/false

ToggleButton

Toggle

2.1.2.1

CheckBox

2.1.2.2

CLIK CheckBox

MovieClip

- **textField:** () TextField
- **focusIndicator:** () MovieClip


MovieClip

“ show ” “ hide ”

2.1.2.3

Toggle CheckBox

- **up**
-
-
- **disabled**
- **selected_up**
-
- **selected_over**
- **selected_down**
- **selected_disabled**



11: CheckBox

CheckBox

Button

CLIK

2.1.2.4

CheckBox

disableFocus

To

ggle

Data	Box	textField	Check
disableConstraints	textField	true	disabled
	textField	textField	/

Disabled	true	
Label		
Selected	true	CheckBox
Visible	false	

2.1.2.5

Object

- **type:**
- **target:**

CheckBox

Show		true			
Hide		false			
focusIn					
focusOut					
Select					
	<i>Selected</i>	true			
stateChange	<i>State</i>	String	“ up ”	“ over ”	“ down ”
	CLIK				
Rollover	<i>mouseIndex</i>				–
		0-3			
Rollout	<i>mouseIndex</i>				
		0-3			
Press	<i>mouseIndex</i>				–
		0-3			
doubleClick		<i>doubleClickEnabled</i>	true		
	<i>mouseIndex</i>				–
		0-3			
Click	<i>mouseIndex</i>				–
		0-3			

- **target:**

Label

Show	true				
Hide	false				
stateChange	Label				
	State	Label	String	“ default ”	“ disabled ”

Label

```
myLabel.addEventListener("stateChange", this, "onStateChange");
function onStateChange(event:Object) {
    if (event.state == "default") {
        //
    }
}
```

2.1.3.6

Label

HTML


textField

HTML


Flash 8

```
lbl.htmlText = "<b>foo</b>bar";
```

2.1.4 TextInput



14: TextInput.



textField			Label	Label	
	textInput	textField	UI		PC
	textInput	disabled	textField		
textInput	textInput	textInput	AS2		textInput
Studio	textInput		textInput		Flash
textInput	textField,			HTML	
	(Shift+Arrows)	(Shift+Delete)			
(Ctrl+Insert)	(Shift+Insert)				
" "			actAsButton		
			"over" "out"		
actAsButton	"over"/"out"		" "	" "	" "
	(0xAFFFFFFF)		" "	" "	" "
"					

2.1.4.1

textInput	textField	
		textField

2.1.4.2


CLIK TextInput MovieClip

- **textField**: textField

2.1.4.3 States

CLIK TextInput disabled

- **default** enabled
- **focused** textField
- **disabled**



15: TextInput

2.1.4.4

TextInput :

text	textField		
visible	false		
disabled	true		
editable	false	TextInput	
maxChars	textField		
password	true	textField	'*'
defaultText	“	”	“
actAsButton	“	”	“
			”
		tab	“
			”

2.1.4.5

Object

- **type:**
- **target:**

TextInput

Show	true		
Hide	false		
focusIn			
focusOut			
textChange	textField		
rollover		“	”
	<i>mouseIndex</i> 0 3.		
rollout		“	”
	<i>mouseIndex:</i>		0 3.

textField

```

myTextInput.addEventListener("textChange", this, "onTextChange");
function onTextChange(event:Object) {
    //
}

```

2.1.4.6

```

_global.gfxExtensions = true;
textInput.textField.noAutoSelection = true;

```

TextInput

HTML

textField

HTML


Flash 8

```

textInput.htmlText = "<b>foo</b>bar";

```

2.1.5 TextArea



16: **TextArea.**

TextArea (gfx.controls.TextArea) CLIK

TextInput

ScrollBar

66

”

66

“

6

,

Label TextInput TextArea

textField

textField

HTML

textField

Text

Area

textField

ScrollIndicator

ScrollBar TextArea

textField

TextArea

TextArea

2.1.5.1

TextArea

textField

textField

2.1.5.2

CLIK TextArea


MovieClip

- ***textField***: TextField

2.1.5.3

TextInput TextArea disabled

- **default** enabled
- **focused** textField
- **disabled**



17: TextArea

2.1.5.4

TextArea TextInput CLIK

ScrollBar 2.4

text	textField		
visible	false		
disabled	false		
editable	false	TextInput	
maxChars	.	textField	
scrollBar	CLIK ScrollBar	ScrollBar	ID
	TextArea		
scrollPolicy	“ auto ”		
	“ on ”	ScrollBar	“ off ”
	ScrollBar	ScrollBar	
defaultText	“	”	“ ”
actAsButton	“	”	“ ”
	tab		

2.1.5.5

Object

- *type:*
- *target:*

TextArea

Show	true		
Hide	false		
focusIn			
focusOut			
textChange	textField		
Scroll			
rollover		“	”
	<i>mouseIndex</i>		
	0 3.		
rollout		“	”
	<i>mouseIndex:</i>		
		0 3.	

TextArea

```
myTextArea.addEventListener("scroll", this, "onTextScroll");
function onTextScroll(event:Object) {
    //
}
```

2.1.5.6


```
_global.gfxExtensions = true;
textInput.textField.noAutoSelection = true;
```

TextArea HTML textField HTML Flash 8

```
textInput.htmlText = "<b>foo</b>bar";
```


2.2

RadioButton ButtonGroup
ButtonBar ButtonGroup
ButtonBar
ButtonGroup
Button
RadioButton



18: *Dawn of War II*

2.2.1 RadioButton



19: **RadioButton**

RadioButton
(gfx.controls.RadioButton)

CLIK
CheckBox
ButtonGroup

2.2.1.1

2.2.1.2


CLIK RadioButton MovieClip

- **textField** () TextField
- **focusIndicator** MovieClip MovieClip
MovieClip “ show ” “ hide ”

2.2.1.3

CheckBox

- *up*
- *over*
- *down*
- *disabled*
- *selected_up*
- *selected_over*
- *selected_down*
- *selected_disabled*



20: RadioButton

RadioButton Button
RadioButton CLIK

2.2.1.4

Button
ocus Toggle
RadioButton
disableF

Label	Button
Visible	false
Disabled	true
disableConstraints	Button true textField t extField disa bled textField textField /
Selected	true RadioButton
Data	RadioButt on
Group	ButtonGroup ButtonGroup _root RadioButton _root

2.2.1.5

Object

- **type:**
- **target:**

RadioButton

Show	true
Hide	false
focusIn	
focusOut	
Select	<i>Selected</i> true
stateChange	State String “ up ” “ over ” “ down ” CLIK

rollover	<i>mouseIndex</i>			-
		0-3		
rollOut	<i>mouseIndex</i>			
		0-3		
Press	<i>mouseIndex</i>			-
		0-3		
doubleClick		<i>doubleClickEnabled</i>	true	
	<i>mouseIndex</i>			-
		0-3		
Click	<i>mouseIndex</i>			-
		0-3		
dragOver	<i>mouseIndex</i>			-
		0-3		
dragOut	<i>mouseIndex</i>			-
		0-3		
releaseOutside	<i>mouseIndex</i>			-
		0-3		

RadioButton

```
myRadio.addListener("select", this, "onRadioToggle");
function onRadioToggle(event:Object) {
    //
}
```


2.2.1.6

RadioButton

```
import gfx.controls.ButtonGroup;
var myGroup:ButtonGroup = new ButtonGroup("groupName");
radio1.group = myGroup;
radio2.group = myGroup;
```

```
someMovie.radio1.group = myGroup;
someMovie.radio2.group = myGroup;
```

2.2.2 ButtonGroup



21: ButtonGroup.

CLIK ButtonGroup
(gfx.controls.ButtonGroup)

CLIK CheckBox RadioButton ButtonGro
up

2.2.2.1

RadioButton

2.2.2.2

CLIK ButtonGroup MovieClip

2.2.2.3

ButtonGroup

2.2.2.4

ButtonGroup

2.2.2.5

Object

- **type:**
- **target:**

ButtonGroup

change			
• <i>item</i>	CLIK	Button	
• <i>data</i>		AS2	
itemClick			
• <i>item</i>	CLIK	Button	

ButtonGroup

```
myGroup.addEventListener("change", this, "onNewSelection");
function onNewSelection(event:Object) {
    if (event.item == myRadio) {
        //
    }
}
```


2.2.2.6

```
var selectedRadio:Button = group.selectedButton;
```

ButtonGroup

```
radioBtn1.group.addEventListener("itemClick", this, "onClick");
```

2.2.3 ButtonBar



22: ButtonBar.

ButtonBar
(gfx.controls.ButtonBar) ButtonGroup dataProvider
dataProvider tab UI

```
buttonBar.dataProvider = ["item1", "item2", "item3", "item4", "item5"];
```

2.2.3.1

ButtonGroup

2.2.3.2

CLIK ButtonBar MovieClip

2.2.3.3

CLIK

2.2.3.4

Flash
IDE ButtonBar

Visible	false	ButtonBar
Disabled	true	buttonBar
itemRenderer	ID	

Direction	
Spacing	<i>direction</i>
autoSize	true
buttonWidth	autoSize true

2.2.3.5

Object

- *type:*
- *target:*

ButtonBar

Show	true
Hide	false
focusIn	
focusOut	
change	• <i>index</i> 0 1 • <i>renderer</i> CLIK Button • <i>item</i> dataProvider AS2 Object • <i>data</i> dataProvider AS2 Object
itemClick	• <i>index</i> 0 1 • <i>item</i> dataProvider AS2 Object • <i>data</i> dataProvider AS2 Object • <i>mouseIndex</i> 0-3


```

myBar.addEventListener("itemClick", this, "onItemClick");
function onItemClick(event:Object) {
    processData(event.data);
    //
}

```

2.3

Slider ScrollIndicator ScrollBar ScrollBar Slider



23: *Mercenaries 2*

2.3.1 ScrollIndicator



24: **ScrollIndicator.**

CLIK ScrollIndicator textField

(gfx.controls.ScrollIndicator) TextArea

ID


2.3.1.1

2.3.1.2

CLIK ScrollIndicator MovieClip

- **thumb**: CLIK Button
- **track** MovieClip

2.3.1.3



25: ScrollIndicator

2.3.1.4

scrollTarget	TextArea	textField	
	textField		ScrollIndicator
Visible	false		
Disabled	false		
offsetTop			
offsetBottom			

2.3.1.5

Object

- **type**:
- **target**:

ScrollIndicator

Show	true
Hide	false
Scroll	• <i>position</i>

```
mySI.addListener("scroll", this, "onTextScroll");
function onTextScroll(event:Object) {
    trace("scroll position: " + event.position);
    //
}
```


2.3.1.6

```
scrollInd.setScrollProperties(pageSize, minPos, maxPos, pageScrollSz);
scrollInd.positon = currPos;
```

_rotation

```
scrollInd.direction = "horizontal";
```

2.3.2 ScrollBar



26: ScrollBar.

CLIK ScrollBar(gfx.controls.ScrollBar)

2.3.2.1

ScrollBar

trackMode

trackMode


(Shift)

2.3.2.2

CLIK ScrollBar MovieClip

- **upArrow** CLIK
- **downArrow**: CLIK
- **thumb**: CLIK
- **track**: CLIK

2.3.2.3



27: ScrollBar

ScrollBar ScrollIndicator

2.3.2.4

scrollTarget	TextArea	textField
trackMode	scrollPage	
	scrollToCursor	
Visible	false	
Disabled	false	
offsetTop		
offsetBottom		

2.3.2.5

Object

- **type:**
- **target:**

ScrollBar

show	true
hide	false
scroll	• <i>position</i>

```
mySB.addEventListener("scroll", this, "onListScroll");
function onListScroll(event:Object) {
    trace("scroll position: " + event.position);
    //
}
```

2.3.2.6

```
scrollBar.setScrollProperties(pageSize, minPos, maxPos, pageScrollSz);
scrollBar.positon = currPos;
```

_rotation

```
scrollBar.direction = "horizontal";
```

scrollPage

1

```
scrollBar.trackScrollPageSize = pageSize;
```

2.3.3 Slider



28: Slider.

```
Slider(gfx.controls.Slider)
```

2.3.3.1


home end

2.3.3.2

CLIK Slider MovieClip

- **thumb** CLIK
- **Track** CLIK

2.3.3.3



□ 29:滑动条 Slider 时间轴

2.3.3.4

Slider

Visible	false
Disabled	false

Value	Slider	
Minimum		
Maximum		
Snapping	true	
snapInterval		false
liveDragging	true	Slider
offsetLeft		
offsetRight		

2.3.3.5

Object

- **type:**
- **target:**

Slider

show	true
hide	false
focusIn	
focusOut	
change	Slider

Slider


```
mySlider.addEventListener("change", this, "onValueChange");
function onValueChange(event:Object) {
    trace("slider value: " + event.target.value);
    //
}
```

2.4


CLIK	NumericStepper	OptionStepper	ScrollingList	TileList	
DropDownMenu		NumericStepper		DataProvider	ListItemR
enderer		ScrollingList	TileList		
NumericStepper	OptionStepper			ScrollingList	
TileList			ScrollIndicator		
ScrollBar	DropDownMenu				ScrollingList
TileList					



30: *Mercenaries 2*



31: *Halo Wars* 'Difficulty Settings'



32: *Mass Effect* 'Display Setting'

2.4.1 NumericStepper



33: **Numeric Stepper.**

NumericStepper
(gfx.controls.NumericStepper)

2.4.1.1

NumericStepper

(Home)

(End)

2.4.1.2


CLIK NumericStepper MovieClip

- **textField:** TextField
- **nextBtn:** CLIK Button
- **prevBtn:** CLIK Button

2.4.1.3

NumericStepper

- *disabled*



34: NumericStepper

2.4.1.4

NumericStepper

MovieClip

visible	false
disabled	false
value	NumericStepper.
minimum	NumericStepper
maximum	NumericStepper

2.4.1.5

Object

- **target:**

NumericStepper

Show		true			
Hide		false			
Change	NumericStepper				
stateChange	NumericStepper				
	<i>state</i>	String	"default"	"focused"	"disabled"

NumericStepper

```
myNS.addEventListener("change", this, "onValueChange");
function onValueChange(event:Object) {
    trace("ns value: " + event.target.value);
    //
}
```

2.4.1.6

/

```
ns.stepSize = 0.5;
```

```
ns.labelFunction = function(value:Number) {
    switch(value) {
        case 1:
            return value + "st";
        default:
            return value + "th";
    }
}
```

2.4.2 OptionStepper




35: OptionStepper.

OptionStepper
(gfx.controls.OptionStepper), NumericStepper
dataProvider


OptionStepper
dataProvider

```
optionStepper.dataProvider = ["item1", "item2", "item3", "item4"];
```



2.4.2.1



2.4.2.2



2.4.2.3



36: OptionStepper

2.4.2.4



Visible	false
Disabled	false

2.4.2.5

Object

- *type:*
- *target:*

OptionStepper

Show	true			
Hide	false			
Change	OptionStepper			
stateChange	OptionStepper			
	• state	String	"default"	"focused"
	"disabled"			


OptionStepper

```
myOS.addEventListener("change", this, "onValueChange");
function onValueChange(event:Object) {
    trace("os value: " + event.target.selectedItem);
    //
}
```

2.4.3 ListItemRenderer



图 1: ListItemRenderer.



2.4.3.1

ListItemRenderer Button
 ListItemRenderer ListItemRender
 r

2.4.3.2


CLICK ListItemRenderer MovieClip :

- **textField** () TextField
- **focusIndicator:** () MovieClip
 MovieClip “ show ”
 “ hide ”

2.4.3.3

ListItemRenderer *selected*

- *up*
- *over*
- *down*
- *disabled*
- *selected_up*
- *selected_over*
- *selected_down*
- *selected_disabled*



38: ListItemRenderer

ListItemRenderer Button
 ListItemRenderer CLICK

2.4.3.4

ListItemRenderer

Label	ListItemRenderer
Visible	false
Disabled	true

2.4.3.5

Object

- *type:*
- *target:*

ListItemRenderer


Show	true		
Hide	false		
focusIn			
focusOut			
Select			
	Selected	true	
stateChange	State	String	“ up ” “ over ” “ down ”
	<u>CLIK</u>		
Rollover			
	mouseIndex	0-3	-
Rollout			
	mouseIndex	0-3	
Press			
	mouseIndex	0-3	-
doubleClick	doubleClickEnabled	true	
	mouseIndex		-

		0-3	
Click	• <i>mouseIndex</i>	-	
		0-3	
dragOver	• <i>mouseIndex</i>	-	
		0-3	
dragOut	• <i>mouseIndex</i>	-	
		0-3	
releaseOutside	• <i>mouseIndex</i>	-	
		0-3	


2.4.4 ScrollingList



39: ScrollingList.




```
scrollingList.dataProvider = ["item1", "item2", "item3", "item4"];
```



FLA

2.4.4.1



2.4.4.2



2.4.4.3

- ScrollingList
- **default** enable
 - **focused**
 - **disabled**




图40: ScrollingList

2.4.4.4

ScrollingList	MovieClip
Visible	false
Disabled	true
itemRenderer	ListItemRenderer <i>rendererInstanceName</i>
renderInstanceName	ScrollingList ‘ r ’ ‘ r1 ’ ‘ r2 ’ ‘ r3 ’ 1
Scrollbar	ScrollBar ScrollingList ScrollingList
Margin	<i>rendererIns</i> <i>tanceName</i>
rowHeight	<i>rendererInstanceName</i>
paddingTop	<i>rendererInstanceName</i>
paddingBottom	<i>rendererInstanceName</i>
paddingLeft	<i>rendererInstanceName</i>
paddingRight	<i>rendererInstanceName</i>
thumbOffsetTop	
thumbOffsetBottom	
thumbSizeFactor	1.0 1.0

2.4.4.5

Object

- **type:**
- **target:**

ScrollingList

Show	true		
Hide	false		
focusIn			
focusOut			
Change			
	• <i>index</i>	0	1.
itemPress			
	• <i>renderer</i>	CLIK	
	• <i>item</i>		dataProvider
	AS2		
	• <i>index</i>	dataProvider	
		0	1
	• <i>mouseIndex</i>		
		0 3	
itemClick	A list item has been clicked.		
	• <i>renderer</i>	CLIK	
	• <i>item</i>		dataProvider
	AS2		
	• <i>index</i>	dataProvider	
		0	1
	• <i>mouseIndex</i>		
		0 3	
itemDoubleClick			
	• <i>renderer</i>	CLIK	
	• <i>item</i>		dataProvider
	AS2		
	• <i>index</i>	dataProvider	
		0	1

	• <i>mouseIndex</i>	0	3	
itemRollOver				
	• <i>renderer</i> • <i>item</i> - AS2 • <i>index</i> • <i>mouseIndex</i>	CLIK		dataProvider
		dataProvider	0	1
			0	3
itemRollOut				
	• <i>renderer</i> • <i>item</i> - AS2 • <i>index</i> • <i>mouseIndex</i>	CLIK		dataProvider
		dataProvider	0	1
			0	3

```
myList.addEventListener("itemClick", this, "onItemClicked");
function onItemClicked(event:Object) {
    trace("list item was clicked: " + event.renderer);
    //
}
```


2.4.4.6

```
// ScrollingList 'label'
//
list.dataProvider = [{label: "one", data:1}, {label: "two", data:2}];


//
//
list.labelField = "name";
list.dataProvider = [{name: "one", data:1}, {name: "two", data:2}];
```

```
//
//      labelFunction
list.labelFunction = function(itemObj:Object):String {
    //
}
list.dataProvider = [{p1: "foo", p2: 1}, {p1: "bar", p2: 2}];
```


2.4.5 TileList



41: TileList.



```
tileList.dataProvider = ["item1", "item2", "item3", "item4", "item5"];
```



2.4.5.1



(Page Up)

(Page down)

(End)

TileList

ScrollBar

(Home)

ScrollBar


2.4.5.2

TileList TileList

2.4.5.3

TileList

- *default* enable
- *focused*
- *disabled*



42: TileList

2.4.5.4

TileList MovieClip

Visible	false
Disabled	true
itemRenderer	ListItemRenderer rendererInstanceName
rendererInstanceName	TileList ‘ r ’ ‘ r1 ’ ‘ r2 ’ ‘ r3 ’

		1
scrollbar	ScrollBar	
	TileList	
	TileList	
Margin		<i>rendererIn</i>
	<i>stanceName</i>	
rowHeight		<i>rendererInstanceName</i>
columnWidth		<i>rendererInstanceName</i>
externalColumnCount	<i>rendererInstanceName</i>	
	TileList	
Direction		

2.4.5.5

Object

- *type:*
 - *target:*
- TileList

Show	true
Hide	false
focusIn	
focusOut	
Change	
• <i>index</i>	0 1.
itemPress	
• <i>renderer</i>	CLIK
• <i>item</i>	dataProvider
AS2	
• <i>index</i>	dataProvider
	0 1
• <i>mouseIndex</i>	
	0 3

itemClick

- *renderer* CLIK
- *item* AS2 dataProvider
- *index* dataProvider 0 1
- *mouseIndex* 0 3

itemDoubleClick

- *renderer* CLIK
- *item* AS2 dataProvider
- *index* dataProvider 0 1
- *mouseIndex* 0 3

itemRollOver

- *renderer* CLIK
- *item* AS2 dataProvider
- *index* dataProvider 0 1
- *mouseIndex* 0 3

itemRollOut

- *renderer* CLIK
- *item* AS2 dataProvider
- *index* dataProvider 0 1
- *mouseIndex* 0 3

TileList

```
myList.addEventListener("focusIn", this, "onListFocused");  
function onListFocused(event:Object) {  
    trace("tile list was focused!");  
}
```

```
//
}
```


2.4.5.6

```
// ScrollingList          'label'
//
list.dataProvider = [{label: "one", data:1}, {label: "two", data:2}];

//
//
list.labelField = "name";
list.dataProvider = [{name: "one", data:1}, {name: "two", data:2}];

//
//
// labelFunction
list.labelFunction = function(itemObj:Object):String {
    //
    // Logic to construct a label
}
list.dataProvider = [{p1: "foo", p2: 1}, {p1: "bar", p2: 2}];
```


2.4.6 DropdownMenu



43: **DropdownMenu.**

DropdownMenu
(gfx.controls.DropdownMenu)

- disabled
- selected_up
- selected_over
- selected_down
- selected_disabled



44: DropdownMenu



2.4.6.4

DropdownMenu

Visible	false
Disabled	false
Dropdown	ScrollingList
	TileList DropdownMenu
dropdownWidth	-
	1
itemRenderer	
scrollbar	
margin	
paddingTop	
paddingBottom	
paddingLeft	
paddingRight	
thumbOffsetTop	
thumbOffsetBottom	

thumbSizeFactor	thumb	1.0	thumb	1.0	thumb
offsetX					
offset					
Extent	1	offsetX	dropdownWidth		-
Direction		“	”	“	”

2.4.6.5

Object

- **type:**
- **target:**

DropDownMenu

change

Button

Show		true			
Hide		false			
focusIn					
focusOut					
Change					
	• <i>index</i> • <i>data</i>	0	AS2	1.	
Select					
	• <i>Selected</i>	true			
stateChange					
	State	String	“ up ”	“ over ”	“ down ”
	CLICK				
rollover					
	• <i>mouseIndex</i>	0-3			
rollout					
	• <i>mouseIndex</i>	0-3			

Press	<i>mouseIndex</i>	0-3	
doubleClick	<i>mouseIndex</i>	0-3	<i>doubleClickEnabled</i> true
Click	<i>mouseIndex</i>	0-3	
dragOver	<i>mouseIndex</i>	0-3	
dragOut	<i>mouseIndex</i>	0-3	
releaseOutside	<i>mouseIndex</i>	0-3	-

2.4.6.6

```
dropdown.addEventListener("click", this, "onClick");
function onClick(e:Object) {
    if (e.target.isOpen) {
        // open
    }
}
```

DropdownMenu

```
// ;
// / FLA
// DropdownMenu ScrollingList
// ScrollBar .
attachMovie("DropdownMenu", "dd", this.getNextHighestDepth(),
            {dropdown: "ScrollingList"});
dd.dataProvider = ["one", "two", "three", "four", "five", "six"];
```

```

//
//
//
onEnterFrame = function() {
    dd.dropdown.scrollBar = "ScrollBar";
    onEnterFrame = null;
}

```

```



// ScrollingList          'label'
//
list.dataProvider = [{label: "one", data:1}, {label: "two", data:2}];

//
//

list.labelField = "name";
list.dataProvider = [{name: "one", data:1}, {name: "two", data:2}];
//
//      labelFunction
list.labelFunction = function(itemObj:Object):String {
    //
}
list.dataProvider = [{p1: "foo", p2: 1}, {p1: "bar", p2: 2}];


```

2.5



45: *Mercenaries 2* Faction

2.5.1 StatusIndicator



46: **StatusIndicator.**

StatusIndicator component
(gfx.controls.StatusIndicator)

2.5.1.1

StatusIndicator

2.5.1.2

CLIK

StatusIndicator

MovieClip

stop()

gotoAn

dStop()

2.5.1.3

StatusIndicator

2.5.1.4

StatusIndicator

MovieClip

visible	false
disabled	false
Value	
minimum	
maximum	

2.5.1.5


Object

- ***type:***
- ***target:***

StatusIndicator

Show	true
Hide	false

2.5.2 ProgressBar



47: ProgressBar.

ProgressBar
(gfx.controls.ProgressBar) StatusIndicator

bytesLoaded bytesTotal

b

2.5.2.1

ProgressBar

2.5.2.2

StatusIndicator CLIK StatusIndicator MovieClip
ProgressBar stop()
ProgressBar gotoAndStop()

2.5.2.3

ProgressBar

2.5.2.4

ProgressBar MovieClip

visible	false				
disabled	false				
target	ProgressBar	“	“	bytesLoaded	bytesTotal
mode	properties.	ProgressBar	“ manual		
	“		setProgress	“	
	polled ”		bytesLoaded		

bytesTotal	“ event ”	“ progress ”	byt
esLoaded	bytesTotal		

2.5.2.5

Object

- *type:*
- *target:*

ProgressBar

Show	true
Hide	false
progress	ProgressBar
complete	

```

myProgress.addEventListener("progress", this, "onProgress");
myProgress.addEventListener("complete", this, "onProgress");
function onProgress(event:Object) {
    if (event.type == "progress") {
        //
    } else
    {
        trace("Loading complete!");
    }
}

```

2.6

Scaleform

CLIK

UI

Dialog

UILoader


ViewStack

Dialog

UI

UILoader


ViewStack



48: *Halo Wars*

Dialog

2.6.1 Dialog



49:

Dialog

CLIK

Dialog

(gfx.controls.Dialog)

MovieClip

MovieClip

Dialog.show()

2.6.1.1

Dialog

2.6.1.2

CLIK Dialog MovieClip :

- *closeBtn* () CLIK Button
- *cancelBtn* () CLIK Button cancel
- *submitBtn* () CLIK Button OK
- *dragBar* () MovieClip

2.6.1.3

Dialog MovieClip

2.6.1.4

Dialog MovieClip

Visible	false
Disabled	false

2.6.1.5

Object

- *type:*
- *target:*

Dialog

Show	true
Hide	false
submit	Dialog
• data	Dialog
	getSubmitData

Timeout	er	'ioError'	UILoad
----------------	----	-----------	--------

2.6.2.5

Object

- *type:*
- *target:*

Uiloader


Show	true		
Hide	false		
progress		a	b
loaded	0	100	
complete			
ioError			

```

myUILoader.addEventListener("ioError", this, "onLoadingError");
function onLoadingError(event:Object) {
    displayErrorMessage("Could not load" + event.target.source);
}

```

2.6.3 ViewStack



50: ViewStack

CLIK

ViewStack

(gfx.controls.ViewStack)

x

Accordion

RadioButton

ViewStack

TabBo

2.6.3.1

ViewStack

ViewStack

2.6.3.2

MovieClip

CLIK

ViewStack

2.6.3.3

ViewStack

ViewStack

2.6.3.4

ViewStack

MovieClip

Visible	false	
Cache	true	
	ViewStack	targetGroup

targetGroup	ButtonGroup	' change '	ID	Radio
Buttons		Flash IDE		ID

2.6.3.5

ViewStack

3

Scaleform

CLIK

3.1


Scaleform CLIK

3.1.1

CLIK

Flash

- 1. Flash
- 2.
- 3. Flash
- 4.
- 5. 1px
- 6. OK




51: Grid

SWF

2

2



52:

3.1.2

Flash

Scaleform

Flash

Photoshop®

PNG

3.1.3

—

3.1.4

Flash

3.1.5

3.1.6 2

2 2

- 16x16
- 32x32
- 64x64
- 128x128
- 128x256
- 256x256
- 512x256
- 512x512

3.2

Flash

Scaleform CLIK

3.2.1

Flash

3.2.1.1 **1**

FLA

CLIK


FLA

- | | | | | | | |
|----|----------------------------|--------------|-------------------|--|-------------|----|
| 1. | <i>CLIK_Components.fla</i> | | | | | |
| 2. | | | FLA | | <i>Copy</i> | FL |
| | A | <i>Paste</i> | | | | |
| 3. | | FLA | <i>Rename</i> | | ' Button ' | |
| 4. | | FLA | <i>Properties</i> | | | |
| 5. | <i>Identifier</i> | 3 | | | | |


6. *Paste*

3.2.1.2 2

1. *library* *Properties*
2. *Properties* gfx.controls.Button *Class* (CTRL+C)
3. *Cancel*
4. *Duplicate*
5. *Duplicate Symbol* *Export* *ActionScript*
6. *Class* (CTRL+V) textField
7. OK
8. *library* *Component Definition*
9. *Class* textField (CTRL+V) textField
10. OK



53:



54:

3.3

Scaleform
CLIK

CLIK

CLIK

Flash


FLA

- Flash
- Flash
- Photoshop Illustrator®

Flash

[CLIK](#)

3.3.1 StatusIndicator



55: **StatusIndicator.**

StatusIndicator

indicator


track *Track*

Indicator

Photoshop



56: **StatusIndicator PSD**



57 Photoshop StatusIndicator PSD

1. Photoshop StatusIndicator
2. PSD
3. Flash *File Import -> Import to Stage*
4. StatusIndicator PSD
5. *Import Convert layers to:* ' Layers '
6. OK
7. Flash PSD 10 1 10 10
 PSD 10
layer 1
- 8.
- 9.
10. *layer 1* 6
11. *Insert layer 1* 11
12. *layer 2* (Ctrl+X)
13. *layer 1* 11 (Ctrl+Shift+V) *layer 1*
14. 10 (layer
 1) 5
 2 11 *layer 3* 16 *layer*
 4 21 10 PSD 51
15. 2-10

16.

Remove Frames

55


17. *indicator layer*

18. *track*

track

19. *layer 1* 'indicator '

20. *indicator track actions layer track indicator*




58:

21. *StatusIndicator*

22. *1 10*

23.

24.



59: StatusIndicator

3.4

Scaleform CLIK

3.4.1

Scaleform

SWF

Scaleform

Flash UI

3.4.2

Flash

Scaleform

Scaleform

Scaleform

textFidld

Slate

Mobile

Slate

Mobile

CJK

ASCII

Sla

te Mobile

CJK

textFields

Scaleform

3.4.4

Scalefor

m

Scaleform

UI

3.4.3 textField

Inspector) *Embed* OK (Window > Property F

3.4.4

```

graph TD
    S1[Scaleform] --> SWF1[SWF]
    SWF1 --> S2[Scaleform]
    S2 --> textField
    textField --> gfxfontlib[gfxfontlib.fl]
    gfxfontlib --> S3[Scaleform]
    S3 --> swf
    fontconfig[fontconfig.txt] --> S3
    swf --> S4[Scaleform]
  
```

fontconfig.txt

Scaleform

‘ \$TITLE ’

\$TITLE=Scaleform


‘ Scaleform ’

Scaleform

Scaleform




Scaleform CLIK



60: Scaleform CLIK

4.1 UI *UIComponent*



- ***disabled;***
- ***visible;***
- ***focused;***
- ***width;***
- ***height;***
- ***displayFocus:***

true

UIComponent

- ***configUI:***
- ***draw:***
- ***changeFocus:***
- ***scrollWheel:***

UIComponent EventDispatcher

4.1.1

- ***onLoad()***
- ***MovieClip***
- ***configUI()***
- ***validateNow()***
- ***draw()***

4.2

Scaleform
CLIK

4.2.1

ListItemRenderer RadioButton
 CheckBox ScrollBar Button
 Button (gfx.controls.Button) Button
 CLIK Button
 CLIK

- *up*
-
- *down*
- *disabled*
- *over*

Button CLIK Button
 “selected_”

- *up*
-
- *down*
- *disabled*
- *selected_up*
-
- *selected_over*
- *selected_down*
- *selected_disabled*

CLIK

[CLIK](#)

CLIK getStatePrefixes()

```
private function getStatePrefixes():Array {
    return (_selected) ? ["selected_", ""] : [""];
}
```

CLIK

“selected_”


getStatePrefixes()

stateMap

CLIK

```
private var stateMap:Object = {
    up:["up"],
    over:["over"],
    down:["down"],
    release: ["release", "over"],
    out:["out","up"],
    disabled:["disabled"],
    selecting: ["selecting", "over"],
    kb_selecting: ["kb_selecting", "up"],
    kb_release: ["kb_release", "out", "up"],
    kb_down: ["kb_down", "down"]
}
```

getStatePrefixes()



61:

4.2.2

CLIK

Scrolli

ngList OptionStepper Slider
TextArea

- *default*
- *focused*
- *disabled*

4.2.3

- *default*
- *disabled*

4.2.4

```

                                StatusIndicator
                                ProgressBar
                                50
0      10      5  50%  gotoAndStop()  25  50  50%
                                updateValue()
                                “      ”      “
”      “      ”      “      ”      “      ”

```

4.3

```

Scaleform CLIK      event
model      “      ”
                                ActionScript 2
EventDispatcher (gfx.events.EventDispatcher)      API      CLIK
                                EventDispatcher.initialize()      CLIK      UIComponent
                                super()      UIComponent      EventDispatcher      Eve
ntDispatcher

```

4.3.1

4.3.1.1

```

                                addEventListener()
removeEventListener()
                                String

```

EventTypes (gfx.events.EventTypes)
(EventTypes.SHOW “ show ”)

```
buttonInstance.addEventListener("itemClick", this, "callBack");  
function callBack(eventObj:Object):Void {  
    buttonInstance.removeEventListener("itemClick", this, "callBack");  
}
```

“ itemClick ” “ callback ”

CLIK

4.3.1.2

CLIK dispatchEvent()

```
dispatchEvent({type:"itemClick", item:selectedItem});
```

4.4

Scaleform
CLIK
Scaleform A
ctionScript
Selection.setFocus FocusHandler (gfx.managers.FocusHandler)
FocusHandler

4.4.1

CLIK
Tab true

```
Selection.setFocus(firstComponentOrMovieClip);
```

```

graph TD
    MovieClips -- onRelease --> MovieClip
    MovieClips -- onRollOver --> MovieClip
    MovieClips -- Scaleform --> MovieClip
    MovieClips -- Flash --> MovieClip
    MovieClip -- focusEnabled --> FocusHandler
    MovieClip -- tabEnabled --> FocusHandler
    FocusHandler -- ScrollBar --> Slider
    FocusHandler -- Slider --> Slider
    Slider -- displayFocus --> Slider
    Slider -- true --> Slider
    Slider -- UIComponent.changeFocus() --> Slider

```

```
function changeFocus():Void {
    track.displayFocus = _focused;
}
```

tabEnabled false

```
background.tabEnabled = false;
```

4.4.2

ButtonBar
orm Selection ScrollingList OptionStepper Flash Scalef

1. `tabEnabled = false` `OptionStepper`
2. `focusEnabled = true`
3. `displayFocus` `true` `changeFocus`

4.5

Scaleform CLIK Flash 8
MovieClip MovieClip
CLIK

4.5.1

InputDelegate class
(gfx.managers.InputDelegate) InputDelegate InputDetails (gfx.u
i.InputDetails) InputDelegate.readInput() InputDelegate

InputDetails

- “ key ”
-
-

“ keyUp ”


“ keyDown ”

- navEquivalent(navigation equivalent) “up” “down” “left”
“right” NavigationCode (gfx.ui.NavigationCode)

FocusHandler InputDelegate

the handleInput()

InputDetails pathToFocus



62: handleInput()

FocusHandler handleInput() false null navEquivalent Sca
leform

```

function handleInput(details:InputDetails, pathToFocus:Array):Boolean {
  if (details.navEquivalent == "left")
  { //    NavigationCode.LEFT
    doSomething();
    return true;
  }
  return false;
}

```

pathToFocus true fa

lse

```

function handleInput(details:InputDetails, pathToFocus:Array):Boolean {
  var nextItem:MovieClip = pathToFocus.shift();
  var handled:Boolean = nextItem.handleInput(details, pathToFocus);
  if (handled) { return true; }
  //
  return false; //    true
}

```

DropDownMenu handleInput

pathToFocus

```
function handleInput(details:InputDetails, pathToFocus:Array):Boolean {
    var handled:Boolean = dropdown.handleInput(details);
    if (handled) { return true; }
    //
    return false; //          true
}
```

InputDelegate.instance

FocusHandler

```
InputDelegate.instance.addEventListener("input", this, "handleInput");
function handleInput(event:Object):Void {
    var details:InputDetails = event.details;
    if (details.value = Key.TAB) { doSomething(); }
}
```

InputDelegate

W A S D

InputDelegate

4.5.2

Nintendo


Wii™

CLIK

SWF


```
myButton.addEventListener("click", this, "onCursorClick");
function onCursorClick(event:Object):Void {
    switch (event.mouseIndex) {
        ...
    }
}
```

4.6



63: CLIK

4.6.1



4.7

Scaleform CLIK

1.

2.

scale9grid

Flash

scale9Grid

CLIK

scale9Grid

Scaleform

“ ” ,
container

Flash/Flex

```

        CLIK
        ,
        container (
        ,
        ,
        Flash
        IDE
        Flash
        IDE
        MovieClips
        LivePrevi
        ews
        Scaleform
        Player
        CLIK
    
```

4.7.1 Scale9Grid

```

        Scaleform Player
        Scale9Grid
        MovieClip
        scale9grid
        Flash
        MovieClips
        Player
        Scaleform
        MovieClip
        scale9grid
        Scale
        9grid
    
```

4.7.2

```

Constraints (gfx.utils.Constraints)
        ScrollBar
        Constraints
        ScrollBar
        configUI()
        draw()
        draw()
    
```

```

private function configUI():Void {
    ...
    constraints = new Constraints(this);
    //         upArrow
    constraints.addElement(downArrow, Constraints.BOTTOM);
    constraints.addElenent(track, Constraints.TOP|Constraints.BOTTOM);
    ...
}
    
```

```
private function draw():Void {
    ...
    constraints.update(__width, __height);
    ...
}
```

4.8

dataProvider
Scaleform CLIK IDataProvider (gfx.interfaces.IDataProvider) API

dataProvider

dataProvider
DropdownMenu CLIK
IDataProvider

CoreList (ScrollingList, TileList) OptionStepper
IDataProvider API

4.8.1

DataProvider
(gfx.data.DataProvider)

initialize() dataProvider A

ctionScript dataProvider dataProvider I

dataProvider dataProvider

```
myComponent.dataProvider = [ "data1",
    4.3,
    {label:"anObjectElement", value:6} ];
```

dataProvider

- *length*:
 - *requestItemAt*: dataProvider Op
 - *requestItemRange*: dataProvider
ScrollingList
 - *indexOf*:
 - *invalidate*: dataProvider "dataChange"
- dataProvider

dataProvider ExternalInterface.call

Scaleform CLIK

Flash 8

Scaleform

Tween

easing

mx.transiti

ons.easing.*

CLIK Tween

Tween

Flash 8

MovieClip

MovieClips

Tween

CLIK

CLIK

Tween onEnterFrame

MovieClip

Tween

Tween

Tween

MovieClip

Tween

Tween

MovieClip

Tweens

Tween MovieClip

tweenTo()

tweenFrom() tweenTo()

MovieClip

```
tweenFrom(
```

)

Tween

MovieClip

Tween

T

```
ween.init()
```

```
import mx.transitions.easing.*;
import gfx.motion.Tween;
Tween.init();           // tween      MovieClip
//      1      Tween      alpha
myMovieClip.tweenTo(1, {_x: 200, _alpha: 0}, Strong.easeIn);
```

Tween

Tween

onTweenComplete()

```
import mx.transitions.easing.*;
import gfx.motion.Tween;
Tween.init();
mc.onTweenComplete = function() {
    trace("Tween has finished!");
}
```

```

    }
    mc.tweenTo(5, {_rotation: 20}, Bounce.easeOut);

```

4.10

Scaleform

CLIK PopUpManager (gfx.managers.PopUpManager)
 PopUpManager

4.10.1

PopUpManager createPopUp()
 MovieClip CLIK ID MovieClips

```

import gfx.managers.PopUpManager;
PopUpManager.createPopUp(context, "MyToolTipLinkageID",
    {_x: 200, _y:200}, relativeTo);

```

Scaleform topmostLevel
 root SWF
 topmostLevel
 topmostLevel Z
 topmostLevel true

4.11

DragManager
 (gfx.managers.DragManager)

startDrag() stopDrag() MovieClip ID DragManager InputDelegate

4.11.1



64: DragDemo



ItemSlot				
(gfx.controls.ItemSlot)	InventorySlot			
ItemSlot	DragTarget	CLIK		ItemSlot

4.12

4.12.1 Delegate

Delegate	(gfx.utils.Delegate)	Scaleform
CLIK	DragManager	

```
eventProvider.onMouseMove = Delegate.create(this, doDrag);
```

4.12.2 Locale

Locale	(gfx.utils.Locale)					
		Scaleform				ActionScript
			Button	Label	TextInput	
		Locale.getTranslatedString()				
						Locale


5

Scaleform CLIK



5.1

Scaleform CLIK

5.1.1 **textField ListItem Renderer**




65: **ScrollingList**



```
list.dataProvider = [{fname: "Michael", lname: "Jordan"},  
                     {fname: "Roger",   lname: "Federer"},  
                     {fname: "Michael", lname: "Schumacher"},  
                     {fname: "Tiger",   lname: "Woods"},  
                     {fname: "Babe",    lname: "Ruth"},  
                     {fname: "Wayne",   lname: "Gretzky"},  
                     {fname: "Usain",   lname: "Bolt"}];
```



5.1.2



66:

CLIK

CLIK ScrollBar

- **actions:** ActionScript
- **scrollbar:** CLIK ScrollBar ' sb '
- **mask** MovieClip
- **content**
- **background**

' content ' y 0

ActionScript

code

```
// 133
sb.setScrollProperties(1, 0, content._height - 133);
sb.position = 0;

sb.addEventListener("scroll", this, "onScroll");
function onScroll() {
    content._y = -sb.position;
}
```

setScrollProperties

Scaleform

HUD

Scaleform

5.2

Scaleform

CLIK

Flash ActionScript 2

5.2.1 **ScrollingList TreeView**

67: TreeView

TreeView Demo

(*Resources/AS2/CLIK/demos/TreeViewDemo.fla*) ScrollingList

ListItemRenderer DataProvider

ScrollingList

-
-

“ tabbed ”

ListItemRenderer ‘ tab ’

•

ListItemRenderer

ListItemRenderer

Tre

eViewItemRenderer

TreeViewDataProvider

TreeViewConstants

Resources/AS2/CLIK/demos/com/

ActionScript

2

```
var root:Object =
{
    label: "System",
    nodes:[
        {label: "Applications",
        nodes:[
            {label: "CGStudio",
            nodes:[
                {label: "Data"},
                {label: "Samples"},
                {label: "Config"}
            ]
        },
        {label: "Money Manager"},
        {label: "Role Call v6"},
        {label: "Super Draft",
        nodes:[
            {label: "Templates"},
            ...
        ]
        }
    ]
}
```

label

nodes

ScrollingList

TreeViewDataProvider

ListItemRenderer

/

/

TreeViewDataProvider

CLIK

```

TreeViewItemRenderer      ScrollingList  TreeViewDataProvider
                                ListItemRenderer
TreeViewItemRenderer
    ' tab '
                                ListItemRenderer      tex
tField
TreeViewConstant
    •      open node  closed node  leaf node;
    •
    •
    /      /
        ScrollingList      ScrollBar
                                ScrollingList

```

5.2.2

68:

Window Demo
(Resources/AS2/CLIK/demos/WindowDemo.fla)
Resources/AS2/CLIK/demos/com/scaleform/

-
-
-
-
-

Window

Title				
formPadding				
formType	‘ symbol ’			
	‘ swf ’	‘ symbol ’	‘ swf ’	SWF
formSource	formType ‘ symbol ’ SWF			
	formType ‘ swf ’			
allowResize				
minWidth, maxWidth, minHeight, maxHeight	0			

```
[Inspectable(name="formType", enumeration="symbol,swf")
private var _formType:String = "symbol";
```

Flash

pe

formType

_formTy


```
[Inspectable(defaultValue="Title")]
```

```

public function get title():String { return _title; }
public function set title(value:String):Void {
    _title = value;
    invalidate();
}

```

CLIK



```

private function onMouseDown() {
    var targetObj:Object = Mouse.getTopMostEntity();
    while (targetObj != null && targetObj != _root)
    {
        if (targetObj == this) {
            swapDepths(_parent.getNextHighestDepth());
            return;
        }
        targetObj = targetObj._parent;
    }
}

```

dowManager

WindowManager

z Win