

Autodesk® Scaleform®

Getting Started with CLIK

Scaleform® Common Lightweight Interface Kit (CLIK™)

: Matthew Doyle
: 3.0
: 2010 8 18

Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk 123D, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo), BIM 360, Built with ObjectARX (design/logo), Burn, Buzzsaw, CADmep, CAiCE, CAMduct, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, Design Server, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWGX, DXF, Ecotect, ESTmep, Evolver, Exposure, Extending the Design Team, FABmep, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, ForceEffect, Freewheel, GDX Driver, Glue, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, Map It, Build It, Use It, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, Revit LT, RiverCAD, Robot, Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Socialcam, Sparks, SteeringWheels, Stitcher, Stone, StormNET, TinkerBox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF

MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Autodesk Scaleform :

Getting Started with CLIK (CLIK)

Autodesk Scaleform Corporation

6305 Ivy Lane, Suite 310

Greenbelt, MD 20770, USA

www.scaleform.com

info@scaleform.com

(301) 446-3200

Fax

(301) 446-3199

1.		4
1.1		4
2. CLIK	Scaleform Launcher.....	2
2.1	Scaleform CLIK Flash CS3 	2
2.2	Scaleform CLIK Flash CS4 	4
2.3	Scaleform Launcher 	5
3. CLIK		6
3.1		8
3.2	Main Menu 	11
3.3	Options Screen 	15
3.4		16
3.5		18
3.6		21
3.7	OK 	23
4. ActionScript		24
4.1		24
4.2	aaGroup 	25
4.3	Options 	26
4.4	Options Screen 	27
5.		29
5.1	Options 	30
5.2		34
5.3		37
5.4		38
6.		39

はじめに

Autodesk® Scaleform® Common Lightweight Interface Kit (CLIK™)

ActionScript™

Scaleform CLIK


ご注意：

Flash

1.1 ソフトウェアの最小要件

- Scaleform 3
- Adobe® Flash® CS3
- Adobe Photoshop® CS3

の構成と



2.1 *Scaleform CLIK* クラス パスを *Flash CS3* に追加する

Flash Scaleform CLIK

1. Flash CS3
2. Flash [] []
3. [] [ActionScript]
4. [] [ActionScript 2.0]
5. [ActionScript 2.0] [+]

1: CS3 Windows) ActionScript 2.0

CS3 Mac ActionScript 2.0

6. [] Scaleform CLIK
CS3

Windows :
C:/Program Files/Scaleform/GFx SDK 4.3/Resources/AS2/CLIK/

Mac Scaleform 4 SDK
scaleform_gfx_4.3_macos/Resources/AS2/CLIK

```
7. [ActionScript 2.0] [ ]
   /▼ Windows "$ (LocalData) /Classes"
   Mac "$ (UserConfig) /Classes"
      Scaleform CLIK
      Scaleform CLIK
```

Adobe

8. [OK] [ActionScript 2.0]


9. [OK] []

2.2 Scaleform CLIK クラス パスを Flash CS4 に追加する

Flash

Scaleform CLIK

1. Flash CS4
2. Flash [] []
3. [] [ActionScript]
4. [] [ActionScript 2.0]
5. [ActionScript 2.0] [+]



3: CS4 Windows ActionScript 2.0

: CS4 Mac ActionScript 2.0

6. [] Scaleform CLIK
CS4
Windows :
C:/Program Files/Scaleform/GFx SDK 4.3/Resources/AS2/CLIK/
Mac *scaleform_gfx_4.3_macos/Resources/AS2/CLIK/*

2.3 Scaleform Launcher パネルを追加する

コンポーネントを使ってメニューをつくってみる

1

2


Scaleform 4.3 SDK

CLIK

:

Resources/AS2/CLIK/tutorial


Resources/AS2/CLIK/tutorial/art_assets



5:

Options Screen


:



6:

3.1 メニュー シェルを作成する


1. *Flash (ActionScript 2.0)*
2. *Flash Player 8*
[] []
[Flash]
3. [] [Flash Player 8]
4. [ActionScript] [ActionScript 2.0]
5. [OK] []




6. 1 'scene'

8: []

8. actions scene 10 2
 scene 10
 []
 Options Screen actions
 9: 10



9. scene 1 'mainMenu'
 []
 Scaleform mainMenu
 1 Main



10. scene 10 'optionsScreen'
 Scaleform optionsScreen

11. actions 1 [] (F9)
 "stop();") Player
 Player stop
 10
 actions 10

12. Flash


3.2 Main Menu のナビゲーション コントロールを追加する

Main Menu Option
Options Screen

1. Scaleform SDK 4.0
CLIK_Components.fla

Resources/AS2/CLIK/components

2. CLIK_Components.fla []
Label []



3. CLIK_Components.fla
Flash scene


4. [] [] Label

5. [] Label ()

6. Label [] *text* 'Main Menu'
 [] Player
 CS4 []
 Shift + F7 []
 [] CS3 []
 : SWF
 12: CS3 [] []

7. 10 6 7 Options Screen
 'Options'

8. *CLIK_Components.fla* [] *Button*
 []



13: [] Button

9. Flash

10. [] [] *Button*

11. *scene*

12. [] *Button*
 Main Menu

13. []
 'optionsBtn'




14: Options 'optionsBtn'

14. [] *label* 'Options'


15: '

15. *Scaleform Launcher*
 Scaleform Launcher [Test with ()]
 Scaleform Player *Scaleform*



16: Scaleform Player Options Screen Main Menu

3.3 Options Screen ボタンをリスンする



1. *actions*

2. `"stop();" "Options Screen" : 10`

```
function OpenOptionsScreen()
{
    gotoAndPlay("optionsScreen");
}
```

3. `"click" OpenOptionsScreen optionsBtn`

```
optionsBtn.addEventListener("click", this, "OpenOptionsScreen");
```

4. `Options :`

```
optionsBtn.focused = true;
```

5. *Options Options Options Screen*

3.4 難易度オプション設定を追加する

OptionsStepper

Options Menu

Insane

2

Easy Medium Hard

1. CLIK_Components.fla

2. [] *OptionsStepper*


[]

3. Flash

4. scene 10

(*Options Menu*)

5. *OptionsStepper* []



17: [] *OptionStepper*

6. *OptionsStepper*


[]

OptionsStepper

7. *OptionsStepper*

'difficultyOption'

8. [] *Label*



18: '

9. [] *Label* *text* 'Difficulty'



19:

3.5 ビデオ設定のチェックボックスとラジオ ボタンを追加する

2 [Bloom] [Anti-Aliasing]
2
/
1

1. Label


'Video Settings'

2. CLIK_Components.fla

3. [] CheckBox []

4. Flash CheckBox []

5. [] CheckBox



20: [] CheckBox

6. 'bloomBtn'



21: [Bloom] ']

7. [] label 'Bloom'

8. Bloom
'aaBtn'

9. [] label 'Anti-Aliasing'

10. CLIK_Components.flw [] RadioButton

11. RadioButton []

12. RadioButton Anti-Aliasing

13. RadioButton 'edgeaaBtn'



22: Edge AA radiobutton 'edgeaaBtn'

14. [] label 'Edge AA'

15. group 'aaGroup'

16. Edge AA
'hwaaBtn'

17. [] label 'Hardware FSAA'

18. *group* 'aaGroup'

23: group 'aaGroup'



24:

3.6 音量スライダを追加する

1. 

Thumb


text

CLIK_Components.fla

Label
'Sound Volume'

Slider

FLA



2. 

Slider

'soundSlider'


Sound Volume



3.7 OK ボタンとキャンセル ボタンを追加する

OK

1. [] Button
- 2.
3. [] *label* 'OK'
4. 'okBtn'
5. 'cancelBtn'
6. [] *label* 'Cancel'



28: Options Screen

で機能を追加する

F9 ActionScript []

C:\Program Files\Scaleform\GFx SDK
4.0\Resources\AS2\CLIK\tutorial\ CLIK_tutorial_unskinned fla

4.1 難易度レベルを難易度オプション設定に追加する

difficultyOption 'dataProvider'
Medium Hard Insane Easy

1. `actions` 10
2. `[` `]`
3. `"stop();" :`
`difficultyOption.dataProvider = ["Easy", "Medium", "Hard", "Insane"];`
- 4.

4.2 aaGroup にあるラジオ ボタン グループを設定する

Anti-Aliasing	Anti-Aliasing	Anti-Aliasing ()
1. <i>actions</i>	10	4.1
"stop();"		
2. Actions		CLIK ButtonGroup
:		
import gfx.controls.ButtonGroup;		
3. difficultyOption.dataProvider	edgeaaBtn hwaaBtn	'aaGroup'
:		
var aaGroup:ButtonGroup = new ButtonGroup();		
edgeaaBtn.group = hwaaBtn.group = aaGroup;		
4. /		
function EnableAARadioButtons()		
{		
edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;		
}		
5. Anti-Aliasing		
:		
aaBtn.addEventListener("click", this, "EnableAARadioButtons");		
6. Anti-Aliasing		

4.3 Options の初期状態を設定する

- | | | | |
|--|---------|--------------|-----------|
| | options | OK
Cancel | Main Menu |
|--|---------|--------------|-----------|
1. `'vars'` `actions`
 2. `var` `1`
 3. `'options'`
- ```

if (!options)
{
 var options:Object = {};
}

```
4. `actions` `10`
  5. `difficultyOption`

|                  |                            |
|------------------|----------------------------|
|                  | options.selectedDifficulty |
| difficultyOption | '0' 'Easy'                 |
|                  | options.selectedDifficulty |

```

difficultyOption.selectedIndex = (options.selectedDifficulty) ?
 options.selectedDifficulty : 0;

```
  6. `bloomBtn` `aaBtn`

```

bloomBtn.selected = options.bloom;
aaBtn.selected = options.aa;

```
  7. `edgeaaBtn` `hwaaBtn` `aaBtn`

```
edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;
```

```
8. edgeaaBtn options.edgeaa
 edgeaaBtn true
 options.edgeaa
```

```
edgeaaBtn.selected = (options.edgeaa) ? options.edgeaa : true;
```

```
9. hwaaBtn false
```

```
hwaaBtn.selected = (options.hwaa) ? options.hwaa : false;
```

```
10. soundSlider
```

```
soundSlider.value = options.soundVolume;
```

## 4.4 Options Screen を終了する

| Screen     | OK<br>Main Menu      | Cancel        | Options                          |
|------------|----------------------|---------------|----------------------------------|
| 1. actions | 10                   |               |                                  |
| 2. OK      | "stop();"<br>options | 1 (Main Menu) | 4.3<br>options<br>Options Screen |

```
function ReturnToMainMenu()
{
 options.selectedDifficulty = difficultyOption.selectedIndex;
 options.bloom = bloomBtn.selected;
 options.aa = aaBtn.selected;
 options.edgeaa = edgeaaBtn.selected;
 options.hwaa = hwaaBtn.selected;
 options.soundVolume = soundSlider.value;
 gotoAndPlay("mainMenu");
}
```

3. *Cancel*

1 *Main Menu*

```
function CancelToMainMenu()
{

 gotoAndPlay("mainMenu");
}
```

4. *OK/Cancel* :

```
okBtn.addEventListener("click", this, "ReturnToMainMenu");
cancelBtn.addEventListener("click", this, "CancelToMainMenu");
```

5. *Cancel*


```
cancelBtn.focused = true;
```

6. *Options Screen*



## メニューのスキニング

UI



29:



## 5.1 Options ボタンをスキニングする

Photoshop® Illustrator® Flash CS3  
Illustrator Flash CS4

Photoshop

UI

Up ( ) Over ( )  
Down ( )

Photoshop Illustrator 1

Photoshop Illustrator

Flash

1

Flash

Up Over Down 3

1. Photoshop Document (PSD) Options

a.

Labels

b.

up over down

2. PSD

1

Photoshop [ ] Ctrl

[ ]

a. over

over

3. Flash  
[ ]

( up) Photoshop

Flash



30: Options

Photoshop

4. ( ) Flash *up over down*

5. PSD *'\_mergedLayers'*  
2

PSD

6. Flash *Options*

7. *button*

]

8. 1  
9


9. [ ] [ ] [ ] (Ctrl + R)

a. [ ]

10. UI PSD Adobe Illustrator (AI)  
PSD

11. [ ]

a. CS3 CS4 Flash 8 PSD Flash 8 PSD



31: [ ]

12. [ ] [ ]

13. [ ] [ ]

a.

14.

a. PSD

*button*

*button*


*button*

b. AI

*button*

15.

*labels*  
 (up) 2 over 3  
 down disabled



32: button


16.

up over down *textField*  
 textField

*Text*

17.

*Options*




33: Options Main Menu

## 5.2 音量スライダーをスキニングする

2  
)  
1  
5.1  
Thumb Track  
34: Thumb Photoshop



- 1.
2. Track
3. Track PSD AI  
Track
4. (1 )
5. Thumb
6. Thumb PSD AI
  - a. Thumb



35:

7. *Thumb* [ [X] [0.0]

8. (1) *Thumb*



36: Thumb

9. *textField*

10.



37:



## 5.3 ラジオ ボタンとチェックボックスをスキニングする

## 5.4 難易度オプション設定をスキニングする

- 3 / 2
1. 5.1
  - a. 1 1
    - Flash
- 2.
3. /
- 4.
5. 5.1 PSD States
6. 4-5
7. 2
  - textField
- 8.



40:

## 最後に



41: Options

Scaleform CLIK

1

Scaleform CLIK

Scaleform CLIK

Scaleform CLIK

Scaleform CLIK

Scaleform 4.3 SDK

:

Windows

- - C:/Program Files/Scaleform/GFx SDK 4.3/Resources/AS2/CLIK/demos
- - C:/Program Files/Scaleform/GFx SDK 4.3/Resources/AS2/CLIK/gfx

Mac

- - scaleform\_gfx\_4.3\_macos/Resources/AS2/CLIK/demos
- - scaleform\_gfx\_4.3\_macos/Resources/AS2/CLIK/gfx

:

- [Getting Started with CLIK Buttons](#) - CLIK Button