

Autodesk® Scaleform®

CLIK

Scaleform® Common Lightweight Interface Kit (CLIK™)

: Matthew Doyle
: 3.0
: 2010 8 18

Copyright Notice

Autodesk® Scaleform® 4.3

© 2013 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk 123D, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo), BIM 360, Built with ObjectARX (design/logo), Burn, Buzzsaw, CADmep, CAiCE, CAMduct, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, Design Server, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWGX, DXF, Ecotect, ESTmep, Evolver, Exposure, Extending the Design Team, FABmep, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, ForceEffect, Freewheel, GDX Driver, Glue, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, Map It, Build It, Use It, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, Revit LT, RiverCAD, Robot,

Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Socialcam, Sparks, SteeringWheels, Stitcher, Stone, StormNET, TinkerBox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

:

CLIK
Autodesk Scaleform Corporation
6305 Ivy Lane, Suite 310
Greenbelt, MD 20770, USA
www.scaleform.com
info@scaleform.com
(301) 446-3200
(301) 446-3199

1.		1
1.1		1
2. CLIK	Scaleform	2
2.1 Scaleform CLIK	Flash CS3	2
2.2 Scaleform CLIK	Flash CS4	4
2.3 Scaleform		5
3.		6
3.1		8
3.2		11
3.3		14
3.4		15
3.5		17
3.6		20
3.7 OK Cancel		22
4.		23
4.1		23
4.2 aaRadio		24
4.3		25
4.4		26
5.		28
5.1		29
5.2		34
5.3		37
5.4		38
6.		39

1.

Autodesk® Scaleform® Common Lightweight Interface Kit (CLIK™)

CLIK

1.1

- Scaleform 3
- Adobe® Flash® CS3
- Adobe Photoshop® CS3

2. CLIK

Scaleform

Scaleform CLIK

CLIK

CLIK


Creative Suite® 3 (CS3) CS4

2.1 Scaleform CLIK

Flash CS3

CLIK

1. CS3
2. *EDIT → Preferences*
3. *Category* *ActionScript*
4. *ActionScript 2.0*
5. *ActionScript 2.0* *[+]*



1: CS3 ActionScript 2.0

2: Mac CS3 ActionScript 2.0

- | | | | |
|----|------------------|---|-----------|
| 6. | CS3 | Browse to Path | Scaleform |
| | CLIK | . | |
| | | <i>. C:/Program Files/Scaleform/GFx SDK 4.3/Resources/AS2/CLIK/</i> | Mac |
| | | Scaleform 4 SDK | |
| | | <i>scaleform_gfx_4.3_macos/Resources/AS2/CLIK/</i> | . |
| 7. | ActionScript 2.0 | . | |
| | | <i>\$(LocalData)/Classes</i> | Mac |
| | | <i>\$(UserConfig)/Classes</i> | CLIK |
| | | . | |
| | | . | |

8. *ActionScript 2.0* OK .

9. *Preferences* OK .

2.2 Scaleform CLIK

Flash CS4

CLIK


1. CS4

2. EDIT → Preferences

3. *Category* *ActionScript*

4. *ActionScript 2.0*

5. *ActionScript 2.0* [+]



3: CS4 **ActionScript 2.0**

- | | | | | |
|--|---------------|------------|-------------------------|--|
| | 4: Mac | CS4 | ActionScript 2.0 | |
|--|---------------|------------|-------------------------|--|
6. CS4 Scaleform
 CLIK Windows
 . . C:/Program Files/Scaleform/GFx SDK
 4.3/Resources/AS2/CLIK/ Mac
 scaleform_gfx_4.3_macos/Resources/AS2/CLIK/ .
 7. ActionScript 2.0 , Classpath:
 Windows \$(LocalData)/Classes , Mac
 \$(UserConfig)/Classes . CLIK
 .
 8. ActionScript 2.0 OK Preferences OK

2.3 Scaleform


Scaleform SWF Scaleform player
 . [Getting Started with Scaleform 4.3](#)
 2.7 2.9
 .

3.

2


(asset) Scaleform SDK 4.3 Scaleform CLIK

Resources/AS2/CLIK/tutorial
Resources/AS2/CLIK/tutorial/art_assets



5: ()


::



6:


3.1

1. (2.0) .
2. 9 . File 'Publish Settings'
Flash .
3. 'Flash Player 8'
4. 2.0
5. *Publish Settings* OK




7: Publish settings

6. Layer 1
'scene' . ,
7. *Insert Layer* 'actions' .




8: layer

8. *actions* *scene* 10
scene 10
 'Insert Keyframe'
actions



9: 10

9. *scene* 1 'mainMenu'
Properties
mainMenu "goto" . 1
 Scaleform



10: 1 'mainMenu'

```

10. scene          1          'optionsScreen'          .
    Scaleform      optionsScreen      "goto"
    .


11.  actions      1          . Action      (F9) "stop();"
    .
    stop
    .          10          . actions
    10          .

12.          .

```

3.2


1. Scaleform 4 SDK *Resources/AS2/CLIK/components*
CLIK_Components.fla
2. *CLIK_Components.fla*
label 'Copy'



11:


3. *CLIK_Components.fla*
4. *scene*
5. *Paste*
Label
- 6.

7. label *Parameters* text 'Main Menu' .
 :
 CS3 *Properties Filters* , CS4 *Component*
Inspector . [Shift+F7]
 Windows-Component .
 : SWF .



12: CS3 parameters properties .

8. 10 6~7 .
 text 'Options' .
 9. *CLIK_Components.fla* *Button*
 Copy .



13: Button

10. .

11. *Paste*

Button

12. *scene*

13. *Button*


Main Menu

14. New button

'optionsBtn'

(*Properties*

)




14: 'optionsBtn'

15. *Parameter*

label

'Options'




15: 'Options'

16. *! Scaleform*

. *Scaleform*

Test with []


Scaleform



16: Scaleform

()

3.3



1. *actions*

2. "stop();" . 10

```
function OpenOptionsScreen()  
{  
    gotoAndPlay("optionsScreen");  
}
```

3. optionsBtn

openOptionsScreen

```
optionsBtn.addEventListener("click", this, "OpenOptionsScreen");
```

4.

```
optionsBtn.focused = true;
```

5.

. Options


. Options

()

3.4

(Easy, Medium, Hard, Insane).
2 .

- 1. CLIK_Components.fla .
- 2. OptionsStepper Copy
- 3. .
- 4. scene 10 (Options Menu).
- 5. OptionsStepper




17: OptionStepper

- 6. OptionsStepper .
OptionsStepper
- 7. OptionsStepper 'difficultyOption'

8.

Label

Difficulty



18:

'difficultyOption'

9. *Label* *Parameters*

'Difficulty'



19:

3.5

On Off 2
(Bloom Anti-Aliasing).
2 .
,


1. *Difficulty* *Label* , 'Video
Settings' .

2. *CLIK_Components.fla*

3. *CheckBox* *Copy*


4. CheckBox

5. CheckBox



20:

6. new instance 'bloomBtn'



21: bloom

'bloomBtn'

7. *Parameters* *label* 'Bloom'

8. . Bloom . 'aaBtn'


9. *Parameters* *label* 'Anti-Aliasing'

10. RadioButton.fla

11. RadioButton &

12. RadioButton Anti-Aliasing checkbox

13. RadioButton 'edgeaaBtn'



22: Edge AA

'edgeaaBtn'

14. *Parameters* *label* 'Edge AA'


15. 'aaGroup'

16. . Edge AA .

'hwaaBtn'

17. Parameters label 'Hardware FSAA' .


18. 'aaGroup'



A screenshot of a 'Parameters' dialog box. The dialog has a title bar with a close button. Below the title bar, there is a table with the following data:

data	
group	aaGroup
label	Edge AA
selected	false

23: 'aaGroup'



A screenshot of a form with a light gray background. The form contains several 'textField' labels and input controls:


- A horizontal row with two 'textField' labels, a 'textField' label with a dropdown arrow, and a 'textField' label with a dropdown arrow.
- A 'textField' label with a checkbox next to it.
- A 'textField' label with a checkbox next to it.
- A 'textField' label with a radio button next to it.
- A 'textField' label with a radio button next to it.

24:

3.6


(thumb) . (track)

- 1. *Video Settings Controls* *Label*
text 'Sound Volume'
- 2. CLIK_Components fla , *Slider*




25:

- 3. *Slider* *Sound Volume*
'soundSlider'



26: 'soundSlider'



27:

3.7 OK Cancel

OK Cancel

1.


2.

3. *Parameter* *label* 'OK'

4. 'okBtn'

5. 'cancelBtn'

6. *Parameters* *label* 'Cancel' .



28:

4.

. F9

4.1

. difficultyOption 'dataProvider'
Easy, Medium, Hard, Insane

1. *actions* 10

2.

3. "stop();"

difficultyOption.dataProvider = ["Easy", "Medium", "Hard", "Insane"];

4.

4.2 aaRadio

1. `10`
2. `, CLIK ButtonGroup`

```
import gfx.controls.ButtonGroup;
```
3. `difficultyOption.dataProvider`
`'aaGroup'` `edgeaaBtn` `hwaaBtn` `group`

```
var aaGroup:ButtonGroup = new ButtonGroup();  
edgeaaBtn.group = hwaaBtn.group = aaGroup;
```
4.

```
function EnableAARadioButtons()  
{  
    edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;  
}
```
5. `Anti-Aliasing`

```
aaBtn.addEventListener("click", this, "EnableAARadioButtons");
```
6. `. Test the movie.`
`disable` `enable`

4.3

OK

Cancel

1. `(action )`
`'vars'`
2. `var`
3. `'options'`
4. `actions 10`
5. `difficultyOption options.selectedDifficulty`
`difficultyOption 0 ( 0 "Easy"`
`), options.selectedDifficulty`
`difficultyOption.selectedIndex = (options.selectedDifficulty) ?`
`options.selectedDifficulty : 0;`
6. `bloomBtn aaBtn`
`bloomBtn.selected = options.bloom;`
`aaBtn.selected = options.aa;`
7. `edgeaaBtn hwaaBtn aaBtn disabled`
`enable`
`edgeaaBtn.disabled = hwaaBtn.disabled = !aaBtn.selected;`
8. `edgeaaBtn options.edgeaa`
`, edgeaaBtn true options.edgeaa`

```
edgeaaBtn.selected = (options.edgeaa) ? options.edgeaa : true;
```

9. hwaabtn .

```
hwaabtn.selected = (options.hwaabtn) ? options.hwaabtn : false;
```

10. soundSlider .

```
soundSlider.value = options.soundVolume;
```

4.4

Cancel *OK*

.

1. actions 10 .

2. OK () 4.3

"stop();"

.

options . ()

.

```
function ReturnToMainMenu()
{
    options.selectedDifficulty = difficultyOption.selectedIndex;
    options.bloom = bloomBtn.selected;
    options.aa = aaBtn.selected;
    options.edgeaa = edgaaaBtn.selected;
    options.hwaabtn = hwaabtn.selected;
    options.soundVolume = soundSlider.value;
    gotoAndPlay("mainMenu");
}
```

3. Cancel 1 .

.

```
function CancelToMainMenu()
{
    gotoAndPlay("mainMenu");
}
```

4. OK Cancel

```
okBtn.addEventListener("click", this, "ReturnToMainMenu");
cancelBtn.addEventListener("click", this, "CancelToMainMenu");
```


5. , Cancel

```
cancelBtn.focused = true;
```

6. _____,

5.

UI



29:



5.1

CS4

UI Over(), Down()

Up(),

(import)

3

(Up, Over, Down)

1. (PSD).

a. *labels*

b. :

Up, Over, Down


2. PSD

CTRL

(Merge Layers)

a. , over over


3. (UP)



30:


4. () up, over,
down
5. PSD '_mergedLayers'
6. *Options*
7. *button*
- Remove Frames*
8. (step 9)
9. [File → Import → Import to Stage] CTRL+R
a. 'Import to Stage' , (locked)
(unlock)
10. UI PSD (AI) (PSD)

- 11.
- a. : Flash8 PSD . CS3
- CS4 . 8



31: (The import to stage)


12. *Convert layers to:* 'Keyframes'
13. *Import this image layer as*
Bitmap image with editable layer styles
- a. :
- (
-).
- (flatten)



33:


5.2

2
) ,
() ,




34:

- 1.
- 2. *Track*
- 3. Track PSD AI . Track
(registration point)
- 4. (1)
- 5.
- 6. PSD AI .
a. :



35:

7. *Property* X 0.0
8. (1).



36:

9. textField
- 10.




37:

.

5.3

(selected_up,
selected_over, selected_down, selected_out, selected_disabled)

5.1



38:

textField



39:

edge AA

5.4

2 (,).
,
.

- 1. 5.1 , .
a. mirror .
 - 2.
 - 3. .
 - 4.
 - 5. 5.1 States PSD .
 - 6. 4-5 .
 - 7. ()
- textField .
- 8.



40:

6.



41:

!

CLIK

CLIK

CLIK

Scaleform 4 SDK

Windows

- – *C:/Program Files/Scaleform/GFx SDK 4.3/Resources/AS2/CLIK/demos*
- – *C:/Program Files/Scaleform/GFx SDK 4.3/Resources/AS2/CLIK/gfx*

Mac

- – *scaleform_gfx_4.3_macos/Resources/AS2/CLIK/demos*
- – *scaleform_gfx_4.3_macos/Resources/AS2/CLIK/gfx*

:

CLIK – CLIK