

Autodesk® **Scaleform**®

Scaleform

Michael Antonov, Maxim Shemanarev

4.01

2011 2 17

Copyright Notice

Autodesk® Scaleform® 4.3

© 2013 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk 123D, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo), BIM 360, Built with ObjectARX (design/logo), Burn, Buzzsaw, CADmep, CAiCE, CAMduct, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, Design Server, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWGX, DXF, Ecotect, ESTmep, Evolver, Exposure, Extending the Design Team, FABmep, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, ForceEffect, Freewheel, GDX Driver, Glue, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, Map It, Build It, Use It, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, Revit LT, RiverCAD, Robot, Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Socialcam, Sparks, SteeringWheels, Stitcher, Stone, StormNET, TinkerBox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Autodesk Scaleform

Autodesk Scaleform Corporation
6305 Ivy Lane, Suite 310
Greenbelt, MD 20770, USA
www.scaleform.com
info@scaleform.com
(301) 446-3200
(301) 446-3199

1	Scaleform 3.x	1
1.1		1
1.1.1	(Override Allocator)	1
1.1.2	(Memory Heap)	2
1.1.3	(Garbage Collection)	2
1.1.4		3
1.2	Scaleform 3.3 API	3
2		4
2.1		4
2.1.1	SysAlloc	5
2.2	Scaleform	6
2.2.1		6
2.3	OS	8
2.3.1	SysAllocPaged	9
2.4		11
2.4.1	堆 API 函数	11
2.4.1		12
3		16
4		20
4.1		21
4.2	Gfx::Movie:: ForceCollectGarbage	23

1 Scaleform 3.x

Autodesk® Scaleform® 3.0 , (AMP) , Scaleform
3.2 , Scaleform 3.3 ,
; 1.2
Scaleform 3.3 ,

-
- MovieViews Scaleform
- ActionScript
-

1.1

Scaleform
/ Scaleform

1.1.1 (Override Allocator)

Scaleform , Gfx::System ,

1. Scaleform::SysAlloc , Alloc/Free/Realloc ,
(dlmalloc),
2. Scaleform ()
“(Pause Menu) , (Memory Arena)
3. Scaleform (Scaleform::SysAllocWinAPI)
(hardware paging)
(2)
2 “ ”

1.1.2 (Memory Heap)

Scaleform
AMP MemReport

- Global –
- MovieData – SWF/GFx
- MovieView – GFx::Movie ActionScript (sandbox),
- MeshCache –

“ ”

-
-
- (external fragmentation)
-

– (internal fragmentation)

“ ”

Scaleform 3.3 Scaleform::SysAlloc , ,
Scaleform 3.3 GFx::Movie ,

1.1.3 (Garbage Collection)

Scaleform 3.0 ActionScript (AS) , AS
(Memory Leak) CLIK ActionScript

Scaleform , GFx::Movie , AS
Scaleform 3.3, Movie , (Garbage Collector)
Movie ActionScript ; ,
Scaleform 4 “ ”

1.1.4

Scaleform
stat ID
(AMP)
Scaleform 3.2
AMP
[AMP User Guide](#)
Scaleform::MemoryHeap::MemReport

stat ID
Scaleform
Scaleform
Visual Studio
Shipping
Scaleform

1.2 Scaleform 3.3 API

- Scaleform 3.3
- Gfx::Movie
4
- SysAlloc
512
malloc
SysAlloc
4K
Scaleform::SysAlloc
Scaleform::SysAllocPaged,
SysAllocPaged SysAllocStatic
SysAlloc

2

1.1.1 ,Scaleform

1. SysAlloc ,

2. Scaleform ,

3. Scaleform

(1)

(2)

SysAlloc , Scaleform

SWF ,Scaleform

Scaleform::SysAlloc::Free

Scaleform::SysAlloc::Alloc

(Scaleform)

(compartmentalization)

2.1 SysAlloc

(level loading)

Scaleform

– 2.2

,Scaleform

(" ")

2.1

Scaleform ,

1. SysAlloc GetInfo Alloc Free

2. Scaleform GFX::System

Scaleform

malloc/free

Scaleform::SysAllocMalloc ,

((alignment)

2.1.1 SysAlloc

Scaleform SysAllocMalloc

SysAllocMalloc

```
class MySysAlloc : public SysAlloc
{
public:
    virtual void* Alloc(UINT size, UINT align)
    {
        return _aligned_malloc(size, align);
    }

    virtual void Free(void* ptr, UINT size, UINT align)
    {
        SF_UNUSED2(size, align);
        _aligned_free(ptr);
        return true;
    }

    virtual void* Realloc(void* oldPtr, UINT oldSize,
        UINT newSize, UINT align)
    {
        SF_UNUSED(oldSize);
        return _aligned_realloc(oldPtr, newSize, align);
    }
};
```

			MySysAlloc	SysAlloc				
GetInfo	Alloc	Free				Scaleform		
16		oldSize	align	Free/Realloc				()
Alloc/Free			Realloc					

Scaleform

Gfx::System

```
MySysAlloc myAlloc;
Gfx::System gfxSystem(&myAlloc);
```

Scaleform 3.1/3.0

Gfx::System

Scaleform

Scaleform

Scaleform

Scaleform

Gfx::System

Gfx::System::Init()

Gfx::System::Destroy()
SysAlloc

Gfx::System

Gfx::System::Init()

2.2 Scaleform

Scaleform,
SysAlloc GysAllocStatic ,
void* pmemChunk = ...;
SysAllocStatic blockAlloc(pmemChunk, 6*1024*1024);
Gfx::System gfxSystem(&blockAlloc);
...
6 Scaleform gfxSystem
blockAlloc ()
" " ,
Scaleform
SysAllocStatic Alloc 0
Scaleform SysAllocPaged

2.2.1

Scaleform 3.1 ,
Scaleform
Gfx::Movies, Scaleform
Scaleform
" " ,
" " ,

2.2.1.1

Scaleform Scaleform
Scaleform , Gfx::System SysAlloc ;
Scaleform ,

```

        , CreateMovie, , ,
        ,
        , Scaleform
        ,
        , Scaleform
        , Scaleform
        , SDK
        , Scaleform 3.1
        ,
        , SWF/GFX
        ,
        ,Scaleform::Memory::DestroyArena
        ,

```

2.2.1.2

- ```

 ,
 :

```
1. `Scaleform::Memory::CreateArena` , ( `SysAlloc` ;`SysAllocStatic` )
- ```

// pbuf1 10,000,000
SysAllocStatic sysAlloc(pbuf1, 10000000);
Memory::CreateArena(1, &sysAlloc);

```
2. `Gfx::Loader::CreateMovie / Gfx::MovieDef::CreateInstance,` id
- ```

" "
// 1
Ptr<Gfx::MovieDef> pMovieDef =
 *Loader.CreateMovie(filenameStr, Loader::LoadWaitFrame1, 1);
...
// 1
Ptr<Gfx::Movie> pMovie =
 *pnewMovieDef->CreateInstance(MovieDef::MemoryParams(1), false);

```
3. `Gfx::MovieDef/Gfx::Movie`
2. `Gfx::ThreadedTaskManager`  
`Gfx::MovieDef::WaitForLoadFinish` ,

```
pMovieDef->WaitForLoadFinish(true);
pMovie = 0;
pMovieDef = 0;
```

```
or (if Ptr is not used):
pMovie->Release();
pMovieDef->Release();
```

3. DestroyArena , ,  
CreateArena Scaleform::Memory::ArenalsEmpty

```
// , DestroyArena
// "return *(int*)0;" .
Memory::DestroyArena(1);

SysAlloc " pbuff1 "
```

## 2.3 OS

- Scaleform OS-  
Scaleform::SysAllocWinAPI – VirtualAlloc/VirtualFree API
- Scaleform::SysAllocPS3 – sys\_memory\_allocate/sys\_memory\_free  
PS3  
(OS)

WinAPI PS3 SysAlloc

```
" "
() dlmalloc 2MB
```

## 2.3.1 SysAllocPaged

Scaleform 3.3 SysAlloc , SysAlloc SysAllocPaged Scaleform  
 , SysAllocStatic OS  
 , SysAllocPaged, SysAlloc  
 SysAllocPagedMalloc

```
class MySysAlloc : public SysAllocPaged
{
public:
 virtual void GetInfo(Info* i) const
 {
 i->MinAlign = 1;
 i->MaxAlign = 1;
 i->Granularity = 128*1024;
 i->HasRealloc = false;
 }

 virtual void* Alloc(UPInt size, UPInt align)
 {
 // Ignore 'align' since reported MaxAlign is 1.
 return malloc(size);
 }

 virtual bool Free(void* ptr, UPInt size, UPInt align)
 {
 // free() doesn't need size or alignment of the memory block, but
 // you can use it in your implementation if it makes things easier.
 free(ptr);
 return true;
 }
};
```

MySysAlloc SysAlloc  
 GetInfo Alloc Free  
 ReallocInPlace

1 GetInfo() – Scaleform::SysAllocPaged::Info

2 Alloc – size align Alloc  
align GetInfo MaxAlign MaxAlign 1  
align

3 Free – Alloc size align

4 ReallocInPlace – false  
[Scaleform](#)

Alloc Free GetInfo  
Scaleform SysAllocPaged  
Scaleform SysAllocPaged::Info

- MinAlign –
- MaxAlign – 0 Scaleform align  
1 Alloc
- Granularity – Scaleform Scaleform 64K  
malloc
- HasRealloc – ReallocInPlace
- SysDirectThreshold- ( )  
SysDirectThreshold, ,
- MaxHeapGranularity  
,MaxHeapGranularity alloc/free ( )  
MaxHeapGranularity 4096, 4096

MaxAlign SysAlloc

1. MaxAlign 1  
Scaleform

2. MaxAlign 0  
Alloc

3. MinAlign MaxAlign

Scaleform Gfx::System

```
MySysAlloc myAlloc;
Gfx::System gfxSystem(&myAlloc);
```

## 2.4

```
,Scaleform " "
(Mesh Cache) Scaleform
API
```

### 2.4.1 堆 API 函數

Scaleform “new”

```
Ptr<Gfx::FileOpener> opener = *new Gfx::FileOpener();
loader.SetFileOpener(opener);
```

‘new’ Scaleform

0 Gfx::System , , Gfx::System

Gfx::MeshCacheManager  
Gfx::Loader::CreateMovie() SWF/GFX  
Gfx::MovieDef::CreateInstance ActionScript  
Scaleform

Scaleform::MemoryHeap Scaleform  
Scaleform::MemoryHeap::CreateHeap  
Scaleform::MemoryHeap::Release  
Scaleform::MemoryHeap::Alloc Scaleform::MemoryHeap::Free  
SysAlloc

Scaleform

Scaleform::MemoryHeap

- SF\_HEAP\_ALLOC(heap, size, id)
- SF\_HEAP\_MEMALIGN(heap, size, alignment, id)
- SF\_HEAP\_NEW(heap) ClassName
- SF\_FREE(ptr)

‘ id ’

Scaleform AMP

Gfx::SpriteDef

‘ pHeap ’

```
Ptr<SpriteDef> def = *SF_HEAP_NEW(pHeap) SpriteDef(pdataDef);
```

Gfx::SpriteDef

Scaleform

Scaleform

Ptr<>

Scaleform::NewOverrideBase

‘ delete ’

delete

SF\_FREE

## 2.4.1

Scaleform::String    Scaleform::Array<>

```
class Sprite : public RefCountBase<Sprite>
{
```

```
 String Name;
```

```
 Array<Ptr<Sprite> > Children;
```

```
 Sprite(String& name, ...) { ... }
```

```
};
```

```
Ptr<Gfx::Sprite> sprite = *SF_HEAP_NEW(pHeap) Gfx::Sprite(name);
sprite->DoSomething();
```

Gfx::Sprite

-



GfX::Sprite

Scaleform “ ” :

- SF\_HEAP\_AUTO\_ALLOC(ptr, size)
- SF\_HEAP\_AUTO\_NEW(ptr) ClassName

SF\_HEAP\_ALLOC SF\_HEAP\_NEW

:

```
MemoryHeap* pheap = ...;
UByte * pBuffer = (UByte*)SF_HEAP_ALLOC(pheap, 100,
GfX::StatMV_ActionScript_Mem);
Ptr<GfX::Sprite> sprite = *SF_HEAP_AUTO_NEW(pBuffer + 5) GfX::Sprite();
...
sprite->DoSomething();
...
// Release sprite and free buffer memory.
sprite = 0;
SF_FREE(pBuffer);
```

GfX::Sprite

‘ pBuffer ’ SF\_HEAP\_AUTO\_NEW

Scaleform

GfX::Sprite :

```
class Sprite : public RefCountBase<Sprite>
{
 StringLH Name;
 ArrayLH<Ptr<Sprite> > Children;

 Sprite(String& name, ...) { ... }
};

Ptr<Sprite> sprite = *SF_HEAP_NEW(pHeap) Sprite(name);
```

```
sprite->DoSomething();
```

```

Scaleform::String Scaleform::Array<> “ ”
Scaleform::StringLH Scaleform::ArrayLH<>
 “ ”
 Scaleform
 °

```

## 2.4.1 堆跟蹤程式

```

GfxConfig.h SF_MEMORY_TRACE_ALL
Scaleform::Memory SetTracer , CreateHeap DestroyHeap Alloc Free

SysAllocWinAPI

#include "Kernel/HeapPT/HeapPT_SysAllocWinAPI.h"

class MyTracer : public Scaleform::MemoryHeap::HeapTracer
{
public:
 virtual void OnCreateHeap(const MemoryHeap* heap)
 {
 //...
 }

 virtual void OnDestroyHeap(const MemoryHeap* heap)
 {
 //...
 }

 virtual void OnAlloc(const MemoryHeap* heap, UPInt size, UPInt align,
 unsigned sid, const void* ptr)
 {
 //...
 }

 virtual void OnRealloc(const MemoryHeap* heap, const void* oldPtr,
 UPInt newSize, const void* newPtr)
 {
 //...
 }

 virtual void OnFree(const MemoryHeap* heap, const void* ptr)
 {
 //...
 }
};

static MyTracer tracer;
static SysAllocWinAPI sysAlloc;
static Gfx::System* gfxSystem;

```

```
class MySystem : public Scaleform::System
{
public:
 MySystem() : Scaleform::System(&sysAlloc)
 {
 Scaleform::Memory::GetGlobalHeap()->SetTracer(&tracer);
 }
 ~MySystem() { }
};
```

```
SF_PLATFORM_SYSTEM_APP(FxPlayer, MySystem, FxPlayerApp)
```

3

Scaleform 3.0 , Scaleform Player AMP HUD ,  
AMP AMP , PC Scaleform  
AMP , [AMP User Guide](#)  
Scaleform Player , HUD UI, Ctrl  
+ F5 Scaleform::MemoryHeap::MemReport

```
void MemReport (class StringBuffer& buffer, MemReportType detailed,
 bool xmlFormat = false);
void MemReport (struct MemItem* rootItem, MemReportType detailed);
```

MemReport XML  
MemReportType

- MemoryHeap::MemReportBrief – Scaleform ,

|                        |           |
|------------------------|-----------|
| Memory 4,680K / 4,737K |           |
| Image                  | 1,052     |
| Sound                  | 136       |
| Movie View             | 1,739,784 |
| Movie Data             | 300,156   |

- MemoryHeap::MemReportFull – Ctrl-F6 Scaleform Player

```
SF_MEMORY_ENABLE_DEBUG_INFO
(stat ID) ,
```

|                          |           |
|--------------------------|-----------|
| Memory 4,651K / 4,707K   |           |
| System Summary           |           |
| System Memory FootPrint  | 4,832,440 |
| System Memory Used Space | 4,775,684 |
| Debug Heaps Footprint    | 12,884    |
| Debug Heaps Used Space   | 5,392     |
| Summary                  |           |
| Image                    | 1,052     |
| Sound                    | 136       |
| Movie View               | 1,715,128 |
| Movie Data               | 300,156   |
| [Heap] Global            | 4,848,864 |
| Heap Summary             |           |

|                   |           |
|-------------------|-----------|
| Total Footprint   | 4,848,864 |
| Local Footprint   | 2,427,860 |
| Child Footprint   | 2,421,004 |
| Child Heaps       | 4         |
| Local Used Space  | 2,417,196 |
| DebugInfo         | 120,832   |
| Memory            |           |
| MovieDef          |           |
| Sounds            | 8         |
| ActionOps         | 80,476    |
| MD_Other          | 200       |
| MovieDef          | 36        |
| MovieView         |           |
| MV_Other          | 32        |
| General           | 91,486    |
| Image             | 92        |
| Sound             | 136       |
| String            | 31,425    |
| Debug Memory      |           |
| StatBag           | 16,384    |
| Renderer          |           |
| Buffers           | 2,097,152 |
| RenderBatch       | 5,696     |
| Primitive         | 1,512     |
| Fill              | 900       |
| Mesh              | 4,884     |
| MeshBatch         | 2,200     |
| Context           | 15,184    |
| NodeData          | 15,160    |
| TreeCache         | 13,220    |
| TextureManager    | 2,336     |
| MatrixPool        | 4,096     |
| MatrixPoolHandles | 2,032     |
| Text              | 1,232     |
| Renderer          | 13,488    |
| Allocations Count | 1,822     |

- MemoryHeap:: MemReportFileSummary -

| stat ID                        | SWF | MovieData | MovieDef | MovieView |
|--------------------------------|-----|-----------|----------|-----------|
| Movie File 3DGenerator_AS3.swf |     |           |          |           |
| Memory                         |     |           |          | 1,956,832 |
| MovieDef                       |     |           |          | 152,664   |
| CharDefs                       |     |           |          | 39,848    |
| ShapeData                      |     |           |          | 1,716     |

|              |           |
|--------------|-----------|
| Tags         | 73,656    |
| MD_Other     | 37,444    |
| MovieView    | 196,249   |
| MovieClip    | 120       |
| ActionScript | 181,917   |
| MV_Other     | 14,212    |
| General      | 1,596,712 |
| Image        | 960       |
| String       | 2,783     |
| Renderer     | 7,464     |
| Text         | 7,464     |

- MemoryHeap::MemReportHeapDetailed -

AMP

Scaleform

|                                 |           |
|---------------------------------|-----------|
| Total Footprint                 | 4,858,148 |
| Used Space                      | 4,793,972 |
| Global Heap                     | 2,405,492 |
| MovieDef                        | 80,720    |
| Sounds                          | 8         |
| ActionOps                       | 80,476    |
| MD_Other                        | 200       |
| MovieView                       | 32        |
| MV_Other                        | 32        |
| General                         | 92,566    |
| Image                           | 92        |
| Sound                           | 136       |
| String                          | 31,276    |
| Debug Memory                    | 8,192     |
| StatBag                         | 8,192     |
| Renderer                        | 2,182,960 |
| Buffers                         | 2,097,152 |
| RenderBatch                     | 5,696     |
| Primitive                       | 1,512     |
| Fill                            | 900       |
| Mesh                            | 4,884     |
| MeshBatch                       | 2,200     |
| Context                         | 15,184    |
| NodeData                        | 15,016    |
| TreeCache                       | 13,136    |
| TextureManager                  | 2,336     |
| MatrixPool                      | 8,192     |
| MatrixPoolHandles               | 2,032     |
| Text                            | 1,232     |
| Movie Data Heaps                | 300,156   |
| MovieData "3DGenerator_AS3.swf" | 300,156   |
| MovieDef                        | 152,664   |

|                                 |           |
|---------------------------------|-----------|
| CharDefs                        | 39,848    |
| ShapeData                       | 1,716     |
| Tags                            | 73,656    |
| MD_Other                        | 37,444    |
| General                         | 141,332   |
| Image                           | 960       |
| String                          | 2,312     |
| Movie View Heaps                | 1,727,936 |
| MovieView "3DGenerator_AS3.swf" | 1,727,936 |
| MovieView                       | 195,977   |
| MovieClip                       | 120       |
| ActionScript                    | 181,645   |
| MV_Other                        | 14,212    |
| General                         | 1,467,668 |
| String                          | 471       |
| Renderer                        | 7,464     |
| Text                            | 7,464     |
| Other Heaps                     | 360,580   |
| _FMOD_Heap                      | 360,580   |
| General                         | 359,944   |
| Debug Data                      | 12,884    |
| Unused Space                    | 51,292    |
| Global                          | 51,292    |
| _FMOD_Heap                      | 4,384     |
| MovieData "3DGenerator_AS3.swf" | 5,356     |
| MovieView "3DGenerator_AS3.swf" | 33,032    |

, SF\_MEMORY\_ENABLE\_DEBUG\_INFO Scaleform ,stat ID  
stat ID

- MovieDef –
- MovieView – GfxMovieView ActionScript ,
- CharDefs – Flash
- ShapeData –
- Tags –
- ActionOps – ActionScript
- MeshCache – (Vector Tesselator) EdgeAA ,
- FontCache –

## 4

Scaleform 2.2

ActionScript

ActionScript

“ circular references ”

“ cycle references ”

◦

Code:

```
var o1 = new Object;
var o2 = new Object;
o1.a = o2;
o2.a = o1;
```

ActionScript

Flash UI

Scaleform 3.0

-

“

” Scaleform

ActionScript

“ ”

Flash

Scaleform 3.1/3.0

Scaleform

*Include/GFxConfig.h*

GFX\_AS\_ENABLE\_GC

//

**#define** GFX\_AS\_ENABLE\_GC

Scaleform



## 4.1

Scaleform 3.x ◦ Scaleform 3.3  
 MovieView

MovieDef ,

```
Movie* MovieDef::CreateInstance(const MemoryParams& memParams,
 bool initFirstFrame = true)
```

MemoryParams Gfx::MovieDef :

```
struct MemoryParams
{
 MemoryHeap::HeapDesc Desc;
 float HeapLimitMultiplier;
 unsigned MaxCollectionRoots;
 unsigned FramesBetweenCollections;
};
```

- Desc – MinAlign  
(Granularity) (Limit) (Flags) Scaleform
- HeapLimitMultiplier – 0...1
- MaxCollectionRoots – roots roots
- FramesBetweenCollections – roots

, Movie View

```
MemoryContext* MovieDef::CreateMemoryContext(const char* heapName,
 const MemoryParams& memParams,
 bool debugHeap)
```

```
Movie* MovieDef::CreateInstance(MemoryContext* memContext,
 bool initFirstFrame = true)
```

|                    |           |     |            |                           |           |
|--------------------|-----------|-----|------------|---------------------------|-----------|
| MemoryContext      | MovieView |     |            |                           |           |
| MovieView          |           | AMP |            |                           |           |
|                    |           | AMP |            |                           | MovieView |
|                    |           |     |            |                           |           |
| MemoryParams::Desc |           |     |            |                           |           |
| ActionScript       |           |     | Desc.Limit | HeapLimitMultiplier       |           |
|                    | 128K(     |     |            |                           |           |
|                    |           |     |            | Boehm-Demers-Weiser (BDW) | n         |

|                          |         |            |              |
|--------------------------|---------|------------|--------------|
| 60                       | Advance |            |              |
|                          | 1800    | 60         | 30 fps       |
| FramesBetweenCollections |         | Desc.Limit | ActionScript |
|                          | 0       |            |              |

## 4.2 Gfx::Movie:: ForceCollectGarbage

```
virtual void ForceCollectGarbage() = 0;
```

off