

Autodesk® Scaleform®

Scale9Grid 用戶手冊

Scaleform

Scale9Grid

作者: Maxim Shemanarev, Michael Antonov
版本: 1.01
最后编辑日: 2008 年 3 月 21 日

Copyright Notice

Autodesk® Scaleform® 4.3

© 2013 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk 123D, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo), BIM 360, Built with ObjectARX (design/logo), Burn, Buzzsaw, CADmep, CAiCE, CAMduct, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, Design Server, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWGX, DXF, Ecotect, ESTmep, Evolver, Exposure, Extending the Design Team, FABmep, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, ForceEffect, Freewheel, GDX Driver, Glue, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, Map It, Build It, Use It, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, Revit LT, RiverCAD, Robot, Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Socialcam, Sparks, SteeringWheels, Stitcher, Stone, StormNET, TinkerBox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Scale9Grid User Guide

Autodesk Scaleform Corporation
6305 Ivy Lane, Suite 310
Greenbelt, MD 20770, USA

www.scaleform.com

info@scaleform.com


(301) 446-3200

(301) 446-3199


目录

介紹： 在 Flash 和 Scaleform 中使用 Scale9Grid	1
轉換.....	2
處理點陣圖.....	2
互動式視窗.....	5
Flash 相容的例子.....	5
高級的 Scaleform 舉例	9

介紹： 在 **Flash** 和 **Scaleform** 中使用 **Scale9Grid**



Scale9Grid	Adobe Flash	Scaleform
	X/Y	
		Scale9Grid
Scale9Grid		



轉換

Flash Scaleform Scale9Grid Sprite Flash
Flash Scaleform
Scale9Grid :

處理點陣圖

Flash Scaleform
Flash
Scale9Grid Scaleform
Scale9Grid EdgeAA
:

Scale9Grid
Scale9Grid

Flash
Scale9Grid


Scaleform

Adobe Flash

Scale9Grid

9

Flash



Scaleform

Flash

scale9grid_tiled.fla


Scaleform
scale9grid_tiled.swf

Flash

"

"

Flash
Scaleform
Scale9Grid



互動式視窗

ActionScript

Flash 相容的例子

Flash
scale0grid_window1 fla scale9grid_window1 swf Flash Studio

Flash ActionScript

hit-testing

Flash

ActionScript

```
import flash.geom.Rectangle;

var bounds:Object = this.getBounds(this);
for (var i in bounds) trace(i+" --> "+bounds[i]);
this.XMin = bounds.xMin;
this.YMin = bounds.yMin;
this.XMax = bounds.xMax;
this.YMax = bounds.yMax;
this.MinW = 120;
this.MinH = 100;
this.OldX = this._x;
this.OldY = this._y;
this.OldW = this._width;
this.OldH = this._height;
this.OldMouseX = 0;
this.OldMouseY = 0;
this.XMode = 0;
this.YMode = 0;
```

```

this.onPress = function()
{
    this.OldX = this._x;
    this.OldY = this._y;
    this.OldW = this._width;
    this.OldH = this._height;
    this.OldMouseX = _root._xmouse;
    this.OldMouseY = _root._ymouse;
    this.XMode = 0;
    this.YMode = 0;

    var kx = (this.XMax - this.XMin) / this._width;
    var ky = (this.YMax - this.YMin) / this._height;
    var x1 = this.XMin + 6 * kx;    // Left
    var y1 = this.YMin + 4 * ky;    // Top
    var x2 = this.XMax - 26 * kx;   // Right
    var y2 = this.YMax - 25 * ky;   // Bottom
    var w = 20 * kx;
    var h = 20 * ky;
    var xms = this._xmouse;
    var yms = this._ymouse;

    if (xms >= x1 && xms <= x1+w)
    {
        if (yms >= y1 && yms <= y1+h)
        {
            this.XMode = -1;
            this.YMode = -1;
        }
        else
        if (yms >= y2 && yms <= y2+h)
        {
            this.XMode = -1;
            this.YMode = 1;
        }
    }
    else
    if (xms >= x2 && xms <= x2+w)
    {
        if (yms >= y1 && yms <= y1+h)
        {
            this.XMode = 1;
            this.YMode = -1;
        }
        else
        if (yms >= y2 && yms <= y2+h)
        {
            this.XMode = 1;
            this.YMode = 1;
        }
    }

    if (XMode == 0 && YMode == 0)
    {
        this.startDrag();
    }
}

```

```

this.onRelease = function()
{
    this.XMode = 0;
    this.YMode = 0;
    this.stopDrag();
}

this.onReleaseOutside = function()
{
    this.XMode = 0;
    this.YMode = 0;
    this.stopDrag();
}

this.onMouseMove = function()
{
    var dx = _root._xmouse - OldMouseX;
    var dy = _root._ymouse - OldMouseY;

    if (this.XMode == -1)
    {
        this._x      = this.OldX + dx;
        this._width = this.OldW - dx;
        if (this._width < this.MinW || _root._xmouse > this.OldX + this.OldW)
        {
            this._x      = this.OldX + this.OldW - this.MinW;
            this._width = this.MinW;
        }
    }
    if (this.XMode == 1)
    {
        this._width = this.OldW + dx;
        if (this._width < this.MinW || _root._xmouse < this.OldX)
            this._width = this.MinW;
    }
    if (this.YMode == -1)
    {
        this._y      = this.OldY + dy;
        this._height = this.OldH - dy;
        if (this._height < this.MinH || _root._ymouse > this.OldY + this.OldH)
        {
            this._y      = this.OldY + this.OldH - this.MinH;
            this._height = this.MinH;
        }
    }
    if (this.YMode == 1)
    {
        this._height = this.OldH + dy;
        if (this._height < this.MinH || _root._ymouse < this.OldY)
            this._height = this.MinH;
    }
}

```

"1" XMode Ymode "-1"

```

onPress ( )
Scale9Grid :
    kx ky

var kx = (this.XMax - this.XMin) / this._width;
var ky = (this.YMax - this.YMin) / this._height;


Left-Top:      x1, y1, x1+w, y1+h
Right-Top:     x2, y1, x2+w, y1+h
Left-Bottom:   x1, y2, x1+w, y2+h
Right-Bottom:  x2, y2, x2+w, y2+h

var x1 = this.XMin + 6 * kx; // Left
var y1 = this.YMin + 4 * ky; // Top
var x2 = this.XMax - 26 * kx; // Right
var y2 = this.YMax - 25 * ky; // Bottom
var w = 20 * kx;
var h = 20 * ky;

6 4 26 25

```

ActionScript



```
var xms = this._xmouse;
```

```

var yms = this._ymouse;
if (xms >= x1 && xms <= x1+w)
{
    ... and so on
}

```



ActionScript

Flash

高級的 *Scaleform* 舉例

Scaleform

Flash


Scaleform

scale9grid_window2 fla

scale9grid_window2 swf

ActionScript

“ ”



Flash		Border1	Border4	Corner1
Corner4	TitleBar	Scaleform	Scale9Grid	
		ActionScript		OnResize ()

```

import flash.geom.Rectangle;
//trace(this.scale9Grid);
this.MinW = 100;
this.MinH = 100;
this.XMode = 0;
this.YMode = 0;
this.OldX = this._x;
this.OldY = this._y;
this.OldW = this._width;
this.OldH = this._height;
this.OldMouseX = 0;
this.OldMouseY = 0;

function AssignResizeFunction(mc:MovieClip, xMode:Number, yMode:Number)
{
    mc.onPress          = function() { this._parent.StartResize(xMode, yMode);
    mc.onRelease        = function() { this._parent.StopResize(); }
    mc.onReleaseOutside = function() { this._parent.StopResize(); }
    mc.onMouseMove      = function() { this._parent.OnResize(); }
}

AssignResizeFunction(this.Border1, 0, -1);
AssignResizeFunction(this.Border2, 1, 0);
AssignResizeFunction(this.Border3, 0, 1);
AssignResizeFunction(this.Border4, -1, 0);
AssignResizeFunction(this.Corn1, -1, -1);
AssignResizeFunction(this.Corn2, 1, -1);
AssignResizeFunction(this.Corn3, 1, 1);
AssignResizeFunction(this.Corn4, -1, 1);
this.TitleBar.onPress          = function() { this._parent.startDrag(); }
this.TitleBar.onRelease        = function() { this._parent.stopDrag(); }
this.TitleBar.onReleaseOutside = function() { this._parent.stopDrag(); }

function StartResize(xMode:Number, yMode:Number)
{
    this.XMode = xMode;
    this.YMode = yMode;
    this.OldX = this._x;
    this.OldY = this._y;
    this.OldW = this._width;
    this.OldH = this._height;
    this.OldMouseX = _root._xmouse;
    this.OldMouseY = _root._ymouse;
}

function StopResize()
{
    this.XMode = 0;
    this.YMode = 0;
}

```

```

function OnResize()
{
    var dx = _root._xmouse - OldMouseX;
    var dy = _root._ymouse - OldMouseY;

    if (this.XMode == -1)
    {
        this._x      = this.OldX + dx;
        this._width = this.OldW - dx;
        if (this._width < this.MinW || _root._xmouse > this.OldX + this.OldW)
        {
            this._x      = this.OldX + this.OldW - this.MinW;
            this._width = this.MinW;
        }
    }
    if (this.XMode == 1)
    {
        this._width = this.OldW + dx;
        if (this._width < this.MinW || _root._xmouse < this.OldX)
            this._width = this.MinW;
    }
    if (this.YMode == -1)
    {
        this._y      = this.OldY + dy;
        this._height = this.OldH - dy;
        if (this._height < this.MinH || _root._ymouse > this.OldY + this.OldH)
        {
            this._y      = this.OldY + this.OldH - this.MinH;
            this._height = this.MinH;
        }
    }
    if (this.YMode == 1)
    {
        this._height = this.OldH + dy;
        if (this._height < this.MinH || _root._ymouse < this.OldY)
            this._height = this.MinH;
    }
}

```

Adobe Flash

ActionScript

" "

	Flash Studio	Scale9Grid	SWF	BUG
scale9grid_window2 fla		BUG	"TitleBar"	
Scale9Grid		Flash Studio		
	Scale9Grid			"Save and Compact"
	ActionScript	Scale9Grid		

```
trace(this.scale9Grid);
```

BUG

```
this.scale9Grid = new Rectangle(24, 35, 363, 138);
```

scale9grid_window3 fla scale9grad_window3.swf

Scaleform