

Autodesk® Scaleform®

Scaleform



Scaleform 4.0



: Matthew Doyle
: 3.0
: 2011 25



Copyright Notice

Autodesk® Scaleform® 4.4

© 2014 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AutoCAD LT, AutoCAD, Autodesk, the Autodesk logo, Autodesk 123D, Autodesk CAM 360, Autodesk Homestyler, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, BIM 360, Burn, Buzzsaw, CADmep, CAiCE, CAMduct, CFdesign, Civil 3D, Cleaner, Combustion, Communication Specification, Configurator 360™, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, DesignKids, DesignStudio, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWGX, DXF, Ecotect, ESTmep, Evolver, FABmep, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, ForceEffect, FormIt, Freewheel, Fusion 360, Glue, Green Building Studio, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, Incinerator, Inferno, InfraWorks, InfraWorks 360, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor HSM, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, MatchMover, Maya, Maya LT, Mechanical Desktop, MIMI, Mockup 360, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moldflow, Moondust, MotionBuilder, Movimento, MPA (design/logo), MPA, MPI (design/logo), MPX (design/logo), MPX, Mudbox, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-omatic, Productstream, Publisher 360, RasterDWG, RealDWG, ReCap, ReCap 360, Remote, Revit LT, Revit, RiverCAD, Robot, Scaleform, Showcase, Showcase 360 ShowMotion, Sim 360, SketchBook, Smoke, Socialcam, Softimage, Sparks, SteeringWheels, Stitcher, Stone, StormNET, TinkerBox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, ViewCube, Visual LISP, Visual, VRED, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

:



Scaleform

Autodesk Scaleform Corporation

6305 Ivy Lane, Suite 310

Greenbelt, MD 20770, USA

www.scaleform.com

info@scaleform.com

(301) 446-3200


(301) 446-3199

목차

1	개요.....	1
1.1		Error! Bookmark not defined.
1.2		Error! Bookmark not defined.
2	메모리에 콘텐츠를 생성하는 것과 성능상의 고려사항	Error! Bookmark not defined.
2.1	Draw Primitives	Error! Bookmark not defined.
2.2		Error! Bookmark not defined.
2.3	Artwork	Error! Bookmark not defined.
2.3.1	vs	Error! Bookmark not defined.
2.3.2		Error! Bookmark not defined.
2.3.3		Error! Bookmark not defined.
2.3.4		Error! Bookmark not defined.
2.3.5		Error! Bookmark not defined.
3	액션 스크립트 최적화	Error! Bookmark not defined.
3.1		Error! Bookmark not defined.
3.1.1		Error! Bookmark not defined.
 3.1.2		Error! Bookmark not defined.
3.1.3	/	Error! Bookmark not defined.
3.2	ActionScript 3	Error! Bookmark not defined.
3.2.1		Error! Bookmark not defined.
3.3	Advance	Error! Bookmark not defined.

3.4	onEnterFrame and Event.ENTER_FRAME.....	Error! Bookmark not defined.
3.4.1	onEnterFrame	Error! Bookmark not defined.
3.5	ActionScript 2	Error! Bookmark not defined.
3.5.1	onClipEvent	Error! Bookmark not defined.
3.5.2	Var	Error! Bookmark not defined.
3.5.3	 (Precaching)	Error! Bookmark not defined.
3.5.4		Error! Bookmark not defined.
3.5.5		Error! Bookmark not defined.
4	HUD 개발	Error! Bookmark not defined.
4.1	SWF	Error! Bookmark not defined.
4.2	 SWF	Error! Bookmark not defined.
4.3		Error! Bookmark not defined.
4.4	 ()	Error! Bookmark not defined.
4.5	 HUD 	Error! Bookmark not defined.
5	일반적인 최적화 팁	Error! Bookmark not defined.
5.1		Error! Bookmark not defined.
5.2		Error! Bookmark not defined.
6	추가문서	Error! Bookmark not defined.

1 개요





• Flash

o



• FLA

o



•

o



•


o



best practice




Flash




1.1


-
- (



Scaleform 3.3

Scaleform Common Lightweight Interface Kit (CLIK™)





2.2

1.

2.

3.

advance

testing)

visible=false rather than alpha=0 (in AS3).

stop()

alpha=0


visible=false (in AS2) and


2.3 Artwork

2.3.1 비트맵 vs 벡터 그래픽


Scaleform

5





2.3.3 비트맵



5
5

주의: `onEnterFrame` (in AS2) or `Event.ENTER_FRAME` (in AS3)

`.onEnterFrame/Event.ENTER_FRAME`
`.setInterval`
`.onEnterFrame/Event.ENTER_FRAME`
`.setInterval`


30~40FPS
, CPU
UI

•
•
• (attaching) (removing) on/off


• `_visible/visible = true/false`
o
o


o Tween
o Scaleform Tween , , CLIK


Tween of motion.Tween in AS2 or scaleform.clik.motion.Tween in AS3




2.3.5 텍스트와 폰트








3 액션 스크립트 최적화



3.1



(gotoAndPlay, play, stop)

gotoAndPlay/gotoAndStop

o gotoAndPlay/gotoAndStop

gotoAndPlay/gotoAndStop

o gotoAndPlay/gotoAndStop

gotoAndPlay/gotoAndStop

gotoAndPlay/gotoAndStop

gotoAndPlay/gotoAndStop

gotoAndPlay/gotoAndStop

AS

[Gfx::Movie::SetVariableArray](#)

scaleform

(Object)

• eval()

• Array.length

. myArr.length

```
var fontArr:Array = TextField.getFontList();  
var arrayLen:Number = fontArr.length;  
for (var i:Number = 0; i < arrayLen; i++) {  
    trace(fontArr[i]);  
}
```

```
var fontArr:Array = TextField.getFontList();  
for (var i:Number = 0; i < fontArr.length; i++) {  
    trace(fontArr[i]);  
}
```

•

)

•

removeListener()

•

, AS VM

, AS

if"

"com.xxx.yyy.aaa.bbb"

VM

"com", "xxx", "yyy", "aaa", "bbb"

/

yyy"

("com"

"xxx",

"xxx"

Flash

SWF



3.1.1 루프

-
-
-
-

0

3.1.2 함수

-
-

with

3.1.3 변수/속성

-
-
-
-
-
-

"var"

"var"

null

SWF

null

- getter setter



3.2 ActionScript 3

AS3

3.2.1 엄격한 데이터 유형 설정

- Object

- Array

- Vector

- Object

-

- (prototype)

AS3

. Object

Vector

Vector<int>, Vector<String>

Vector<YourFavoriteClass>

Vector<*>

flash.utils.Dictionary

GFX Flash

AS2

. AS3

3.3 Advance

advance

1.

AS

onEnterFrame

/Event.ENTER_FRAME

2.

UI

3.

._visible (AS2) or visible (AS3)

true

stop()

Advance

4.


global.noInvisibleAdvance(AS2) or scaleform.gfx.Extensions.noInvisibleAdvance (AS3)

Advance


Advance

"true"

3.4 *onEnterFrame* and *Event.ENTER_FRAME*





3.4.1 *onEnterFrame* 정리



3.5 *ActionScript 2*

3.5.1 이벤트 상의 *onClipEvent*





```
onClipEvent(construct)
{
    this.onLoad = function()
    {
        //function body
    }
}
```

onClipEvent(load)

3.5.2 Var 키워드

"var"

"var"

. var

AS

```
var i = 1000;
countIt = function()
{
    num = 0;
    for(j=0; j<i; j++)
    {
        j++;
        num += Math.random();
    }
    displayNumber.text = num;
}
```

```

:
var i = 1000;
countIt = function()
{
    var num = 0;
    var ii = i;
    for(var j=0; j<ii; j++)
    {
        j++;
        num += Math.random();
    }
    displayNumber.text = num;
}

```

3.5.3 전캐싱(Precaching)

```

var [i] = [objT 0 1 * objT 0 2; (ng)-1())602 0 Td ( )Tj ET BMC /P21</MCID 10 >>BDC /CS1 cs 0.
    (var
    )

```

```
var floor = Math.floor
var ceil = Math.ceil
num = floor(x) - ceil(y);
```

```
var keyDown = Key.isDown;
var keyLeft = Key.LEFT;
if (keyDown(keyLeft))
{
    // do something;
}
```

3.5.4 긴 경로의 전캐싱



```
mc.ch1.hc3.djf3.jd9._x = 233;
mc.ch1.hc3.djf3._x = 455;
```



```
var djf3 = mc.ch1.hc3.djf3;
djf3._x = 455;

var jd9 = djf3.jd9;
jd9._x = 223;
```

3.5.5 복잡한 표현



```
this[_global_.mynames[queue]][_global_.slots[i]].gosplash.text =
_global_.MyStrings[queue];
```

```
var _splqueue = this[_global_.mynames[queue]];
var _splstring = _global_.MyStrings[queue];
var slot_i = _global_.slots[i];
_splqueue[slot_i].gosplash.text = _splstring;
```




```
for(i=0; i<3; i++)
{
    this[_global.mynames[queue]][_global.slots[i]].gosplash.text =
        _global.MyStrings[queue];
    this[_global.mynames[queue]][_global.slots[i]].gosplash2.text =
        _global.MyStrings[queue];
    this[_global.mynames[queue]][_global.slots[i]].gosplash2.textColor =
        0x000000;
}
```


```
var _splqueue = this[_global.mynames[queue]];
var _splstring = _global.MyStrings[queue];
for (var i=0; i<3; i++)
{
    var slot_i = _global.slots[i];
    _splqueue[slot_i].gosplash.text = _splstring;
    _splqueue[slot_i].gosplash2.text = splstring;
    _splqueue[slot_i].gosplash2.textColor = 0x000000;
}
```

```
var _splqueue = this[_global.mynames[queue]];
var _splstring = _global.MyStrings[queue];
for (var i=0; i<3; i++)
{
    var slot_i = _global.slots[i];
    var elem = _splqueue[slot_i];
    elem.gosplash.text = _splstring;
    var gspl2 = elem.gosplash2;
    gspl2.text = splstring;
    gspl2.textColor = 0x000000;
}
```



4 HUD 개발



4.1 SWF





0.08A4.011 Two 500mm 1405B26/12 1018E08





4.2

SWF







HUD

- (nest)
-

FAQ ["Graphics Rendering & Special Effects"](#)

- Wii™ (
- .):
- o Gfx::Movie::SetMouseCursorCount(0,
- o ' .
- HUD

noInvisibleAdvance(AS2) or scaleform.gfx.Extensions.noInvisibleAdvance (AS3) [_visible](#)

(AS2) or visible (AS3)= false

- Invoke . 2 (
-) Invoke . ()
-

FAQ [section](#)

[2.1](#) ["Art & Assets"](#)


5 일반적인 최적화 팁

5.1

- FLA (loop)
- FPS
- AS
- /
- (Layer 1, Layer 2)

5.2

- trace()
- (
-)



6 추가문서

ActionScript 2.0 Best Practices

http://www.adobe.com/devnet/flash/articles/as_bestpractices.html

Flash 8 Best Practices

http://www.adobe.com/devnet/flash/articles/flash8_bestpractices.html

Flash ActionScript 2.0

http://www.adobe.com/devnet/flash/articles/actionscript_guide.html