

Autodesk® **Scaleform**®

Getting Started with Scaleform 4.2

Scaleform 4.2

4 .2

Copyright Notice

Autodesk® Scaleform® 4.2

© 2012 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AUGI, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo) Built with ObjectARX (design/logo), Burn, Buzzsaw, CAiCE, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, DesignServer, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWFx, DXF, Ecotect, Evolver, Exposure, Extending the Design Team, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, Freewheel, GDX Driver, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, RiverCAD, Robot, Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Sparks, SteeringWheels, Stitcher, Stone, StormNET, Tinkerbox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Autodesk Scaleform :

Getting Started with Scaleform 4.2

Autodesk Scaleform Corporation

6305 Ivy Lane, Suite 310

Greenbelt, MD 20770, USA

www.scaleform.com

info@scaleform.com

(301) 446-3200

Fax

(301) 446-3199

目次

ようこそ

インストールと使用

のバージョン

のインストール

パッケージのインストール

ブラウザ

のインストール

のインストール

のインストール

ディレクトリ構造

のビルド

用

ライブラリの設定

用の

要件

インストール

および

用のビルド

実行可能ファイルの実行

コンソール用の

の

の

用

の

任天堂

用の

モバイル用の

用

の

に

パネルをインストールする

に

パネルをインストールする

パネルを使用する

ライセンス

ライセンス関連の問題

サポート

フィードバック

に付属しているもの

を学習する

スタートガイド

開発関連資料

プラットフォーム別資料

デモとサンプル

オンラインのマニュアルとビデオ

どこから始めるか

制作者カテゴリー別の情報

プログラマー

デザイナー

アーティスト

ファイルを再生する

新しいプロジェクトを始める

1. ようこそ

Autodesk® Scaleform® 4.2

Scaleform 4.2

Scaleform 3.0

) Scaleform Common Lightweight Interface Kit (CLIK™ -

Scaleform :

- Scaleform CLIK™
- Scaleform Video, powered by CRI Movie™ for Scaleform™
- Scaleform Analyzer for Memory and Performance (AMP™)
- Scaleform Input Method Editor (IME)
- Memory enhancements
- Garbage Collection

Scaleform 4.2 ActionScript2.0 3.0

Flash Photoshop® Illustrator®

2.2 SDK のインストール

Scaleform 4.2 SDK Windows
SDK 4.2

C:\Program Files (x86)\Scaleform\GFx

SDK

Scaleform 4.2 SDK Macintosh/Linux

SDK
readme

readme_make.txt

readme_xx.txt

Microsoft® DirectX® SDK
Scaleform 4.2

Scaleform 4.2

DirectX

Windows®

SDK

Windows

Scaleform→GFx SDK 4.2→Documentation

C:\Program Files (x86)\Scaleform\GFx SDK 4.2\Doc

2.2.1 パッケージのインストール

Scaleform

3

1.

2.

3.

Lib


Lib

Scaleform SDK

Scaleform IME Scaleform Video

Scaleform

lib



Visual Studio

プリプロセッサシンボル	ライブラリ
GFX_ENABLE_VIDEO	Libgfxvideo
GFX_ENABLE_IME	Libgfxime

Scaleform

4

Shipping
Release
Debug
DebugOpt

2.2.1.1 ウィンドウズ OS 用のパッケージ展開

tar.bz2

7-zip

tar.bz2

2.2.2 SDK ブラウザ

Scaleform 4.2

SDK

Scaleform 4.2

SDK

: →Scaleform→GFx SDK

4.2→Scaleform SDK Browser

Mac

scaleform_gfx_4.2_macos/Bin/Browser/

Browser.app

Diagram illustrating the relationship between Scaleform 3.0 UI, Scaleform Common Lightweight Interface Kit (CLIK - UI), and Scaleform SDK.

Scaleform 3.0 UI is connected to Scaleform Common Lightweight Interface Kit (CLIK - UI), which is then connected to Scaleform SDK. A separate box labeled 'Flash CLIK' is also shown.

```

graph LR
    A[Scaleform 3.0 UI] --- B[Scaleform Common Lightweight Interface Kit (CLIK - UI)]
    B --- C[Scaleform SDK]
    D[Flash CLIK]
  
```

- CLIK Scaleform SDK

```
scaleform_gfx_4.2_platform/Resources/AS2/CLIK/
scaleform_gfx_4.2_platform/Resources/AS3/CLIK/
scaleform_gfx_4.2_platform/Resources/Tools/
```

The diagram illustrates the integration of Scaleform Video and Scaleform UI into a game engine. It shows the flow from Scaleform Video and Scaleform UI to a game engine (labeled 'Scaleform 4.2 SDK' and 'Scaleform Video Encoder'), which then outputs to various platforms like Wii, Mac, PC, and Xbox 360. The diagram also shows the integration of Scaleform Video and Scaleform UI into a game engine (labeled 'Scaleform 4.2 SDK' and 'Scaleform Video Encoder'), which then outputs to various platforms like Wii, Mac, PC, and Xbox 360.

SDK
with Video (Scaleform Video

)
Scaleform Video

Getting Started

Video Encoder

C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Tools/VideoEncoder/

Video

C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Data/AS2/Video/

Video

1. C:/Program Files/Scaleform/GFx SDK 4.2/sf_4.2_getting_started_with_video_jp.pdf
2. → →Scaleform→GFX SDK
4.2→Documentation→Scaleform 4.2 – Getting Started with Video_jp.pdf
3. SDK

2.2.5 Scaleform IME のインストール

Scaleform IME () Flash
PC

Scaleform 4.2 SDK

*C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Data/AS2/IME/
C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Data/AS3/IME/*

2.2.6 Platform SDKs

Scaleform

Scaleform

Scaleform

[Build History](#)

SDK
SDK

2.2.7 .Net Framework

CRI Movie for Scaleform
SP1

Scaleform Video

.NET Framework 2.0

<http://msdn.microsoft.com/ja-jp/netframework/cc807036.aspx>

2.2.8 ディレクトリ構造

Scaleform

Scaleform

:

3rdParty/
Apps/

Samples

Common

FxPlayer

Flash Player

GFxPlayerTiny

Scaleform

Bin/

[]

(

)
(Scaleform

Player)

Data/AS2/Samples

Flash

FxPlayer

Scaleform Player

RenderTexture

RenderTexture

SWFTToTexture

RenderTexture

ImageDelegate

ImageDelegate

Data/AS2/Video

Scaleform Video

Data/AS2/IME

Scaleform

Data/AS2/Kits

ActionScript2

Data/AS3/Samples

ActionScript3 Flash

Data/AS3/IME

Sample IME ActionScript 3

Data/AS3/Kits

ActionScript3

Doc/

Include/
)

Scaleform

(C++

Lib/

Scaleform

[]

[]

Obj/

[]

Projects/

(

makefile)

Common

makefile

[]

makefile

Src/

Scaleform

```
#define
```

Scaleform		#define
Win32	Windows	SF_OS_WIN32
x64	x86_64 Windows	SF_OS_WIN32
*-linux	* Linux	SF_OS_LINUX
MacOS	MacOS X	SF_OS_DARWIN, SF_OS_MAC
Android	Android	SF_OS_ANDROID
iPhone	iPhone	SF_OS_IPHONE
PS3	Playstation 3	SF_OS_PS3
NGP	NGP	SF_OS_NGP
3DS	3DS	SF_OS_3DS
Wii	Wii	SF_OS_WII
Xbox360	Xbox 360	SF_OS_XBOX360

	標準、gcc の場合が多い
Msvc80	Visual Studio 8.0 (2005)
Msvc90	Visual Studio 9.0 (2008)
Msvc10	Visual Studio 10.0 (2010)
CW	Codewarrior
Snc	SN Systems

[	]	1	1
MacOS	Win32/Msvc80		
1			

2.2.9 Scaleform のビルド

Scaleform	Visual Studio IDE	make	Visual Studio
	Project		

2.2.9.1 Make の使用

Scaleform SDK	Visual Studio Readme	IDE <i>readme_make.txt</i>	make	make
---------------	-------------------------	-------------------------------	------	------

- Linux
- MacOS
- Android™
- iPhone®
- PS3™
- Nintendo 3DS™
- Wii™
- Wii U™

Make	Scaleform	make cygwin	Linux
------	-----------	-----------------------	-------

1. <http://www.cygwin.com/>
2. [Install from Internet]
3. (c:/cygwin)
4. (c:/cygwin)
5. [Direct Connection]
- 6.
7. [Select Packages] [Devel] [binutils] [make]

8.

Id make

\$ make -v

GNU Make 3.81

Copyright (C) 2006 Free Software Foundation, Inc.

...

This program built for i686-pc-cygwin

\$ ld -v

GNU ld (GNU Binutils) 2.18.50.20080625

===

make Scaleform

make :

1. Scaleform Makeconfig (:
)

a. export CELL_SDK := <path to cell sdk>

b. EPATH := \$(PATH)

c. export PATH = \$(CELL_SDK)/host-win32/ppu/bin:\$(CELL_SDK)/host-

i. win32/Cg/bin:\$(CELL_SDK)/host-win32/bin:\$(EPATH)

2. Makeconfig UNIX

msys /< >/... Cygwin
/cygdrive/< >/... CELL_SDK C:¥ps3¥cell
:

export CELL_SDK := /cygdrive/c/ps3/cell

4.

b. \$ make P=PS3

c. \$ make P=PS3 C=Debug

make command C=<config>

+ RTTI

"make C=Release+NoRTTI"

Make
Make

2.2.9.2 「make」の使用例

良くある使い方

```
make P=Android C=Debug
make P=3DS C=Debug+NoRTTI
```

SNC コンパイラを使用した PS3 用ビルド

```
make P=PS3+snc
```

gcc を使用した PS3 用ビルド

```
make P=PS3
```

SCU 以外のランピングを使用した iOS 用ビルド（次の SCU ビルドも参照）

```
make P=iPhone/armv7 SCU=0
```

詳細出力でのビルド

```
make P=wii C=Shipping+NoRTTI VERBOSE=1
```

Mac 用 RTTI での Release、x64 lib のビルド

```
make P=MacOS/x86_64 C=Release
```

iPhone 用シミュレーターarmv7 用のビルド

```
make P=iPhone/sim
```

```
make P=iPhone/armv7 C=Release+NoRTTI
```


つのターゲットのビルド（lib または実行可能ファイル）

```
make P=MacOS C=Release+NoRTTI Lib/MacOS-x86_64/Release_NoRTTI/libgfx.a
```

つのファイル平行してのコンパイル（-j4）

```
make P=PS3 C=Shipping+NoRTTI -j4 Bin/PS3/FxPlayer_Shipping_NoRTTI.elf
```

2.2.9.3 SCU ビルド



Src/GFx/AS3/Obj/Accessibility/AS3_Obj_Accessibility_All.cpp

```
...
#include "AS3_Obj_Accessibility_ISearchableText.cpp"
#include "AS3_Obj_Accessibility_ISimpleTextSelection.cpp"
#include "AS3_Obj_Accessibility_Accessibility.cpp"
#include "AS3_Obj_Accessibility_AccessibilityImplementation.cpp"
#include "AS3_Obj_Accessibility_AccessibilityProperties.cpp"
```

SCU Visual Suidio SCU

2

- AS2_SCU
- AS3_SCU
- AIR_SCU

SCU

- AS2
- AS3
- AIR

SCU

Make SCU make

```
make P=PS3+snc C=Release+NoRTTI SCU=0
```

Scaleform on Windows® XP (32 bit, SP3), Vista (32/64 bit, SP2) and Microsoft
Windows 7 32/64 bit Microsoft Visual Studio
2008 9.0 Microsoft Visual Studio 2010

Scaleform lib Scaleform

Scaleform SDK lib

%Program Files%Scaleform%GFX SDK 4.2%Lib%[Platform]%[MSVC Version]

lib

Shipping	Scaleform	Shipping lib
Runtime Library	(/MT)	
Optimization	(/Ox)	

2.3.1.1 MSVCプロジェクト設定

Scaleform **SWFToTexture** **TextureInSWF**
 Working Directory
 C:\Program Files (x86)\Scaleform\GFx SDK 4.2\Bin\Data

1. Project
2. Properties
3. Configuration All Configurations
4. Debugging
5. Working Directory

2.4 Mac 用の Scaleform SDK

Scaleform SDK Scaleform lib Cocoa GL MacOS

2.4.1 要件

Scaleform

- MacOS Snow Leopard (10.6)/Lion (10.7)
- Xcode (3.2.6) Mac/iPhone/iPad

PPC

2.4.2 インストール

MacOS Scaleform SDK MacOS

- sf_4.2_eval_macos_i686.tar.bz2 sf_4.2_eval_macos_x86_64.tar.bz2
- sf_4.2_src_macos_i686.tar.bz2 src sf_4.2_src_macos_x86_64.tar.bz2
- sf_4.2_lib_macos_i686.tar.bz2 src sf_4.2_lib_macos_x86_64.tar.bz2

- - o sf_4.2_{eval/lib/src}_video_macos_i686.tar.bz2

2.4.3 MacOS X (10.6 および 10.7) 用のビルド

Scaleform MacOS SDK terminal.app Scaleform

Scaleform x86 x64
\$ make P=MacOS

Bin/MacOS

Scaleform 1 CPU
\$ make P=MacOS/i686

\$ make P=MacOS/x86_64

zlib

2.4.4 実行可能ファイルの実行

Bin/MacOS-i686 Bin/MacOS-x86_64
Finder

\$ *Bin/MacOS-i686/FxPlayer.app/Contents/MacOS/FxPlayer <swf file>*

Finder SWF Dock AS2 AS3 Finder
HUD AS3 HUD
Bin\Data\AS3\Kits\Menu or Bin\Data\AS3\Kits\HUD

\$*Bin/MacOS-i686/MenuDemo.app/Contents/MacOS/MenuDemo*

2.5 コンソール用の *Scaleform SDK*

Scaleform

Scaleform

Scaleform 4.2 SDK

Scaleform

Xbox360® Wii™ PS3™, PS Vita™and 3DS™

SDK

Scaleform

<<http://gameware.autodesk.com/scaleform/developer/?action=hist&ver=4.0>>

2.5.1 Xbox 360 の *Scaleform SDK*

Xbox 360

Web

Scaleform SDK

Scaleform Player Xbox 360

2.5.1.1 Player/サンプルを構築して実行する

Scaleform Xbox 360 SDK

Scaleform 4.2 Xbox 360 Demos Visual Studio

[] ->[Scaleform SDK Browser]

Visual Studio 2005 (Msvc80) Visual Studio 2008

(Msvc90)

Xbox 360 Development Kit

Test Kit

Visual Studio

Debug

DebugOpt Release Shipping

Scaleform

[]

[

]

Visual Studio

(GFX SWF

) Xbox Development Kit

Xbox Development Kit

Xbox

Visual Studio

[[Visual Studio []
[] (

) Xbox F5
Player SWFToTexture TextureInSWF PlayerTiny Scaleform 4.2 Xbox 360 Demos

Xbox Test Kit Xbox Xbox Launcher
Xbox
A Xbox
Launcher Player SWFToTexture TextureInSWF PlayerTiny Xbox
(GFx_Xbox360 GFxExpat Sound)

Xbox 360® FxPlayer

- D
- A
- Y
- X
- B
- RB
- LB
- /
- Back

<back> FxPlayer
Flash

- A :Enter,
- B :Escape,
- Start :~,
- LT :PgUp,
- RT :PgDn,
- LB:Home,
- RB :End,
- LTH :Insert
- RTH :Delete

FxPlayerXbox360.cpp
Flash SWF

FXPLAYER_FILENAME

#define FXPLAYER_FILENAME "Window.swf"

"Window.swf"

A

2.5.1.2 ソースを構築する

Scaleform (Xbox 360) Xbox360 Scaleform SDK
Scaleform
:

1. Scaleform
{GFX_SDK}/Projects/Xbox360/Msvc90/SDK/GFx
4.2 Xbox 360 3rd Party.sln (Release
)
2. {GFX_SDK}/Projects/Xbox360/Msvc90/SDK/GFx 4.2 Xbox 360 SDK.sln
3. [] []
:

RTTI (Run Time Type Information)
Xbox360

C++

2.5.2 PS3 の Scaleform SDK

PS3 Scaleform SDK SDK readme

2.5.2.1 System の要件

FMOD Cell SDK 250 GNU make
3.81 (Visual Studio)

Visual Studio ProDG VSI PS3 SNC
Visual Studio

libgfxrender_ps3.a

Visual Studio

Visual Studio

```
libgcm                               Lib/PS3/Shaders.a
PSGL                                 Lib/PS3/GLShaders.a

make
```

2.5.2.2 レンダラ ライブラリ

```
:
Lib/<platform>/libgfxrender_<renderer>.a
```

2.5.2.3 make の使用

```
make          Scaleform          make          Linux
cygwin
```

1. 2.2.9.1 Make Scaleform

2. Scaleform

```
$ make P=PS3
```

```
SNC :
```

```
$ make P=PS3+snc
```

```
Lib Eval PS3 snc
P=PS3+snc snc (make snc
)
```

3. SWF \$(CELL_SDK)/FxPlayer/flash.swf
SWF GFX L1 R1 Scaleform Player

4. cell) "\$ (CELL_SDK)/FxPlayer/sf_license.txt" (RTC PRX
:

```
cellSysmoduleLoadModule(CELL_SYSMODULE_RTC);
```


5. ProDG
\$(CELL_SDK)/FxPlayer Flash

6. SWFToTexture RenderTexture
Bin/Data/AS2/Samples/SWFToTexture Bin/Data/AS2/Samples/RenderTexture SWF
\$(CELL_SDK)/FxPlayer

2.5.2.4 Visual Studio の使用

```
makefile          Scaleform          Visual Studio
                  (PS3
) Visual Studio          Visual Studi
```

```

Scaleform                                PS3                                Scaleform
4.2 PS3 SDK.sln                        Visual Studio
Projects/PS3/Msvc90/SDK                [          ]
[          ]
                                           Scaleform 4.2 PS3 Demos.sln
                                           Projects/PS3/Msvc90/Samples
                                           [          ]

```

2.5.2.5 プレーヤーのコントロール

```

graph TD
    PS3[PS3] --- D[D]
    D --- Scaleform[Scaleform Player]
    Scaleform --- HUD[HUD]
    HUD --- R1[R1]
    HUD --- L1[L1]
    HUD --- L2[L2]
    HUD --- R2[R2]
    R1 --- F1[/]
    L1 --- F2[/]
    L2 --- F3[/]
    R2 --- F4[/]
    F1 --- Select[Select]
    F2 --- Select
    F3 --- Select
    F4 --- Select
    Select --- Pad[PadKeyCommandMap]
    Pad --- FxPlayer[FxPlayer]
    FxPlayer --- FxApp[FxPlayerAppBase]
    FxApp --- Flash[Flash]
    Flash --- Select

```

"Window.swf"	D		X
FxPlayer		"Window.swf"	/usr/local/cell/FxPlayer/flash.swf
		SWF/GFX	L1/L2

2.5.2.6 PS3 レンダラのサポート

PS3 GCM GL

```
libgcm:
: Src/Render/PS3/

Lib/PS3/Shaders.a
:

$ make P=PS3 Lib/PS3/Shaders.a
```

```
PSGL:

Lib/PS3/GLShaders.a
:

$ make P=PS3 Lib/PS3/GLShaders.a
```

GLShaders.a SN "ppu-lv2-g++ -mno-sn-ld"

GNU

libcgm PSGL Scaleform Player

```
libgcm Player:
• PlayerGCM SWF
• PlayerTiny SWF
• SWFToTextureGCM SWF
• TextureInSWFGCM SWF
```

```
PSGL Player:
• PlayerGL SWF
• PlayerTinyGL SWF
• SWFToTextureGL SWF
• TextureInSWFGL SWF
```

PSGL libcgm

SWFToTexture/TextureInSWF *Apps/Samples/Common/MathLib**

■ ■

```
#ifdef FXPLAYER_RENDER_GCM
    <gcm specific>
#else
    <psgl specific>
#endif
```

2.5.2.7 ビルドの構成

(Release)

- Shipping
- Release
- Debug
- DebugOpt
- NoRTTI RTTI
- NoThreads Scaleform SF_ENABLE_THREADS)

```
make C=<config> "make C=Release+NoThreads" "+"
Makefile Projects
makefile
```

2.5.2.8 統合の注意事項

Scaleform	PRX Module	resc	fs	gcm	:
-----------	------------	------	----	-----	---

```
cellSysmoduleLoadModule(CELL_SYSMODULE_RESC);
cellSysmoduleLoadModule(CELL_SYSMODULE_FS);
cellSysmoduleLoadModule(CELL_SYSMODULE_GCM);
```

```
ActionScript    "Date" (          )    rtc          :
```

```
cellSysmoduleLoadModule(CELL_SYSMODULE_RTC);
```

2.5.2.9 スレッドのサポート

SF_ThreadsPthread.cpp

SF_ENABLE_THREADS

2.5.3 PS Vista 用 Scaleform SDK

2.5.3.1 要件

Vita SDK

2.5.3.2 インストール

PS Vita PS Vita Scaleform SDK

- sf_4.2_psvita_vc90_eval.exe

src

- sf_4.2_psvita_vc90_src.exe

src

- sf_4.2_psvita_vc90_lib.exe

2.5.3.3 プレーヤーとサンプルのビルド

Scaleform PS Vita SDK
Studio
Demos.sln”

Scaleform 4.2 PS Vita Demos Visual
“Projects/PSVita/Msvc90/Demos/GFx 4.2 PSVita

	FxPlayerMobile PS Vita	FxPlayerTiny Scaleform	Release PS Vita	Debug Scaleform	DebugOpt Scaleform	Shipping
Scaleform SDK						

1. "Projects/PSVita/Msvc90/SDK/GFx 4.2 PSVita SDK.sln"

2. Build Solution

Make Vita Make Scaleform
2.2.9

2.5.3.4 プレーヤーとサンプルの実行

Demo Source
FxPlayerTiny Scaleform
FxPlayerMobile HUD
Vita "File Serving Directory" "FxPlayer" SWF
FxPlayerMobile "flash.swf"
SWF

2.5.3.5 評価バージョン

2.10

2.5.4 Wii の Scaleform SDK

2.5.4.1 Player/サンプルを実行する

Bin/wii Codewarrior ndrun
Codewarrior (F5)
DVD Flash
RVL_SDK/dvddata/FxPlayer
dvddata/FxPlayer/sf_license.txt
:
Player flash.swf (SWF GFx)
PlayerTiny Window.swf (SWF GFx)
SWFToTexture Bin/Data/AS2/Samples/SWFToTexture
TextureInSWF dvddata/FxPlayer
Bin/Data/AS2/Samples/RenderTexture
dvddata/FxPlayer

```
FxPlayer :
A      Enter
B      Escape
HUD
HUD
Home
- and +      Flash      (dvddata/FxPlayer      SWF      GFX      )
C

Z

<Z>      FxPlayer
      FxPlayerAppBase      PadKeyCommandMap
      Flash
```

サンプルを構築する
makefile Codewarrior

```
Scaleform
1      :

Shipping
Release
Debug
DebugOpt

:

+NoRTTI      RTTI
+Sdata0      (sdata 0 -sdata2 0)
+NoThreads      Scaleform      (SF_ENABLE_THREADS
)

Wii      +NoRTTI      RTTI
+ _ ( )

Codewarrior      IDE    XML      [Preference]
      [IDE Extras]      [Use text-based projects]

Codewarrior
```

make

```
Video
Video      libgfx_video.a      (
)          [Target Settings]    [C/C++ Preprocessor]
          "#define GFX_ENABLE_VIDEO"
```

```
Scaleform      3rdParty
                make
```

```
make          Linux
Cygwin        PS3    2.3.2.3 make      Scaleform
Cygwin
```

```
Wii SDK      (
) SDK
                )
                Makeconfig      (
```

```
WII_CWDIR := "/cygdrive/c/Program Files/Freescale/CW for Wii v1.0"
WII_SDKDIR := /cygdrive/c/RVL_SDK
WII_NDEVDIR := /cygdrive/c/NDEV
```

```
Makeconfig      UNIX
                /cygdrive/<      >/...
```

```
cygwin          "make P=wii C=DebugOpt+NoRTTI"
DebugOpt+NoRTTI
                C
                Makeconfig      RVL_NDEV
```

2.5.5 ニンテンドー3DS 用の Scaleform SDK

2.5.5.1 要件

CTR SDK

2.5.5.2 インストール

3DS 3DS Scaleform SDK
3DS

- sf_4.2_eval_3ds.tar.bz2

src

- sf_4.2_src_3ds.tar.bz2

src

sf_4.2_lib_3ds.tar.bz2

2.5.5.3 コードのビルド

Scaleform 3DS SDK

Cygwin

Scaleform

Scaleform

\$ make P=3DS

Bin/3DS

Make

Scaleform

2.2.9

2.5.5.4 プレーヤーとサンプルの実行

FxPlayerMobile FxPlayerTiny

FxPlayer_CONTENT

ROM

Obj/3DS/rom_FxPlayerMobile/FxPlayer

Projects/3DS/Makefile

STARTUP_FLASH

Flash

SWF

cci

CTR

2.5.5.1 評価バージョン

2.10

2.6 モバイル用の *Scaleform SDK*

Scaleform

Scaleform

iOS

2.6.1 Android 用 Scaleform SDK

2.6.1.1 必要条件

Scaleform

- [SDK](#)
- [NDK](#)
- [Android Platform API](#)

2.6.1.2 インストール

Android Scaleform SDK

Android

- [sf_4.2_eval_android.tar.gz](#) eval
- [sf_4.2_src_android.tar.gz](#) src
- [sf_4.2_lib_android.tar.gz](#) lib

2.6.1.3 プレーヤ/サンプルの構築と実行

1. Scaleform Makeconfig

```
export JAVA_HOME := <path to JDK>
ANDROID_SDK := <path to SDK>
```

```
ANDROID_NDK := <path to NDK>
```

```
export PATH := $(JAVA_HOME)/bin:$(ANDROID_SDK)/tools:$(ANDROID_SDK)/platform-tools
```

Makeconfig

UNIX

msys

/<drive letter>/...

Cygwin

/cygdrive/<drive letter>/...

Android_SDK

C:¥Android/SDK

```
"export ANDROID_SDK := /cygdrive/c/Android/SDK"
```

2. Scaleform lib

```
$ make P=Android
```

3. Bin/Android

APK

Android

Android

APK

4. SWF

/sdcard/flash.swf

SWF

GFx

Menu

HUD

Scaleform Player

5.

/sdcard/sf_license.txt

6.

flash.swf

/sdcard

2.6.1.4 ソースのビルド

Scaleform

Scaleform SDK

Android Scaleform

make

2.6.2 iOS の Scaleform SDK

Scaleform

- Mac OS X Snow Leopard
- Xcode 3.2.5, Xcode 4
- Recent SDK version
- SDK

2.6.2.1 インストール

iOS Scaleform SDK

iOS

eval

- sf_4.2_eval_ios.tar.bz2

src

- sf_4.2_src_ios.tar.bz2

lib

- sf_4.2_lib_ios.tar.bz2

2.6.2.1 プレーヤ/サンプルの構築と実行

Scaleform iOS
iPhone Xcode

"Projects¥iPhone\Xcode3\GFx 4.2 iPhone SDK\"

GFx 4

iOS

Xcode

Debug

DebugOpt

Release

Shipping

Scaleform
Build and Run

Xcode

SCALEFORM

SWF

iOS

iOS

flash.swf

SWF

SWF

File Sharing

FxPlayerMobile Documents

Apps

iTunes
iTunes
FxPlayerMobile
Add...

Apps

SWF

SWF

2.6.2.1 ソースのビルド

Scaleform

iOS Scaleform

Scaleform SDK

1. Release Scaleform iOS make lib lipo

make P=iPhone/armv7 C=Release

2.7 CS3 に *Scaleform Launcher* パネルをインストールする

Scaleform Launcher

SWF

Scaleform™ Player

:


1. Adobe Extension Manager Windows®>[]>[]>[Adobe Extension Manager CS3]
C:/Program Files/Adobe/Adobe Extension Manager

Mac Adobe Extension Manager Finder>Applications>AdobeExtensionManager CS3>ExtensionManager

2. [Adobe Extension Manager] []
Mac Install


3. :
Windows :C:/Program Files/Scaleform/GFx SDK 4.2/Resources/Tools/
Mac :Scaleform_gfx_4.2_macos/Resources/Tools/

4. MXP "Scaleform Extensions.mxp"



1: Scaleform Extensions.mxp

Windows




2: Scaleform Extensions.mxp

Mac

5. []

6. [OK]



3: CS3 Adobe Extension Manager Windows

4: CS3 AdobeExtensionManager Mac

7. Adobe Extension Manager


8. Flash Flash (ActionScript 2.0 or 3.0)

9. Flash [] [] [Scaleform Launcher]
[Scaleform Launcher]



5: [] [Scaleform Launcher]

Windows



6: [](Other Panels) [Scaleform Launcher]

Mac

2.8 CS4, CS5 に *Scaleform Launcher* パネルをインストールする

Scaleform Launcher

SWF

Scaleform Player

:

1. Flash CS4 or CS5 []
Extension Manager Flash
Adobe Adobe

Adobe Extension Manager


[
Adobe

2. [Adobe Extension Manager] []

3. :


Windows :C:/Program Files/Scaleform/GFx SDK 4.2/Resources/Tools/
Mac :Scaleform_gfx_4.2_macos/Resources/Tools/

4. MXP "Scaleform Extensions.mxp"



7: Scaleform Extensions.mxp

Windows





8: Scaleform Extensions.mxp

Mac

5. []

6. Flash CS4 or CS5 [OK]




9: CS4 (top) , CS5 (bottom) Adobe Extension Manager

7. Adobe Extension Manager


8. Flash

9. Flash [] [] [Scaleform Launcher]
[Scaleform Launcher]



10: Scaleform Launcher

Windows



11: Scaleform Launcher


Mac

Scaleform Launcher Scaleform Player
 Scaleform Player SWF /
 Scaleform SWF
 Adobe Player CLIK Scaleform



Players/プロフィールを追加する:

1. [Profiles:] SWF Scaleform Player
[+]




13: [+]

[] Flash Player




14:

2. [+] Scaleform Player



15:

3. Windows GfXMediaPlayer Scaleform
 Player Player
 Player GfXMediaPlayer
 C:/Program Files/Scaleform/GfX SDK 4.2/Bin :



16: *GFxMediaPlayer*

Windows

Mac *FxPlayer_DebugOpt*


Scaleform_gfx_4.2_macos/Bin/MacOS/FxPlayer_DebugOpt.app/Contents/MacOS

17: *GFxMediaPlayer_DebugOpt*

Mac

4. [] [Player Name]

Player



21:


GFxPlayerDebugOpt

Mac

8. [OK]

9. [Scaleform Launcher]

[Profiles]



22: AMP

Scaleform Launcher

Windows

23: DebugOpt

ScaleformLauncher

Mac

プロフィールを編集する:

1. [Scaleform Launcher]

[Profiles]


2.

[]

3. [player EXE]

Player

4. [OK]



24:

Windows

25:

Mac

プロファイルを削除する:


1. [Scaleform Launcher] [Profiles]
2. [-]
- 3.

[]

[OK]

SWF をテストする:

1. SWF
2. [Scaleform Launcher] [Profiles]
3. [Test with ()]
4. Scaleform Player SWF



26: [Test with GfxMediaPlayerAMP]

SWF

Windows

キーボード・ショートカットを介したプレーヤーの起動

Scaleform Player

Flash

1. *Edit*
2. *Keyboard Shortcuts*
3. Keyboard Shortcuts Standard Current set: Adobe
4. *Duplicate Set*
- 5.
6. OK
7. *Commands* Drawing Menu Commands
8. *Commands*
9. Scaleform Player Publish
- 10.
11. Press Enter Flash Ctrl Enter Ctrl
12. *Change*
13. *Reassign*
14. *Commands* Control
15. Test Movie Flash
- 16.

17. PressCtrl ¥
18. Change
19. OKKeyboard Shortcuts

2.10 ライセンス

2.10.1 ライセンス関連の問題

Scaleform 4.2 Eval libs

Scaleform
sf_license.txt
sf_license.txt

3AAAA1BB23B8ZCCCC4CCEOFSJCZ08DDDDDEFsf_license.txt

Scaleform 4.2

2sf_license.txt1sf_license.txt

sf_license.txt

Scaleform 4.2

The Scaleform trial period expired on 1(m) 1(d) 2008, please contact Scaleform for an extension. Error: 106

sf_license.txt

Failed to open the Scaleform license file, please make sure sf_license.txt exists in the working directory. Error: 101

- 1.
2. GfX SDK
3. GfX SDK

HOME

Xbox 360®

1. XDK Debug – D:/\${SolutionName}/sf_license.txt

PSP® (PlayStation®Portable)

1.
Linux - /usr/local/psp/FxPlayer/sf_license.txt
Windows – C:/usr/local/psp/FxPlayer/sf_license.txt

PLAYSTATION®3 (PS3™)

1. /app_home/sf_license.txt
2. /host_root/usr/local/cell/FxPlayer/sf_license.txt
3. /dev_bdvd/PS3_GAME/USRDIR/sf_license.txt

PLAYSTATION®Vita™(PS Vita™)

1. Copy sf_license.txt FxPlayer

3DS™

sf_license.txt Lib/3DS/target

Wii™

1. dvddata/FxPlayer/sf_license.txt

iOS

1. Xcode sf_license.txt Xcode
Scaleform.app

Android

1. explorer/manager
sf_license.txt

(

"/sdcard"

2.11 サポート

Scaleform

<http://gameware.autodesk.com/scaleform>

<http://gameware.autodesk.com/scaleform/developer/>

FAQ

Scaleform

<<http://gameware.autodesk.com/scaleform/developer/support/scp/>>

Scaleform

-
-
-
-
-
-
-
-

Scaleform

Scaleform

ActionScript

SWF/FLA

Scaleform

Scaleform

2.12 フィードバック

Scaleform

gameware@autodesk.com
Scaleform

- Flash AS2
Flash Scaleform
Flash Association) Flash SIG (IGDA (International Game Developers Association)
: http://www.igda.org/wiki/Flash_SIG
IGDA <http://igda.jp/modules/bulletin/>
Flash 2009 6 30 Flash

3.2 スタートガイド

Scaleform 4.2

Scaleform 4.2

- **Getting Started with CLIK** CLIK) CLIK
Flash→CLIK→Illustrator® Photoshop®
- **Getting Started with CLIK Buttons** CLIK CLIK
CLIK
- **Getting Started with Video** Video After Effects® Adobe Premiere®
Scaleform 4.2 USM
Flash
- **Getting Started with IME** IME IME
Scaleform IME

3.3 開発関連資料

Scaleform 4.2 Flash
Scaleform 4.2

- **Integration Tutorial** Scaleform 4.2 DirectX 9
- **Reference Documentation** CHM Scaleform 4.2
- **Scaleform CLIK User Guide** CLIK
- **Memory System Overview** Scaleform 4.2
AMP

- **Font Overview Configuration** Scaleform 4.2
Scaleform C++ API
- **Scale9Grid** Scaleform 4.2
Scale9Grid
- **ActionScript Extensions** Scaleform 4.2 ActionScript
- **IME Configuration** Scaleform 4.2 IME
- **Draw Text API** C++ Scaleform DrawText API ActionScript
- **XML Overview** Scaleform XML
- **Flash Support Overview** Scaleform 4.2 Flash
- **Best Practices Guide** Scaleform 4.2

3.4 プラットフォーム別資料

Xbox 360 PS3 UE3

SDK Scaleform
gameware@autodesk.com

- **IME Xbox 360 Configuration** Xbox 360 Scaleform IME
- **IME PS3 Configuration** PS3 Scaleform IME
- **Unreal Engine 3 Workflow** Flash Unreal Engine 3
- **Unreal Engine 3 Integration** Scaleform 4.2 UE3
Kismet UnrealScript UnrealEditor
- **プラットフォームの README ファイル** readme

3.5 デモとサンプル

Scaleform 4.2 SDK

Scaleform

"Downloads"

"Demos"

<http://gameware.autodesk.com/scaleform/developer/?action=demo>

Flash

Scaleform 4.2

- **Scaleform Player Tiny:**

Scaleform Player

Scaleform SDK

ソース (マルチプラットフォーム): *C:/Program Files (x86)/Scaleform/GFx SDK 4.1/Apps/Samples/GFxPlayerTiny*

- **Scaleform Player SWF to Texture :**

Flash

3D

3D

Flash

3D

Flash

SDK

実行ファイル (PC): *C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Win32/Msvc90/GFxPlayerSWFToTexture/SWFToTexture_D3D9_Release_Static.exe*

ソース (マルチプラットフォーム): *C:/Program Files (x86)/Scaleform/GFx SDK 4.2/Apps/Samples/RenderTexture*

- **Scaleform Player Texture in SWF :**

Flash

3D

3D

Flash

実行ファイル (PC): *C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Win32/Msvc90/GFxPlayerTextureInSWF/TextureInSWF_D3D9_Release_Static.exe*

ソース (マルチプラットフォーム): *C:/Program Files (x86)/Scaleform/GFx SDK 4.2/Apps/Samples/RenderTexture*

Macintosh

Linux

Scaleform SDK

Bin/<platform>/

3.6 オンラインのマニュアルとビデオ

Scaleform 4.2 SDK

Scaleform

<http://gameware.autodesk.com/scaleform/developer/?action=doc>


Scaleform
Started

ScaleSDK

Getting

<http://gameware.autodesk.com/scaleform/developer/?action=vid>

4. どこから始めるか




FAQ

<http://gameware.autodesk.com/developer/forums/>

4.1 制作者カテゴリー別の情報

4.1.1 UIプログラマー



4.1.2 UI デザイナー

UI
UI

Flash
CLIK

UI

AS2

UI

Windows SDK Browser Scaleform GfX Player Windows

Mac Linux Scaleform SDK 4
Bin/<platform>/
 Mac
 SWF Scaleform SDK 4 *3DDemo* SWF
 SWF

Linux – Bin/i386-linux/FxPlayer<swf file>
MacOS – Bin/MacOs/FxPlayer.app/Contents/MacOS/FxPlayer<swf file>

Scaleform SDK 4 /Bin/Data/{AS2 or AS3}/Samples

Scaleform 4.2 AS2.0 3.0 Flash CS3, CS4 CS5

 ActionScript2 ActionScript3

 Flash

(ActionScript 2.0 or ActionScript 3.0 File->New->Flash File

4.2 Player "Flash Player 10" Scaleform

 AS2.0

Scaleform 4.2 AS2.0, AS 3.0

 GFx 4 AS2.0, AS3.0 Flash