

Autodesk® **Scaleform**®

Scaleform 4.2

Scaleform 4.2

Matthew Doyle
2.09
: 2012 7 18

Copyright Notice

Autodesk® Scaleform® 4.2

© 2012 Autodesk, Inc. All rights reserved. Except as otherwise permitted by Autodesk, Inc., this publication, or parts thereof, may not be reproduced in any form, by any method, for any purpose.

Certain materials included in this publication are reprinted with the permission of the copyright holder.

The following are registered trademarks or trademarks of Autodesk, Inc., and/or its subsidiaries and/or affiliates in the USA and other countries: 123D, 3ds Max, Algor, Alias, AliasStudio, ATC, AUGI, AutoCAD, AutoCAD Learning Assistance, AutoCAD LT, AutoCAD Simulator, AutoCAD SQL Extension, AutoCAD SQL Interface, Autodesk, Autodesk Homestyler, Autodesk Intent, Autodesk Inventor, Autodesk MapGuide, Autodesk Streamline, AutoLISP, AutoSketch, AutoSnap, AutoTrack, Backburner, Backdraft, Beast, Beast (design/logo) Built with ObjectARX (design/logo), Burn, Buzzsaw, CAiCE, CFdesign, Civil 3D, Cleaner, Cleaner Central, ClearScale, Colour Warper, Combustion, Communication Specification, Constructware, Content Explorer, Creative Bridge, Dancing Baby (image), DesignCenter, Design Doctor, Designer's Toolkit, DesignKids, DesignProf, DesignServer, DesignStudio, Design Web Format, Discreet, DWF, DWG, DWG (design/logo), DWG Extreme, DWG TrueConvert, DWG TrueView, DWFx, DXF, Ecotect, Evolver, Exposure, Extending the Design Team, Face Robot, FBX, Fempro, Fire, Flame, Flare, Flint, FMDesktop, Freewheel, GDX Driver, Green Building Studio, Heads-up Design, Heidi, Homestyler, HumanIK, i-drop, ImageModeler, iMOUT, Incinerator, Inferno, Instructables, Instructables (stylized robot design/logo), Inventor, Inventor LT, Kynapse, Kynogon, LandXplorer, Lustre, MatchMover, Maya, Mechanical Desktop, MIMI, Moldflow, Moldflow Plastics Advisers, Moldflow Plastics Insight, Moondust, MotionBuilder, Movimento, MPA, MPA (design/logo), MPI (design/logo), MPX, MPX (design/logo), Mudbox, Multi-Master Editing, Navisworks, ObjectARX, ObjectDBX, Opticore, Pipeplus, Pixlr, Pixlr-o-matic, PolarSnap, Powered with Autodesk Technology, Productstream, ProMaterials, RasterDWG, RealDWG, Real-time Roto, Recognize, Render Queue, Retimer, Reveal, Revit, RiverCAD, Robot, Scaleform, Scaleform GFx, Showcase, Show Me, ShowMotion, SketchBook, Smoke, Softimage, Sparks, SteeringWheels, Stitcher, Stone, StormNET, Tinkerbox, ToolClip, Topobase, Toxik, TrustedDWG, T-Splines, U-Vis, ViewCube, Visual, Visual LISP, Vtour, WaterNetworks, Wire, Wiretap, WiretapCentral, XSI.

All other brand names, product names or trademarks belong to their respective holders.

Disclaimer

THIS PUBLICATION AND THE INFORMATION CONTAINED HEREIN IS MADE AVAILABLE BY AUTODESK, INC. "AS IS." AUTODESK, INC. DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR

IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE REGARDING THESE MATERIALS.

Autodesk Scaleform

Scaleform 4.2

Autodesk Scaleform Corporation

6305 Ivy Lane, Suite 310

Greenbelt, MD 20770, USA

www.scaleform.com

info@scaleform.com

(301) 446-3200

(301) 446-3199

1		1
2		2
2.1	Flash	2
2.2	SDK	2
2.2.1		3
2.2.2	SDK	4
2.2.3	Scaleform CLIK	4
2.2.4	Scaleform	5
2.2.5	Scaleform IME	5
2.2.6	Platform SDKs	6
2.2.7	.Net	6
2.2.8		6
2.2.9	Scaleform	8
2.3	Windows Scaleform SDK	13
2.3.1	Scaleform	13
2.4	Scaleform SDK for Mac	15
2.4.1		15
2.4.2		15
2.4.3	MacOS X(10.6 10.7)	15
2.4.4		16
2.5	Scaleform SDK	17
2.5.1	Scaleform SDK for Xbox 360	17
2.5.2	Scaleform SDK for PS3	19
2.5.3	Scaleform SDK for PS Vita	24
2.5.4	Scaleform SDK for Nintendo Wii	25
2.5.5	Scaleform SDK for Nintendo 3DS	27
2.6	Scaleform SDK	29
2.6.1	Android Scaleform SDK	29

2.6.2	iOS	Scaleform SDK.....	30
2.7	CS3	Scaleform	32
2.8	CS4, CS5	Scaleform	35
2.9	Scaleform		38
2.10			46
2.10.1			46
2.11			48
2.12			48
3			49
3.1	Flash.....		49
3.2			50
3.3			50
3.4			51
3.5			52
3.6			53
4			54
4.1			54
4.1.1	UI		54
4.1.2	UI		55
4.1.3	UI		55
4.2			55
4.3			56

1

Autodesk® Scaleform® 4.1
Scaleform 3.0

Scaleform 4.2

Scaleform Common Lightweight Interface Kit (CLIK™)

Scaleform

- Scaleform CLIK
- Scaleform CRI Movie™
- Scaleform (AMP™)
- Scaleform (IME)
-
-

: Scaleform 4.2 ActionScript 3.0 ,

2.2.1

Scaleform ,

1. (Full Source)

2. (Licensed Binary Libs)

3. (Evaluation Binary Libs)

, ,

,

Scaleform SDK

Scaleform Scaleform

Scaleform ()

, (Lib)

GFXSDK SDK

.tar.gz .zip Scaleform , Scaleform

(Scaleform Video) make ,

Scaleform SDK FxPlayer PlayerSWFTToTexture

() ,

, ,

Visual Studio,

(Preprocessor Symbol)

GFX_ENABLE_VIDEO	Libgfxvideo
GFX_ENABLE_I M E	Libgfxime

Scaleform (Build) ,

(Shipping) (Check)

(Release)

DebugOpt

2.2.1.1 Windows OS

tar.bz2	Windows	,
,	7-zip	tar.bz2

2.2.2 SDK

Scaleform 4.2	SDK	Scaleform 4.2
---------------	-----	---------------

Windows “ ” SDK → Scaleform→ GfX SDK 4.2→
Scaleform SDK mac os scaleform_gfx_4.2_macos/Bin/Browser
/ Browser.app SDK

2.2.3 Scaleform CLIK

Scaleform 4.2	Scaleform	(CLIK)	UI	
CLIK	SDK	CLIK		Flash
CLIK		CLIK		
		<i>Getting Started</i>		

1. Windows
Start->Programs->Scaleform->GFx SDK 4.2->Documentation->Scaleform 4.2 – Getting Started with CLIK.pdf
2. Windows
C:/Program Files/Scaleform/GFx SDK 4.2/Doc/sf_4.2_getting_started_with_CLIK.pdf
3. SDK

```

,CLIK
:
Windows
:
C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS2/CLIK/
C:/Program Files/Scaleform/GFx SDK 4.2/Resources/AS3/CLIK/
C:/Program Files/Scaleform/GFx SDK 4.2/Resources/Tools/

```

:
 scaleform_gfx_4.2_platform/Resources/AS2/CLIK/
 scaleform_gfx_4.2_platform/Resources/AS3/CLIK/
 scaleform_gfx_4.2_platform/Resources/Tools/

2.2.4 Scaleform

Scaleform CRI Scaleform
 Scaleform 4.2 SDK Scaleform Video Flash
 , UI Flash , "PlayStation® 3" (PS3™) Xbox® 360 Wii™ Mac
 PC Scaleform Video
 Scaleform Scaleform 4.2 SDK Scaleform
 Windows Scaleform->GFx SDK 4.2->Video
 Scaleform

C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Tools/VideoEncoder/

C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Data/AS2/Video/

1. *C:/Program Files/Scaleform/GFx SDK 4.2/Doc/sf_4.2_getting_started_with_video.pdf*
2. Start->Programs->Scaleform->GFx SDK 4.2->Documentation->Scaleform 4.2 – Getting Started with Video.pdf
3. SDK Browser.

2.2.5 Scaleform IME

Scaleform (IME) Flash ,PC
 Scaleform IME

Scaleform 4.2 SDK

C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Data/AS2/IME/

C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Data/AS3/IME/

2.2.6 Platform SDKs

Scaleform
Scaleform SDK, Scaleform SDK (Build History)

2.2.7 .Net

.NET 2.0 SP1 Scaleform CRI [Microsoft .NET Framework Version 2.0 SP1](#)
.NET 2.0 SP1

2.2.8

Scaleform
Scaleform

3rdParty/

Apps/

Samples
Common
FxPlayer Flash
GFxPlayerTiny Scaleform

Bin/ ()
[Platform] (Scaleform Player)

Data/AS2/Samples	Sample Flash
FxPlayer	Scaleform Player
RenderTexture	RenderTexture
SWFTToTexture	RenderTexture
ImageDelegate	ImageDelegate
Data/AS2/Video	Scaleform video
Data/AS2/IME	Scaleform IME
Data/AS2/Samples	Sample ActionScript2 Flash
Data/AS2/Kits	Sample data for ActionScript2 Kits
Data/AS3/Samples	Sample ActionScript3 Flash
Data/AS3/IME	Sample IME ActionScript 3

Data/AS3/Kits

Sample data for ActionScript3 Kits

3DS	3DS	SF_OS_3DS
Wii	Wii	SF_OS_WII
Xbox360	Xbox 360	SF_OS_XBOX360

	gcc
Msvc80	Visual Studio 8.0 (2005)
Msvc90	Visual Studio 9.0 (2008)
Msvc10	Visual Studio 10.0 (2010)
CW	Codewarrior
snc	SN

[Platform] Win32/Msvc80
 “ ” MacOS “ ”

2.2.9 Scaleform

,Scaleform Visual Studio , make ,
 make Visual Studio IDE Projects() Solutions() ‘Projects’
 ,

2.2.9.1 make

‘make’ , IDE(Visual Studio) Scaleform SDK
 readme_make.txt, make

- Linux
- MacOS
- Android™
- iPhone®
- PS3™
- Nintendo 3DS™

- Wii™
- Wii U™

make Scaleform , Linux , make cygwin,

1. <http://www.cygwin.com/>, setup.exe

2. “ ”

3. (c:/cygwin)

4. (c:/cygwin)

5. “ ”

6.

7. “ ” ‘Devel’ ‘binutils’ ‘make’

8.

, Windows "Cygwin Bash Shell", "ld" "make"

\$ make -v

GNU Make 3.81

Copyright (C) 2006 Free Software Foundation, Inc.

...

This program built for i686-pc-cygwin

\$ ld -v

GNU ld (GNU Binutils) 2.18.50.20080625

===

make utility Scaleform

make

1. Scaleform Makeconfig ()

a. export CELL_SDK := <path to cell sdk>

b. EPATH := \$(PATH)

c. export PATH = \$(CELL_SDK)/host-win32/ppu/bin:\$(CELL_SDK)/host-

i. win32/Cg/bin:\$(CELL_SDK)/host-win32/bin:\$(EPATH)

2. Makeconfig unix msys
 /< >/... Cygwin /cygdrive/< >/.... CELL_SDK
 C:\ps3\cell
 a. "export CELL_SDK := /cygdrive/c/ps3/cell".

3. , ,
 a. \$ make P=PS3
 b. \$ make P=PS3 C=Debug

make C=<config> "+" , RTTI
 , "make C=Release+NoRTTI"
 Make , Projects make </config>

2.2.9.2 'make'

make P=Android C=Debug
 make P=3DS C=Debug+NoRTTI

SNC PS3
 make P=PS3+snc

gcc PS3
 make P=PS3

SCU SCU iOS
 make P=iPhone/armv7 SCU=0

make P=wii C=Shipping+NoRTTI VERBOSE=1

x64 Mac RTTI
 make P=MacOS/x86_64 C=Release

iPhone armv7
 make P=iPhone/sim
 make P=iPhone/armv7 C=Release+NoRTTI

```
make P=MacOS C=Release+NoRTTI Lib/MacOS-x86_64/Release_NoRTTI/libgfx.a
```

4 (-j4)

```
make P=PS3 C=Shipping+NoRTTI -j4 Bin/PS3/FxPlayer_Shipping_NoRTTI.elf
```

2.2.9.3 SCU Builds

```

,Scaleform                                     (SCU)
(Lumping)          (Unity build) SCU      (SCU Builds)
Scaleform SDK
,
SCU
,
Scaleform
SCU
_All.cpp
#include
AS3 Obj Accessibility SCU

```

```
Src/GFx/AS3/Obj/Accessibility/AS3_Obj_Accessibility_All.cpp
```

```

...
#include "AS3_Obj_Accessibility_ISearchableText.cpp"
#include "AS3_Obj_Accessibility_ISimpleTextSelection.cpp"
#include "AS3_Obj_Accessibility_Accessibility.cpp"
#include "AS3_Obj_Accessibility_AccessibilityImplementation.cpp"
#include "AS3_Obj_Accessibility_AccessibilityProperties.cpp"

```

```

, SCU
, SCU
, SCU
Visual Studio

```

```

SCU
• AS2_SCU
• AS3_SCU
• AIR_SCU

```

```

SCU
• AS2
• AS3
• AIR

```



```

, SCU
make ,SCU
'SCU=0' make ,
make P=PS3+snc C=Release+NoRTTI SCU=0

```

2.3 Windows Scaleform SDK

Windows® XP (32 bit, SP3), Vista (32/64 bit, SP2) Windows 7 (32/64 bit) Scaleform
Scaleform Visual Studio 2008 (9.0) Visual Studio 2010

2.3.1 Scaleform

Scaleform

Scaleform

Scaleform SDK

\Program Files\Scaleform\GFx SDK 4.2\Lib\[Platform]\[MSVC Version]\

Debug	Scaleform	Debug libs
Runtime Library		Debug (/MTd)
Debug Information Format	C7	(/Z7)

DebugOpt	Scaleform
Runtime Library	(/MT)
Debug Information Format	C7 (/Z7)
Optimization	(/Ox)

Release	Scaleform
Runtime Library	(/MT)
Optimization	(/Ox)

Shipping	Scaleform	Shipping libs
Runtime Library	(/MT)	
Optimization	(/Ox)	

2.3.1.1 MSVC

Scaleform **SWFToTexture** **TextureInSWF** "Working
Directory" C:\Program Files (x86)\Scaleform\GFx SDK 4.2\Bin\Data

1. **Project**
2. **Properties**
3. **Configuration** All Configurations
4. **Debugging**
5. **Working Directory**

2.4 Scaleform SDK for Mac

Scaleform SDK Scaleform Cocoa GL MacOS

2.4.1

- Scaleform
- MacOS Snow Leopard (10.6)/Lion (10.7)
- Mac/iPhone/iPad Xcode(3.2.6)
- : PPC

2.4.2

- Scaleform SDK for MacOS MacOS
- sf_4.2_eval_macos_i686.tar.bz2 sf_4.2_eval_macos_x86_64.tar.bz2
- src
- sf_4.2_src_macos_i686.tar.bz2 sf_4.2_src_macos_x86_64.tar.bz2
- () src
- sf_4.2_lib_macos_i686.tar.bz2 sf_4.2_lib_macos_x86_64.tar.bz2
- Video
- Video
 - o sf_4.2_{eval/lib/src}_video_macos_i686.tar.bz2

2.4.3 MacOS X(10.6 10.7)

Scaleform MacOS SDK , terminal.app Scaleform

x86 x64 Scaleform()

\$ make P=MacOS

Bin/MacOS

CPU Scaleform():
\$ make P=MacOS/i686

\$ make P=MacOS/x86_64

,zlib

2.4.4

Bin/MacOS-i686 Bin/MacOS-x86_64


(Finder)

\$ Bin/MacOS-i686/FxPlayer.app/Contents/MacOS/FxPlayer <swf file>

	,	SWF	Dock	HUD	Menu
AS2	AS3	Finder (Bin\Data\AS3\Kits\Menu or Bin\Data\AS3\Kits\HUD)			

((Menu Kit) *\$Bin/MacOS-i686/MenuDemo.app/Contents/MacOS/MenuDemo*

2.5 *Scaleform SDK*



2.5.1 *Scaleform SDK for Xbox 360*



2.5.1.1 /



Scaleform 4.2 Xbox 360 Player SWFToTexture
TextureInSWF PlayerTiny

Xbox Test Kit Xbox Xbox A
Xbox
Player SWFToTexture TextureInSWF Xbox
PlayerTiny (GFx_Xbox360, GFxExpat, Sound)

- Xbox 360® FxPlayer , (Gamepad)
- D Pad ()
 - A (Enter)
 - Y (Wireframe)
 - X (Playback Info)
 - B (Enable Fast Forward)
 - RB LB
 - “ ”(Start) “ / ”(Pause/Play)
 - Back(),

<back> ,FxPlayer , Flash ()
</back>

- A :Enter
- B :Escape
- Start : ~,
- LT :PgUp
- RT :PgDn
- LB:Home
- RB :End
- LTH :Insert
- RTH :Delete

FxPlayerXbox360.cpp FXPLAYER_FILENAME Flash (SWF)

```
#define FXPLAYER_FILENAME "Window.swf"
"Window.swf"                      A
```

2.5.1.2

Scaleform (Xbox 360) Scaleform SDK
Xbox360 Scaleform

1. Scaleform
{GFX_SDK}/Projects/Xbox360/Msvc90/SDK/GFx 4.2 Xbox 360 3rd Party.sln (Release)
2. {GFX_SDK}/Projects/ Xbox360/Msvc90/SDK/GFx 4.2 Xbox 360 SDK.sln
3. Build Solution

RTTI () C++ Xbox360

2.5.2 Scaleform SDK for PS3

PS3 Scaleform SDK SDK “ readme ”

2.5.2.1

FMOD Cell SDK 250 GNU make version 3.81
Visual Studio
Visual Studio ProDG VSI PS3 SNC Visual Studio
libs libgfxrender_ps3.a
Visual Studio Visual Studio
libgcm *Lib/PS3/Shaders.a.*
PSGL *Lib/PS3/GLShaders.a.*

make

2.5.2.2

Lib/<platform>/libgfxrender_<renderer>.a

2.5.2.3 make

make Scaleform Linux make

1. Make Scaleform 2.2.9.1

2. Scaleform

\$ make P=PS3

To build using SNC:

\$ make P=PS3+snc

Lib Eval “ ” PS3 snc snc snc
make P=PS3+snc

3. SWF \$(CELL_SDK)/FxPlayer/flash.swf. SWF GFX
Scaleform Player L1 R1

4. " \$(CELL_SDK)/FxPlayer/sf_license.txt" (
) RTC PRX

cellSysmoduleLoadModule(CELL_SYSMODULE_RTC);

5. ProDG Flash
 \$(CELL_SDK)/FxPlayer

6. SWFToTexture RenderTexture Bin/Data/AS2/Samples/SWFToTexture
 Bin/Data/AS2/Samples/RenderTexture SWF \$(CELL_SDK)/FxPlayer.

2.5.2.4 Visual Studio

Make PS3 Visual Studio Visual Studio Visual Studio Scaleform

Scaleform PS3 Visual Studio

Scaleform 4.2 PS3 SDK.sln *Projects/PS3/Msvc90/SDK*

Build Build Solution

Scaleform 4.2 PS3 Demos.sln

Projects/PS3/Msvc90/Samples Build Build

Solution

2.5.2.5

"PS3" Scaleform Player , "PS3" Scaleform

Player , "PS3" Scaleform Player ,

"PS3" Scaleform Player , "PS3"

Scaleform Player , "PS3" Scaleform Player ,

"PS3" Scaleform Player , "PS3"

Scaleform Player ,

- D Pad ()
- (Cross) (Enter)
- (Triangle) (Wireframe)
- (Square) HUD
- (Circle)
- R1 L1
- L2 (Anti-Aliasing)
- R2 /
- " "(Start) " / " (Pause/Play)
- Select(),

<select> ,FxPlayer , FxPlayerAppBase

ctor(PadKeyCommandMap) Flash

```
:"Window.swf"      D Pad      ,      (X)
"Window.swf"      /usr/local/cell/FxPlayer/flash.swf      FxPlayer      SWF/GFX
,      L1/L2
```

2.5.2.6 PS3

PS3 GCM GL

libgcm:

Src/Render/PS3/

Lib/PS3/Shaders.a

\$ make P=PS3 Lib/PS3/Shaders.a

PSGL:

Lib/PS3/Shaders.a

\$ make P=PS3 Lib/PS3/GLShaders.a

GLShaders.a SN "ppu-lv2-g++ -mno-sn-ld" GNU

libcgm PSGL Scaleform

libgcm

- PlayerGCM SWF
- PlayerTiny SWF
- SWFToTextureGCM SWF
- PlayerTextureInSWFGCM SWF

PSGL

- PlayerGL SWF
- PlayerTinyGL SWF
- SWFToTextureGL SWF
- TextureInSWFGL SWF

PSGL libgcm

PSGL *Apps/Samples/Common/OpenGLPS3App.**

SWFToTexture/TextureInSWF *Apps/Samples/Common/MathLib.**

```
#ifdef FXPLAYER_RENDER_GCM
    <gcm specific>
#else
    <psgl specific>
#endif
```

2.5.2.7

- Shipping
- Release
- Debug
- DebugOpt
- NoRTTI RTTI
- NoThreads Scaleform (SF_ENABLE_THREADS)

```
make C=<config> "+"
"make C=Release+NoThreads" Make
make
```

2.5.2.8

Scaleform PRX resc fs gcm

```
cellSysmoduleLoadModule(CELL_SYSMODULE_RESC);
cellSysmoduleLoadModule(CELL_SYSMODULE_FS);
cellSysmoduleLoadModule(CELL_SYSMODULE_GCM);
```

ActionScript "Date" () rtc

```
cellSysmoduleLoadModule(CELL_SYSMODULE_RTC);
```

2.5.2.9

SF_ENABLE_THREADS

SF_ThreadsPthread.cpp

2.5.3 Scaleform SDK for PS Vita

2.5.3.1

Vita SDK

2.5.3.2

Scaleform SDK for PS Vita

PS Vita

- sf_4.2_psvita_vc90_eval.exe

src

- sf_4.2_psvita_vc90_src.exe

()

src

- sf_4.2_psvita_vc90_lib.exe

2.5.3.3 /

Scaleform PS Vita SDK , Scaleform 4.2 PS Vita Demos Visual Studio
“Projects/PSVita/Msvc90/Demos/GFx 4.2 PSVita Demos.sln”

DebugOpt (Shipping) FxPlayerMobile FxPlayerTiny (Release) (Debug)
Scaleform SDK PS Vita Scaleform ,
PS Vita Scaleform

1. “Projects/PSVita/Msvc90/SDK/GFx 4.2 PSVita SDK.sln”

2. “ ”(Build Solution)

make Vita , make Scaleform

2.2.9

2.5.3.4

Demo Source
FxPlayerTiny Scaleform
FxPlayerMobile , HUD
(SWF) Vita "File Serving Directory"() "FxPlayer"
SWF "flash.swf", FxPlayerMobile

2.5.3.5

, 2.10

2.5.4 Scaleform SDK for Nintendo Wii

2.5.4.1 /

Bin/wii Codewarrior ndrunk
Codewarrior (F5)

DVD Flash
RVL_SDK/dvddata/FxPlayer *dvddata/FxPlayer/sf_license.txt.*

Player flash.swf (SWF GFx)
PlayerTiny Window.swf (SWF GFx)
SWFToTexture *Bin/Data/AS2/Samples/SWFToTexture*

	<i>dvddata/FxPlayer</i>
TextureInSWF	<i>Bin/Data/AS2/Samples/RenderTexture</i>
	<i>dvddata/FxPlayer</i>

FxPlayer

```

A
B
/ HUD
HUD
Escape

```

[Home](#)

- + Flash (dvddata/FxPlayer SWF GFX)

C

Z

```
<Z> , FxPlayer , FxPlayerAppBase
ctor(PadKeyCommandMap ) Flash
```

2.5.4.2

make files Codewarrior
Scaleform

- Shipping
- Release
- Debug
- DebugOpt

+NoRTTI	RTTI
+Sdata0	(-sdata 0 -sdata2 0)
+NoThreads	Scaleform (SF_ENABLE_THREADS;)

$$\text{RTTI} + \text{Wii} - (\text{NoRTTI})$$

```

Codewarrior      Preferences      IDE Extras      “
”               IDE      XML

Codewarrior

make

libgfx_video.a
C/C++      “ #define GFX_ENABLE_VIDEO ”

Scaleform      make

make      linux      Cygwin
PS3      2.3.2.3      “ make      Scaleform ”
Cygwin

SDK      Makeconfig      (      )      Wii
SDK

WII_CWDIR := "/cygdrive/c/Program Files/Freescale/CW for Wii v1.0"
WII_SDKDIR := /cygdrive/c/RVL_SDK
WII_NDEVDIR := /cygdrive/c/NDEV

Makeconfig      unix
/cygdrive/<      >/...

cygwin shell      "make P=wii C=DebugOpt+NoRTTI"      DebugOpt+NoRTTI
C
Makeconfig      RVL_NDEV shell

```

2.5.5 Scaleform SDK for Nintendo 3DS

2.5.5.1

CTR SDK

2.5.5.2

Scaleform SDK for 3DS

3DS

- ,
sf_4.2_eval_3ds.tar.bz2

- src
sf_4.2_src_3ds.tar.bz2

() src
sf_4.2_lib_3ds.tar.bz2

2.5.5.3

Scaleform 3DS SDK , Cygwin Scaleform Scaleform():\$
make P=3DS
Bin/3DS
make Scaleform , 2.2.9

2.5.5.4

FxPlayerMobile / FxPlayerTiny, Projects/3DS/Makefile STARTUP_FLASH
FxPlayer_CONTENT Flash , rom
SWF Obj/3DS/rom_FxPlayerMobile/FxPlayer cci
, CTR

2.5.5.5

, 2.10

2.6 Scaleform SDK

Scaleform

Scaleform

iOS

2.6.1 Android Scaleform SDK

2.6.1.1

Scaleform

- [Android SDK](#)
- [Android NDK](#)
- 于 台 Android 台 API

2.6.1.2

Android Scaleform SDK

Android

- sf_4.2_eval_android.tar.gz
src
- sf_4.2_src_android.tar.gz
- sf_4.2_lib_android.tar.gz

2.6.1.3 /

1. 在 Scaleform 中创 一个 Makeconfig 件 (供 例 件) 。 件
包含:
export JAVA_HOME := <path to JDK>
ANDROID_SDK := <path to SDK>
ANDROID_NDK := <path to NDK>
export PATH := \$(JAVA_HOME)/bin:\$(ANDROID_SDK)/tools:\$(ANDROID_SDK)/platform-
tools

Makeconfig 中 unix , 且 冒号 驱动器号。
 /<drive letter>/... 于 msys, /cygdrive/<drive letter>/... 于 Cygwin。例如, 如
 Android_SDK 安 到 C:\Android/SDK:

```
"export ANDROID_SDK := /cygdrive/c/Android/SDK".
```

2. Scaleform 和 例:
\$ make P=Android
3. 在 Bin/Android 中 到 APK 件复制到 备中。 到 备上 APK 位 , 其
安 到 备。
4. 一个 SWF 件复制到 /sdcard/flash.swf。可以 使 单 出 HUD 中 头 在
Scaleform 器中 中 其它 SWF 和 Gfx 件。
5. 如 一个 估 , 可 到 "/sdcard/sf_license.txt" 中。
6. 在从 启动 , 会加 flash.swf copied to "/sdcard"。

2.6.1.4

Scaleform	Scaleform SDK	Android	Scaleform
Make			

2.6.2 iOS Scaleform SDK

2.6.2.1

Scaleform

- Mac OS X Snow Leopard
- Xcode 3.2.5, Xcode 4
- SDK

2.6.2.2

iOS	Scaleform SDK	iOS
-----	---------------	-----


- sf_4.2_eval_ios.tar.bz2

src

- sf_4.2_src_ios.tar.bz2
- sf_4.2_lib_ios.tar.bz2

“ ”

2.6.2.3 /



2.6.2.4




2.7 CS3 Scaleform

Scaleform


SWF

Scaleform™

1. Adobe CS3 ,
Windows Windows® >Start , Photoshop®
, >Programs>Adobe Extension Manager CS3 C:/Program
Files/Adobe/Adobe Extension Manager , Finder>Applications>Adobe
Extension Manager CS3>Extension Manager Adobe
2. Adobe CS3 ,Adobe Windows® Start
, Photoshop® , Install
3. Windows C:/Program Files/Scaleform/GFx SDK 4.2/Resources/Tools/
: scaleform_gfx_4.2_macos/Resources/Tools/
4. MXP :Scaleform Extensions.mxp.




1: Scaleform Extensions.mxp Windows



2: Scaleform Extensions.mxp

5. Accept


6. OK




3: CS3 Adobe Extension Manager (Windows)

4: CS3 Adobe Extension Manager (Mac)

7. Adobe
8. Flash Flash (ActionScript 2.0 or 3.0)
9. Flash



5: Scaleform Launcher (windows)



6: Scaleform Launcher (Mac)

2.8 CS4, CS5 Scaleform

Scaleform

SWF

Scaleform™

1. CS4 or CS5 Flash *help* Adobe
Manage Extensions
:


Flash

Adobe


2. *Install*

3. Windows : *C:/Program Files/Scaleform/GFx SDK 4.2/Resources/Tools/
scaleform_gfx_4.2_macos/Resources/Tools/*

4. MXP *Scaleform Extensions.mxp.*




7: Scaleform Extensions.mxp (Windows)



8: Scaleform Extensions.mxp (Mac)

5. *Accept*

6. Flash CS4 or CS5 OK



9: CS4 (top) and CS5 (bottom) Adobe Extension Manager

7. Adobe

8. Flash

9. Flash




Figure 10: Scaleform Launcher panel (Windows).





Figure 11: Scaleform Launcher panel (Mac).

2.9 Scaleform

Scaleform Scaleform / SWF Scaleform
 Scaleform SWF Adobe CLIK
 Scaleform




12:Scaleform Launcher Panel

Add Profile		-		Adding Players/Profiles	
Add New Profile	Player EXE			[+]	[-]
	AMP(Scaleform	)	debug	Release 64	32 Scaleform
Player	Scaleform	Windows			Scaleform
	GFxPlayer_DebugOpt (AMP)			PowerPC	Scaleform Player
				swf	

<i>player EXE</i>	EXE
-------------------	-----

/

1. [Scaleform](#) [SWF](#) [Profiles](#)
 (+) [Add New Profile](#)




13: +

: Add Profile

“the script is causing Flash to run slowly ”


No



14: **script**

2. [+]

Scaleform



15


3.


GfxMediaPlayer

Scaleform

GfxMediaPlayer

C:/Program Files/Scaleform/GFx SDK 4.2/Bin





18: Player (Windows).

19: Player (Mac).

6. Add Profile , profile name Windows
, 'AMP' , 'DebugOpt'
 7. Scaleform ' %SWF_PATH% '
- : ' %SWF_PATH% -nh '
- SWF Scaleform HUD

player
EXE: FxMediaPlayer ▼ + -

profile
name: AMP

command
params: %SWF_PATH%

CANCEL OK

20: AMP

21: GfxPlayerDebugOpt

8. OK.

9. Scaleform Launcher Profiles new

SCALEFORM LAUNCHER ▼

Test with FxMediaPlayer

Profiles: v1.0


AMP ▼ + - ✎

22: Scaleform Windows AMP

23: Scaleform 启动 和 Debug_Opt 外

:

1. Scaleform *Launcher Profiles*
2. *Edit*
3. EXE
4. *OK.*



24: (Windows)


25: (Mac)

:

1. *Scaleform* Select
2. [-]
3. OK Cancel

SWF

1. SWF
2. *Scaleform* Profiles
3. Test with... [Executable Name]
4. Scaleform SWF



26: Test with GFxMediaPlayer SWF (Windows)

27: Test with GFxPlayer_DebugOpt SWF (Mac)

啟動

Flash

Scaleform Player

1. *Edit*
2. *Keyboard Shortcuts*
3. Adobe Standard “ ”(Current) : “ ”(Keyboard Shortcuts)
4. Duplicate Set
5. ()
6. OK
7. Commands "Drawing Menu Commands"
8. (+)
9. Scaleform Player Publish()
10. (+) (Shortcut)
11. (Press key) (Ctrl+Enter) Ctrl+Enter
- Flash
12. Change
13. , Reassign
- 14.
15. Test Movie Flash
16. (+)
17. (Press key) (Ctrl+\())
18. Change
19. OK “ ”

2.10

2.10.1

Scaleform 4.2 Eval *sf_license.txt*
sf_license.txt , -

3AAAA1BB23B8ZCCCC4CCEOFSJCZ08DDDDDEF

sf_license.txt
Scaleform 4.2 SDK
sf_license.txt *sf_license.txt*

Scaleform 4.2 *sf_license.txt*

The Scaleform trial period expired on 1(m) 1(d) 2008, please contact Scaleform for an extension. Error: 106

sf_license.txt

Failed to open the Scaleform license file, please make sure *sf_license.txt* exists in the working directory. Error: 101

Windows / Mac® / Linux®

- 1.
2. GFXSDK
3. GFXSDK HOME

Xbox 360®

1. XDK - D:/\$(SolutionName)/sf_license.txt

“PSP®”(PlayStation®Portable)”

5.
Linux - /usr/local/psp/FxPlayer/sf_license.txt
Windows - C:/usr/local/psp/FxPlayer/sf_license.txt

“PLAYSTATION®3”(PS3™)

1. /app_home/sf_license.txt
2. /host_root/usr/local/cell/FxPlayer/sf_license.txt
3. /dev_bdvd/PS3_GAME/USRDIR/sf_license.txt

PLAYSTATION®Vita”(PS Vita™)

1. sf_license.txt "FxPlayer" , ,

3DS™

1. Lib/3DS/target sf_license.txt

Wii™

1. dvddata/FxPlayer/sf_license.txt

iOS

1. sf_license.txt Xcode , Xcode (,Scaleform.app)

Android

1. sf_license.txt “/sdcard” (,)

2.11

Scaleform

Scaleform <http://gameware.autodesk.com/scaleform>

<http://gameware.autodesk.com/scaleform/developer/>

Scaleform
FAQ

Ticketing System

Scaleform Ticketing System

Scaleform

Scaleform

Scaleform

Scaleform

2.12

Scaleform

gameware@autodesk.com

Scaleform

3

Scaleform 4.2
Scaleform 4.2
4.2 Flash AS 2.0
Scaleform 4.2
Scaleform 3.0
Scaleform

Scaleform 4.2
Files/Scaleform/GFx SDK 4.2/Doc/
Doc
C:/Program

1. SDK
2. Windows : Start->Programs->Scaleform->GFx SDK 4.2->Documentation

3.1 **Flash**

Flash AS2
IGDA Flash
http://www.igda.org/wiki/Flash_SIG
Flash SIG
Flash
Flash ActionScript

- [Lynda.com](http://www.lynda.com)
- [Essential ActionScript 2.0 by Collin Mooock](#)
- [ActionScript: The Definitive Guide by Collin Mooock](#)

3.2

Scaleform 4.2

Scaleform 4.2

- *CLIK* CLIK CLIK Illustrator® Photoshop®
- *CLIK* CLIK CLIK CLIK *CLIK*
- USM After Effects® Adobe Premiere
Scaleform 4.2 Flash
Scaleform
- *IME*

3.3

Scaleform 4.2 Flash

Scaleform 4.2

- DirectX 9 Scaleform 4.2 3D
- CHM Scaleform 4.2
- *DrawText API* Scaleform 4.2 DrawText API C++
ActionScript
- *ActionScript* Scaleform 4.2 ActionScript
- Scaleform 4.2
Scaleform C++ API

- *Scale9Grid*: Scaleform 4.2 Scale9Grid
- *XML Overview*: Scaleform 4.2 XML
- Flash Excel (XLS) Scaleform 4.2 Flash
- Scaleform 4.2 AMP ActionScript
- *IME* : Scaleform 4.2 IME IME
-

3.4

- UE3 SDK gameware@autodesk.com
- *IME Xbox 360 Configuration*: Xbox 360 IME
- *IME PS3* : PS3 IME
- *Unreal Engine 3* : Flash 3
- *Unreal Engine 3* : Scaleform 4.2 UE3
Scaleform 4.2 UE3 Kismet UnrealScript Unreal Editor
- README
SDK () ,

3.5

Scaleform 4.2

Scaleform

“ ”

Web

<http://gameware.autodesk.com/scaleform/developer/?action=demo>

Flash

GFx 4

- *Scaleform*

Scaleform

Scaleform SDK

: *C:/Program Files (x86)/Scaleform/GFx SDK*

4.2/Apps/Samples/GFxPlayerTiny

- *Scaleform*

SWF

Flash

3D

3D

(PC): *C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Win32/Msvc90/GFxPlayerSWFToTexture/SWFToTexture_D3D9_Release_Static.exe*

: *C:/Program Files (x86)/Scaleform/GFx SDK*

4.2/Apps/Samples/RenderTexture

- *Scaleform*

SWF

Flash

3D

Flash

3D

(PC):: *C:/Program Files/Scaleform/GFx SDK 4.2/Bin/Win32/Msvc90/GFxPlayerTextureInSWF/TextureInSWF_D3D9_Release_Static.exe*

: *C:/Program Files (x86)/Scaleform/GFx SDK*

4.2/Apps/Samples/RenderTexture

Linux ,

Scaleform SDK

Bin/<platform>/

3.6

Scaleform 4.2 SDK

<http://gameware.autodesk.com/scaleform/developer/?action=doc>

Scaleform

Scaleform

SDK

"

"(Getting


Started)

"

"(Video Tutorials)


<http://gameware.autodesk.com/scaleform/developer/?action=vid>

4



4.1

4.1.1 UI



4.1.2 UI

CLIK Flash AS2

4.1.3 UI

CS3 CS4 Flash UI CLIK

Scaleform 4.2 Flash

4.2

Scaleform 4.2 Window Scaleform 4.2 Flash
SWF Scaleform SWF GFX Scaleform 4.2

, Windows , Scaleform 4.2 SDK "Scaleform SDK Browser"
SDK Browser "(Programs) Scaleform

Start->Programs->Scaleform ->GfX SDK 4.2->GfX Players

Windows

C:/Program Files/Scaleform/GfX SDK 4.2/Bin/Win32/Msvc80/GfXPlayer

C:/Program Files/Scaleform/GfX SDK 4.2/Bin/Win32/Msvc90/GfXPlayer

, SDK Browser Scaleform GfX Player

Windows Windows

C:/Program Files/Scaleform/GfX SDK

4.2/Bin/Data/AS2/Samples/3DDemo/

3DDemo

SWF

, Linux, Scaleform SDK 4 Bin/<platform>/
(Windows) Finder()

SWF , Scaleform SDK 4.2 Bin/3DDemo SWF SWF

SWF

SWF

:

Linux - Bin/i386-linux/FxPlayer <swf >

MacOS - Bin/MacOs/FxPlayer.app/Contents/MacOS/FxPlayer <swf >

Flash

Scaleform SDK 4 /Bin/Data/AS2/Samples

4.3

Scaleform 4.2 AS 2.0, 3.0 Flash CS3, CS4 CS5

ActionScript 2 or ActionScript 3

Flash

File->New->Flash File (ActionScript

2.0 or ActionScript 3.0)

◦

Flash

Flash

Flash Player

10

Scaleform 4.2

AS 2.0

sf_4.2_flash_support.pdf

AS 2.0