

Autodesk® Scaleform®

0 ([(([(< 6 < (

[$\langle G$ $\langle G$ (

[illegible]

([	(	(
(	O	([(([(<6(
(	> 8=(	([((98(
(	O	((: 8??8 ([(
(	<u>6</u>	<u>6</u> (
(	<u>6</u>	<u>6</u> (
(	0 891(<> : 88(	
(	0 891(<> 9 (	
(		
(		
(		

[illegible]

```

: 8( (
: 8( (
: 9( = (
: ( (
[ (<([ ( = (
( ( = (
6 ( ( = < (
6 ( ( = < (
< ( ( = (
< ( ( = > (
< ( ( = ? (
< ( ( = (
< ( ( = (
< 8 ( ( = (
< 6 ( ( = 8 (
[ (< ( (
( (

```

1.

(

[

((

(

([(< < [: 6 6 (

2.

[(<&([
[([((
<http://gameware.autodesk.com/scaleform/developer/?action=dl>(
(

2.1 Flash®のバージョン

[(<& ((([(<0 [<1
[(<& (X (98θ [%d0 [1
[
<& [: Ⓜ [(Ⓜ [(<& 98θ [(: Ⓜ [Ⓜ
Scaleform 4.4 – Flash Support Overview
(
(([
([
[=&=
[<
X
(
(
(

2.2 SDK のインストール

```
[ (<6<[ C:\Program Files (x86)\Scaleform\GFx SDK 4.4
(
[
(
(
[ (<6<[ 7 [
readme_make.txt readme_xx.txt (
(
(
[ (<6<([
[ (<6<(
( [
( [ →0 ([ (<6→
: C:\Program Files (x86)\Scaleform\GFx SDK 4.4\Doc
(
(
```

2.2.1

(
[

96
: 6
6

(

(

(

(

(

[

(

[

[

(

(

[

2.2.3 Scaleform CLIK

```

[ (<
      ( 1
[      (      (      (      (0      (      (
[
O      ([      (      (      (
      (
      96      (      (
      <6<      (0      ([      (      (      6      (
      (
      : 6      (
      C:/Program Files/Scaleform/GFx SDK
      4.4/Doc/sf_4.4_getting_started_with_CLIK_jp.pdf
      (
      6 [      (
      (
      [      ([
      (
      (
      C:/Program Files/Scaleform/GFx SDK 4.4/Resources/AS2/CLIK/
      C:/Program Files/Scaleform/GFx SDK 4.4/Resources/AS3/CLIK/
      C:/Program Files/Scaleform/GFx SDK 4.4/Resources/Tools/
      (
      (
      <6<      /Resources/AS2/CLIK/
      (((((((      <6<      /Resources/AS3/CLIK/
      (      <6<      /Resources/Tools/

```

2.2.4 Scaleform Video

$$\begin{aligned}
 & Z \left(\begin{array}{c} [\\ [\\ [\end{array} \right) \left(\begin{array}{c} (\\ (<6<[\\ (\end{array} \right) \left[\begin{array}{c} (\\ (\\ (\end{array} \right) \\
 & X \left[\begin{array}{c} (\\ (\\ (\end{array} \right) \left(\begin{array}{c} (0X \\ \%1 \\ \%1 \end{array} \right) \left(\begin{array}{c} >8 \\ \% \\ \% \end{array} \right) X \left[\begin{array}{c} (\\ (\\ (\end{array} \right) \\
 & \left[\begin{array}{c} (\\ (\\ (\end{array} \right) \left[\begin{array}{c} (\\ (\\ (\end{array} \right) \left(\begin{array}{c} <6<[\\ <6<[\\ <6<[\end{array} \right) \\
 & \rightarrow \left[\begin{array}{c} (\\ (\\ (\end{array} \right) \rightarrow 0 \left(\begin{array}{c} <6 \\ <6 \\ <6 \end{array} \right) \rightarrow
 \end{aligned}$$

[(	(	(
:((	(	[[: (
><(	> < (	[[: (
2 (	2 (	[[(
[(	[((	[[Z (
		[[(
(	(	[[Z (
X (	X (	[[X (
X[(	X ((	[[X[(
OX	OX	[[OX
[(	[(	[[[(
(	(	[[(
((	((	[[(
>8(	(>8(	[[>8(

(	gcc
8(	([(6(0 88=1(

8	([(8 1
98	([(98 8 1
(	(
[(	[([(

(

((:7 9 8 9 ((((

(

2.2.9 Scaleform

([([(X (

2.2.9.1 Make

[([Z ((readme_make.txt

- (
- [(
- %
- X (
- X %
- ([%
- %
- (%

([

cygwin

(

```

96      77      6      6      7
:6      (      (      (      (      (      6      (
6      (      (0 7      1(      (
<6      (      (      (0 7      1(
      (
=6      (      (      (      (
>6      (
?6 [      (X      (      (      (      (      (
      (
6      (
(

```

```

$ make -v
GNU Make 3.81
Copyright (C) 2006 Free Software Foundation, Inc.
...
This program built for i686-pc-cygwin
$ ld -v
GNU ld (GNU Binutils) 2.18.50.20080625
===

```

- ```

[
(
1. [((0
 1 (
a. export CELL_SDK := <path to cell sdk>
b. EPATH := $(PATH)
c. export PATH = $(CELL_SDK)/host-win32/ppu/bin:$(CELL_SDK)/host-
i. win32/Cg/bin:$(CELL_SDK)/host-win32/bin:$(EPATH)

```

- ```

2.      (
7      7D      766      [      ¥      ¥
      ((

```

```

a. "export CELL_SDK := /cygdrive/c/ps3/cell".

```

```

<6      (      (
      (
6 (      (XE X[ ((
6 (      (XE X[ ( E      (
      (

```

```

(
    ED
    Z
    ( EZ
    Z
    (

```

2.2.9.2 make (

```

make P=Android C=Debug
make P=3DS C=Debug+NoRTTI

```

```

(
SNC PS3

```

```

make P=PS3+snc

```

```

(
gcc PS3

```

```

make P=PS3

```

```

(
SCU iOS SCU

```

```

make P=iPhone/armv7 SCU=0

```

```

(

```

```

make P=wii C=Shipping+NoRTTI VERBOSE=1

```

```

(
Mac RTTI Release x64 lib

```

```

make P=MacOS/x86_64 C=Release

```

```

(
iPhone armv7

```

```

make P=iPhone/sim

```

```

make P=iPhone/armv7 C=Release+NoRTTI

```

```

(

```

```

lib

```

```

make P=MacOS C=Release+NoRTTI Lib/MacOS-x86_64/Release_NoRTTI/libgfx.a

```

```

(

```

```

4 -j4

```

```

make P=PS3 C=Shipping+NoRTTI -j4 Bin/PS3/FxPlayer_Shipping_NoRTTI.elf

```

2.2.9.3 SCU

```

(

```

```

    [
    9
    ( [
    [
    [
    ([

```

```

(((

```

```
(
[
[
[
(
(
[
9
6
[ ( ( (
[
(
Src/GFx/AS3/Obj/Accessibility/AS3_Obj_Accessibility_All.cpp
```

```
...
#include "AS3_Obj_Accessibility_ISearchableText.cpp"
#include "AS3_Obj_Accessibility_ISimpleTextSelection.cpp"
#include "AS3_Obj_Accessibility_Accessibility.cpp"
#include "AS3_Obj_Accessibility_AccessibilityImplementation.cpp"
#include "AS3_Obj_Accessibility_AccessibilityProperties.cpp"
```

```
[
:
(
[
• [ : [ (
• [ [ (
• Z [ (
(
[
• [ : (
• [ (
• Z(
[
(
[
[
(
make P=PS3+snc C=Release+NoRTTI SCU=0
```

(

(

2.3 Windows 用 Scaleform SDK

[(X0 : ([X 1 (0 : 7 X ([X : ((? : 7 X (((< 6 ((: 88 8

2.3.1 Scaleform

(

[

(

[

%X

(

%p

%D

(

(<6%

%X

%

[

(

%p

(

(	[	(	(
Z	(	((	(07 1(
(	(	((? 07 ?1((	
((		(	(

((

λ	$($	$[$	$($	$($
z	$($	$(($	$(\sigma$	$1(($
	$($	$(($	$?$	$\sigma ?1(($
	$(($		σ	$1(($
$(($			$($	$($

 $\langle$

Z	(	[	Z	(	(
Z	(	((			

```

[          (      SWFToTexture  TextureInSWF
  (
    ¥X      (      (0 >1¥[      %D ([      (<6<%      %      (
  (
    (
    (
  1.      (      X      (
  2. X      (
  3.      (      (      (
  4.      (
  5.      (      (
    (

```

2.4 Mac 用の Scaleform SDK

```

(
[      ([      [      (      O      [
(

```

2.4.1

```

[
  (
    •      [ ([      (      (0986>17      (098671(
    •      (0      6 6>      1(      7 X      7 X      (
  (
    XX      (
  (

```

2.4.2

```

(
  [      [      ([      [
    (
      •      <6<      > >6      6      :(      (      <6<      > ><6      6      :(
    (
      •      <6<      > >6      6      :(      (      <6<      > ><6      6      :(
    (
      •      <6<      (      > >6      6      :(      (      <6<      > ><6      6      :(

```

```
(
    • (
        o <6 7 7 > >6 6 :(
    (
```

2.4.3 MacOS X (10.6 10.7)

```
(
[ ( [( 6 [
    (
    (
[ > < (
($ make P=MacOS
(
    7 [ (
    (
[ 9 X (
((( $ make P=MacOS/i686
    (
    $ make P=MacOS/x86_64
(
((
(
```

2.4.4

```
(
    Bin/MacOS-i686( ( Bin/MacOS-x86_64 (
    (
    (((
$ Bin/MacOS-i686/FxPlayer.app/Contents/MacOS/FxPlayer <swf file>
(
[
    [: [
    Bin¥Data¥AS3¥Kits¥Menu or Bin¥Data¥AS3¥Kits¥HUD
    (
(
$Bin/MacOS-i686/MenuDemo.app/Contents/MacOS/MenuDemo
(
    (
```

2.5 コンソール用の Scaleform SDK

```

[
    [
        (<6<[
            [
                (
                    (
                        >8
                        % X[ %(>X[ (
                        % ( [ %
                        (
                    )
                )
            )
        )
    ]
    [
        (
            77
            6
            6
            7
            7
            7
            E
            .
            E<6
        )
    ]
    (

```

2.5.1 Xbox 360 Scaleform SDK

```

( >8
[
    (
        (X
        ( >8
    )
    (

```

2.5.1.1 Player/

```

[
    (
        (>8[
            (
                (<6<
                (>8(
                (
                ([
                (
            )
        )
    )
    (
        (>8(
        (
        ([
        (
        Z
        [
        (
    )
    [
        (
        (
        (
        ([
        (
    )
    1(
        (
        (
        (
        (0
        O
        [
    )
    (
        (
        ([
        ([
        (
        (

```

((((0

1 X [X [= (<6((>8((

(((

X [(X [X >8 O [1(

((

(>8 (X (

(

• (

• (

• (

• (

• (

• Z (

• (

• 7 (

• ((

D (X (

(

• ((((

• (((

• [((

• (X ((

• Z (X (

2.5.2 PS3 Scaleform SDK

```

X[ [ ([ [ (
(

```

2.5.2.1 System

```

(
(
( [ (: =8 O (
6 9 (0 ([ 1 (
( ([ X O[ ([ X ([
( ([ (
( ( 6 ([ ( ([
( ( (
( 7X [ 6 (
( X O 7X 7O [ 6 (
( (
(

```

2.5.2.2

```

(
(
Lib/<platform>/libgfxrender_<renderer>.a
(
(

```

2.5.2.3 make

```

[ (
(
( 96 (: 6 6 O[ (
(

```

```

2. [                                     (
    $ make P=PS3

    [                                     (
    $ make P=PS3+snc

                                     X[
                                     (0
    XE X[                                     1 (
(
3. [                                     $(CELL_SDK)/FxPlayer/flash.swf
[                                     O          9 Z9          [ (X
    (
4.                                     ( ( $(CELL_SDK)/FxPlayer/sf_license.txt (0
    1(                                     Z (XZ
    ((
    cellSysmoduleLoadModule(CELL_SYSMODULE_RTC);

5. X O (
    $(CELL_SDK)/FxPlayer          (
    (
(
6. [                                     Z
    Bin/Data/AS2/Samples/SWFToTexture Bin/Data/AS2/Samples/RenderTexture [
    $(CELL_SDK)/ xPlayer          (

```

2.5.2.4 Visual Studio

```

[                                     ([
(0X[
1 ([
                                     ([
(
(
[                                     X[ (
[                                     ([
X (<6(X[ ([ 6
7X[ 7 8X[          (
(                                     (
[ 7 (<6(X[ ( 6
X 7X[ 7 8X[          (
(                                     (
(                                     (
(

```

[illegible]

```

X O O
(
(
  ((Src/Render/PS3/
  (
    Lib/PS3/Shaders.a
    (
      $ make P=PS3 Lib/PS3/Shaders.a

```

23

```

O [ O 6 [ : ( (
(
( X O [ (X (
(
• X O ( ( ( [ ( (
• X ( ( ( [ ( (
• [ O ( [ ( (
• [ O ( ( [ ( (
( X O ( [ ( (
X O ( [ ( (
• X O ( ( [ ( (
• X O ( ( [ ( (
• [ O ( [ ( (
• [ O ( ( [ ( (
(
( X O (
(
X O Apps/Samples/Common/OpenGLPS3App* (
(
(
[ 7 [ Apps/Samples/Common/MathLib* (
(

```

```

#ifdef FXPLAYER_RENDER_GCM
    <gcm specific>
#else
    <psgl specific>
#endif

```

2.5.2.7

```

( OZ 1 (
(
• [ (((((( (
• Z (( (
• ( ( (
• ( (
• Z (( Z (
• ( [ ( [ Z [ 1(
(

```


- <6< 8 6 (

(

(

- <6< 8 6 (

(

2.5.3.3

```
[      (X(  ([      [      (<6<(X(  (  (  (  (
[      "Projects/PSVita/Msvc90/Demos/GFx 4.4 PSVita
Demos.sln"
(
```

X

X(

[

X

Z

[

```
[      ([
```

(

X(

[

```
96 X 7X 7 87 70 (<6<(X(  ([ 6 (
```

```
: 6
```

([

(

(

[

```
: 6 6
```

(

(

2.5.3.4

```
[      (
( X      (((((((((((([      (
( X      ((((((      (((((
(      ([      (      X      6      X      [
      X      [
      ((
      ((
```

2.5.3.5

```
: 68
```

(

(

2.5.4 Wii Scaleform SDK

2.5.4.1 Player/

7

(0 = 1 (

(

(

Z [7 7 X

7 X 7 6

(

(

(

X (((

X (((

[(

6 (0 [O 1(

Bin/Data/AS2/Samples/SWFTToTexture
dvddata/FxPlayer (

Bin/Data/AS2/Samples/RenderTexture
dvddata/FxPlayer (

(

X (

• ((

• ((

• (

• (

• (((

• (((

• ((

• ((

(

D X X (X

(

2.5.4.2

(
 Z ((XE (E Z (
 (
 Z
 (

(

2.5.5 3DS Scaleform SDK

2.5.5.1

Z([
 (

2.5.5.2

[[[([
 ((

- <6 6 6 :(
 (
 (
- <6 6 6 :(
 (
 (
 <6 6 6 :(
 (

2.5.5.3

[([([
 (
 [((XE [(
 7 [(

2.6.1.2

```

[ (
(
    • <6 6 (
    (
    • <6 6 (
    (
    (
    • <6 6 (
    (
(

```

2.6.1.3 /

```

1. [
    (
    (
        ( E(D ( ( (
        Z [ ( E(D ( ([ (
        Z ( E(D ( ( (
        (X ( E( 0 17 0 Z [ 17 0 Z [ 17 (
    (
        (
        /cygdrive/<drive letter>/... [ % 7[
        "export ANDROID_SDK := /cygdrive/c/Android/SDK"
    (
2. [ ( (
    (
    $ make P=Android
    (
3. 7 X X
    X
(
4. [ 7 7flash.swf [
    O
    [ (X (
(
5. 7 /sf_license.txt ( (
    (
6. ( ( ( 7
    6 (

```

(
[

[

(

(

[illegible]

(

(

- $\langle 6 \rangle$ 6 6 : (

(

- $\langle 6 \rangle$ 6 6 : (

(

- $\langle 6 \rangle$ 6 6 : (

```
[X ( [ Projects¥iPhone¥Xcode3¥GFX 4.4 iPhone SDK¥ ( O (<
(
[
Z [ (
(
```

[((Z (
 (O [[(
 [(6 [[
 ([X ([
 X (% [
 ((

2.6.2.3

[[[([(
 ([[([
 96 ([([
 (Z (
 ((XE X 7 ?(EZ

2.6.3 Windows Phone Scaleform SDK

(

2.6.3.1

(([((([(([(
 ((
 (
 • (((
 (
 • (X (([((
 (
 • ([(9: ((
 (
 (

2.6.3.2

(
2.中断や、リロードされた *Scaleform* が再開された場合、*Scaleform* をアンロードする必要がありますか？

(
(
(
3.デバイス再開後に、レンダラHAL にどのようにして新規の GL コンテキストが生成されたことを通知すれば良いでしょうか？

(
Z O Z O


(
(
4.ロードされたムービーのステートを保存しながら *Scaleform* をアンロードすることは可能ですか？

(
Z [
(


(

2.7 CS3 に **Scaleform Launcher** パネルをインストールする


[([[%\X ((96 (((([(C:/Program Files/Adobe/Adobe Extension Manager (([(: 6 (((((((6 (7X (7 70 ([(<67Z 7 7([<6 X ([(6 ((




(9 ([(6 ((((((




(
 : ([(6 (
 (=6 (((
 >6 (




([
 (< ([(
 ?6 (((
 6 (0 [(: 6((61(
 6 (((([(((




2.8 CS4, CS5 に Scaleform Launcher パネルをインストールする





98 ([((



99 ([((

2.9 Scaleform Launcher パネルを使用する


Scaleform Launcher

Profiles:


Currently No Profiles

v1.0


42




(((((9 ((((X
(((((



(((9< (((X
((((([(X
: 6 (((



(((((9= (((X
((((([((X
6 O X
X O X
C:/Program Files/Scaleform/GFx SDK 4.4/Bin(((((
(((



1> (GFxMediaPlayer

(

(

X

(

Scaleform_gfx_4.4_macos/Bin/MacOS/FxPlayer_DebugOpt.app/Contents/MacOS

(

(

(

(

(

(

(

(

((((((9? (O X

(

<6 (

(


(

X

(

(

Player の名前



(
 ((((((9 (X
 (
 (
 (=6
 (
 (
 >6
 (
 (
 (/ X(
 (/ ((
 ?6
 (
 (
 [(X
 / [X - λ
 / [X - (λ
 [(X
 (((:8 ((
 (X


player EXE:	FxMediaPlayer	▼	+	-
profile name:	AMP			
command params:	%SWF_PATH%			
CANCEL OK				

(((: 9 ((O X (

6 ((

6 [(((X (

(



(((:: (X [((

(((: ([(

(

(

:

(

96 [(((X ((

(


: 6 (((

(

6 ((X (

(

<6 ((



(((((:<((

: = (

:

(

96 [(((X ((

(

: 6 ((

(

6 (((

(

SWF :

(

96 [((

(


: 6 [(((X ((

(

6 ((0 1 ((

(

<6 [(X [(



(((:> (((O X X([(

((((: ? (((O X [(

(

([(X

(

9 Edit (

(

: Keyboard Shortcuts (

((((

[(

(Duplicate Set (

(

= (

(

> OK (

(

? Commands ((

(

Commands (

(

([(X X (

(

98 (

(

99 (X

(

(

9: Change (

(

9 Reassign (

(

9< Commands (

(

9= ((

(

9> (

(

96 (

: 6 O ([

6 O ([

(

(

Xbox 360®

(

96 (((7 q 17 6 (

ライセンス キー ファイルは、実行ファイルが配置されているディレクトリと同じところに置く必要があります。(

(

(

(

PLAYSTATION®3 (PS3™)

(

96 7 7 6 (

: 6 7 7 7 7 X 7 6 (

6 7 7X[O 7 [Z Z7 6 (

(

PLAYSTATION®Vita™(PS Vita™)

((((96 6 (X

(

(

3DS™

6 7 [7 (

(

(

Wii™

(

96 7 X 7 6 (

(

iOS

((

96 ((6 ((

[6 ((

((

Android

((

96 ((0 //

6 ((

(

((

Windows Phone

```
96 6 ([ (
(
```

Windows Store

```
96 6 ([ (
(
```

```
      O [
    [  (
(
PS4      6 X [ (<
X X<6 O [      [ (
(
      X X<6      (
```

```
void Gfx_SetEvalKey(const char* key);
```

```
//-----
```

```
int main(int argc, char** argv)
```


```
{
```

```
    Gfx_SetEvalKey("LICENSE_KEY"); // replace LICENSE_KEY with the actual license key
    string found in the license.txt file
```


```
    ...
```

```
}
```

2.11 サポート



2.12 フィードバック



[(<6<[
[(<6<
[(<6< 7 [(: 8
[(<6<
[(<6<

(
[(<6< Doc
(
(
96 [(
: 6 (
<6< (
(

[illegible]

3.2 スタートガイド

- Getting Started with CLIK
- Getting Started with CLIK Buttons
- Getting Started with Video
- Getting Started with IME

3.3 開発関連資料

- [(<6
- (
- (
- **Integration Tutorial** ((((
- ([(<6
- (
- **Reference Documentation** ([(<6
- (
- (
- **Scaleform CLIK User Guide** (
- (
- **Memory System Overview** ([(<6
- (
- (

- **Font Overview Configuration** ([(<6< (
- ([(X (
- (
- **Scale9Grid** ([(<6< (
- ([O (
- (
- **ActionScript Extensions** ([(<6< [(
- (
- **IME Configuration** ([(<6< (
- ((
- (
- **Draw Text API** (([(X (
- (
- **XML Overview** ([(
- (
- **Flash Support Overview** ([(<6< (
- (
- (
- **Best Practices Guide** ([(<6< (
- ((
- (
- O (Z (O ([[O (
- O (
- O ((([((
- [(
- (
- (

3.4 プラットフォーム別資料

- (>8(X (
- ([6 (
- (
- **IME Xbox 360 Configuration** ((>8 [(
- (
- **IME PS3 Configuration** (X [(
- (

(
 O X (PC): (7X (7 70 ([(<7 7 :7 87(
 [7 [Z [6 (
 (<7 7 7Z):(7X ((0 >17 70 ([(
 (
 [([Bin/<platform>/
 (
 (

3.6 オンラインのマニュアルとビデオ

[(<([
 [77 6 6 7 7 7 E (
 [[O (
 [77 6 6 7 7 7 E (
 ((

4.

[illegible]

4.1 制作者カテゴリー別の情報

4.1.1 UI

(^O_O) : (^O_O) [^O_O] (<6)

(

$$[:]$$

(

[[< [=

(

(

[(~~<6~~
([(~~<6~~
(
[O
(
[(~~<6~~[
[(X [([(

```

→[          →O ([ (<6 →O (X (
                                     (
(
  C:/Program Files/Scaleform/GFx SDK 4.4/Bin/Win32/Msvc80/GFxPlayer
  C:/Program Files/Scaleform/GFx SDK 4.4/Bin/Win32/Msvc90/GFxPlayer
      [ (          [ (O (X
                                     (
(
  C:/Program Files/Scaleform/GFx SDK 4.4/Bin/Data/AS2/Samples/3DDemo
  3D Demo          [
                                     (
(
                                     [ ([ (<
  Bin/<platform>/
      [          [ ([ (<          3DDemo
      [          (
      [          (
(
      (( ( 7 > 7 7 X D ( (
      [(( ( 7 7 X 6 7 ( 7 [7 X D ( (
(
  (
(
(
      [ ([ (<          /Bin/Data/{AS2 or
AS3}/Samples (
(

```

4.3 新しいプロジェクトを始める

```

[ (<6 [ :  6
      [ : [
0 [ (: 6( ( [ ( 6
<6 X
      ( (X (98 (
(

```

```

[ (<6< [: 6 ( [ ( 6
  O (< [: 6 ( [ 6
  sf_4.4_flash_support.pdf, 6
(
(

```