SPORTS1.0

Small non-coding RNA annotation PipelineOptimized for rRNA- and tRNA-Derived Small RNAs

Index

Requirement	S	3
Installation		3
Script descrip	otion:	5
sports.p	l	5
fastq2fa	sta.pl	10
fastapar	se.pl	10
combine	e_reads.pl	10
tRNA_ta	il_annotation.pl	错误!未定义书签。
annotati	ion.pl	11
overall_	RNA_length_distribution.R	12
rRNA_le	ngth_distribution.R	12
rRNA_m	apping.R	13
Appendix		13
Available	e species lists of bowtie-index based reference database	13
1.	Homo sapiens (Human)	14
2.	Gorilla gorilla gorilla (Gorilla)	14
3.	Pan paniscus (Bonobo)	15
4.	Pan troglodytes (Chimp)	15
5.	Pongo abelii (Orangutan)	15
6.	Nomascus leucogenys (Gibbon)	16
7.	Macaca mulatta (Rhesus)	16
8.	Papio anubis (Baboon)	17
9.	Callithrix jacchus (Marmoset)	17
10.	Carlito syrichta (Tarsier)	18
11.	Rattus norvegicus (rat)	18
12.	Mus musculus (mouse)	19
13.	Cricetulus griseus (Hamster)	19
14.	Cavia porcellus (Guinea pig)	20
15.	Heterocephalus glaber (Naked mole-rat)	20
16.	Ictidomys tridecemlineatus (Squirrel)	20
17.	Ochotona princeps (Pika)	21
18.	Oryctolagus cuniculus (Rabbit)	21
19.	Ovis aries (Sheep)	22
20.	Bos taurus (Cow)	22
21.	Sus scrofa (Pig)	23
22.	Tursiops truncatus (Dolphin)	23
23.	Balaenoptera acutorostrata (Minke whale)	24
24.	Erinaceus europaeus (Hedgehog)	24
25.	Sorex araneus (Shrew)	24
26.	Canis lupus familiaris (Dog)	25
27.	Mustela putorius furo (Ferret)	25
28.	Ailuropoda melanoleuca (Panda)	26
29.	Felis catus (Cat)	26
30.	Equus caballus (Horse)	26

31.	Ceratotherium simum (White rhinoceros)	27
32.	Myotis lucifugus (Microbat)	27
33.	Trichechus manatus (Manatee)	28
34.	Loxodonta africana (Elephant)	28
35.	Dasypus novemcinctus (Armadillo)	28
36.	Notamacropus eugenii (Wallaby)	29
37.	Sarcophilus harrisii (Tasmanian devil)	29
38.	Monodelphis domestica (Opossum)	30
39.	Ornithorhynchus anatinus (Platypus)	30
40.	Taeniopygia guttata (Zebra finch)	31
41.	Melopsittacus undulatus (Budgerigar)	31
42.	Gallus gallus (Chicken)	31
43.	Meleagris gallopavo (Turkey)	32
44.	Chrysemys picta (Painted Turtle)	32
45.	Anolis carolinensis (Lizard)	33
46.	Xenopus laevis (Frog)	33
47.	Latimeria chalumnae (Coelacanth)	34
48.	Tetraodon nigroviridis (Tetraodon)	34
49.	Takifugu rubripes (Fugu)	35
50.	Gasterosteus aculeatus (Stickleback)	35
51.	Oryzias latipes (Medaka)	36
52.	Oreochromis niloticus (Nile tilapia)	36
53.	Gadus morhua (Atlantic cod)	36
54.	Danio rerio (Zebrafish)	37
55.	Callorhinchus milii (Elephant shark)	37
56.	Petromyzon marinus (Lamprey)	38
57.	Strongylocentrotus purpuratus (Sea urchin)	38
58.	Drosophila melanogaster (Drosophila)	39
59.	Anopheles gambiae (Mosquito)	39
60.	Pristionchus pacificus (Roundworm)	40
61.	Caenorhabditis elegans (Nematode):	40
62.	Saccharomyces cerevisiae (Yeast)	41
63.	Zea mays (Corn)	41
64.	Sorghum bicolor (Sorghum)	42
65.	Oryza sativa (Rice)	42
66.	Arabidopsis thaliana (Arabidopsis)	43
67.	Glycine max (Soybean)	43
68.	Escherichia coli (E.coli)	44
References		44
Copyright and	l licensing information	46
Disclaimer		46
Contact inform	mation	46

Requirements

Linux system, enough disk space and Ram depending on the size of RNA deep sequencing data. (Tested system: ubuntu 12.04 LTS, ubuntu 16.04 LTS)

Installation

Download SPORTS1.0 package.

```
wget https://github.com/junchaoshi/sports1.0/archive/master.zip
```

- 2. Download necessary software, packages and reference databases as listed below:
 - 2.1 Perl 5 (https://www.perl.org) (Tested version: v5.14.2, v5.22.1); Perl 5 might be already installed in the linux system.
 - 2.2 Bowtie [1] (http://bowtie-bio.sourceforge.net/index.shtml) (Tested version: 1.1.2, 1.2.1.1)
 - 2.3 SRA Toolkit (https://ncbi.github.io/sra-tools/) (Tested version: 2.8.2)
 - 2.4 cutadapt [2] (http://cutadapt.readthedocs.io/en/stable/index.html) (Tested version: 1.11)
 - 2.5 R (https://www.r-project.org/) (Tested version: 3.2.3, 3.2.5)
 - 2.6 Reference database (See lists and download link of all pre-compiled species' databases in appendix)
- 3. Installation tutorial for software and packages.
 - 3.1 Install SPORTS1.0
 - 3.1.1 Unpack SPORTS1.0 package.

3.1.2 Attach the SPORTS directory to your PATH:

```
echo 'export PATH=$PATH:your_path_to_sports1.0-master/source' >> ~/.bashrc
chmod 755 your_path_to_sports1.0-master/source/sports.pl
```

- 3.2 Install Bowtie
 - 3.2.1 Unpack bowtie-1.x.x-linux-x86 64.zip.

3.2.2 Attach the bowtie directory to your PATH:

```
echo 'export PATH=$PATH:your_path_to_bowtie' >> ~/.bashrc
```

If you are administrator user, type the following command and password to easily install bowtie: sudo apt-get install bowtie

- 3.3 Install SRA Toolkit
 - 3.3.1 Unpack SRA toolkit files.
 - 3.3.2 Attach the SRA Toolkit executable path to your PATH:

- 3.4 Install cutadapt
 - 3.4.1 Use pip on the command line to install latest version of cutadapt:

3.4.2 Attach the cutadapt directory to your PATH:

- 3.5 Install R and R package
 - 3.5.1 Unpack R-x.y.z.tar.gz with:

```
3.5.2 Enter into the R-x.y.z directory:
             cd R-x.y.z
        3.5.3 Type following command in terminal:
              ./configure
             make
             make check
             make install
        3.5.4 Install R packages by typing following command in terminal:
              install.packages('ggplot2', dependencies=TRUE,
             repos='http://cran.rstudio.com/')
              install.packages('data.table', dependencies=TRUE,
             repos='http://cran.rstudio.com/')
              install.packages('stringr', dependencies=TRUE,
             repos='http://cran.rstudio.com/')
             q()
             n
4. Start a new shell session to apply changes to environment variables:
   source ~/.bashrc
5. Test if everything is installed properly:
   perl -v
    sports.pl -h
    bowtie
   fastq-dump
    cutadapt -h
```

If you get any error messages you should install the software once again.

R --version

Script description

sports.pl

```
Input query format:
    a) .sra files.
    b) .fastq/.fq, .fasta/.fa files of deep sequencing reads.
2. Options:
    --Input:
         -i <file> Input could be:
              a .sra, .fastq/.fq or .fasta/.fa file;
              a directory (will run all qualified files in the directory recursively);
              a text document with absolute path information for each file/folder (when processing multiple data, input
         each file/folder path per line).
         -p <int> number of threads to launch (default = 1)
    --Index:
         -g <str> reference genome bowtie index
         -m <str> miRNA database bowtie index (optional)
         -r <str> rRNA database bowtie index (optional)
         -t <str> tRNA database bowtie index (optional)
         -w <str> piRNA database bowtie index (optional)
         -e <str> ensembl noncoding RNA database bowtie index (optional)
                   rfam database bowtie index (optional)
         -f <str>
    --Output:
         -o <str> output address of annotation results (default: input address)
                   keep all the intermediate files generated during the running progress
         -k
    --Alignment:
         -l <int>
                   the minimal length of the output sequences (default = 15)
         -L <int> the maximal length of the output sequences (default = 45)
         -M <int> the total number of mismatches in the entire alignment (default = 0)
                   Remove 5' / 3' adapters
         -a
         -x <str> (if -a applied) 5' adapter sequence. Default = "GTTCAGAGTTCTACAGTCCGACGATC"
                   (if -a applied) 3' adapter sequence. Default = "TGGAATTCTCGGGTGCCAAGG"
         -y <str>
    --Others:
                   print version information
         -V
         -h
                   print this usage message
```

3. Example:

Example use 1:

The user wants to map a single fasta file against rat reference genome to get the mapping genome annotation only. (No output figures)

Type following command in terminal:

Example use 2:

The user wants to map several already trimmed human sequencing files against human reference genome, miRNA database, tRNA database, rRNA database and piRNA database by using 4 CPU threads, then to output the result to the address: '/foo/bar/output/'.

Write all the fastq files' addresses into a text document, e.g.:

seq_address.txt

/foo/bar/fold_1/seq_1.fastq

/foo/bar/fold_2/seq_2.fq

/foo/bar/fold_2/seq_3.fq

/foo/bar/fold_3/seq_4.fasta

/foo/bar/fold_4/seq_5.fa

Type following command in terminal:

```
sports.pl -i seq_address.txt -p 4 -g
```

/foo/bar/Homo_sapiens/UCSC/hg38/Sequence/BowtieIndex/genome -m

/Homo_sapiens/miRBase_21/miRBase_21-has -r /foo/bar/Homo_sapiens/rRNA_db/human_rRNA -t /foo/bar/Homo_sapiens/GtRNAdb/hg19-tRNAs -w /foo/bar/Homo_sapiens/piRBase/piR_human -o /foo/bar/output/

Example use 3:

The user wants to map several untrimmed mouse sequencing files downloaded from NCBI or somewhere else against mouse reference genome, miRNA database, tRNA database, rRNA database, piRNA database, ensembl noncoding RNA database and Rfam database by using 4 CPU threads, then to output the result to the address: '/foo/bar/output/' and keep all the intermediate files generated during the running progress.

Put all the sequencing files into a folder, e.g.:

input folder structure:

Level 1 directory	Level 2 directory	Level 3 directory	Level 4 directory
	fold 1	seq_1.sra	
	fold_1	seq_2.sra	
dayunland son	fold_2	fold_3	seq_3.fastq
download_seq			seq_4.fq
		seq_5.fasta	
	seq_6.fa		

Type following command in terminal:

```
sports.pl -i /foo/bar/download_seq/ -p 4 -a -x GTTCAGAGTTCTACAGTCCGACGATC -y

TGGAATTCTCGGGTGCCAAGG -g /foo/bar/Mus_musculus/UCSC/mm10/Sequence/BowtieIndex/Genome -m

/foo/bar/Mus_musculus/miRBase_21/miRbase_21-mmu -r

/foo/bar/Mus_musculus/rRNA_db/mouse_rRNA -t /foo/bar/Mus_musculus/GtRNAdb/mm10-tRNAs -w

/foo/bar/Mus_musculus/piRBase/piR_mouse -e

/foo/bar/Mus_musculus/Ensembl/Mus_musculus.GRCm38.ncrna -f

/foo/bar/Mus_musculus/Rfam_12.3/Rfam-12.3-mouse -o /foo/bar/output/ -k
```

4. Example output file structure for 1 query file input (e.g. SeqFile):

Output folder structure

Level 1	Level 2 directory	Level 3 directory	Annotation	
directory				
		SeqFile.fa	unique seqs with reads number	
		SeqFile_disgarded_reads.fa	seqs that cannot pass adapter removing process	
		SeqFile_too_short_reads.fa	seqs that are lower than required minimal length threshold	
		SeqFile_too_long_reads.fa	seqs that are higher than required maximal length threshold	
	SeqFile_fa	SeqFile_match_genome.fa	seqs that can match to reference genome	
	(if -k applied)	SeqFile_unmatch_genome.fa	seqs that cannot match to reference genome	
		SeqFile_match_ <x>_match_genome.fa</x>	seqs that can match to both <x> database and reference genome</x>	
		SeqFile_match_ <x>_unmatch_genome.fa</x>	seqs that can match to <x> database but not reference genome</x>	
		SeqFile_unmatch_ <x>_match_genome.fa</x>	seqs that cannot match to <x> database but can match to reference genome</x>	
		SeqFile_unmatch_ <x>_unmatch_genome.fa</x>	seqs that match to neither <x> database nor reference genome</x>	
		SeqFile_output_match_genome	seqs that match to reference genome in SAM format	
1_SeqFile		SeqFile_output_ <x>_match_genome</x>	seqs that match to <x> database but not reference genome in SAM format</x>	
1_Sequile		SeqFile_output_ <x>_unmatch_genome</x>	seqs that match to both <x> database and reference genome in SAM format</x>	
		SeqFile_output_tRNA_match_genome	seqs that match to both tRNA database and reference genome in SAM format	
		SeqFile_output_tRNA_unmatch_genome	seqs that match to tRNA database but not reference genome in SAM format	
		SeqFile_output_tRNA_5_tail_match_genome	seqs that match to both tRNA 5' end and reference genome in SAM format	
	SeqFile_processed		(included in SeqFile_output_tRNA_match_genome file)	
	(if -k applied)	SeqFile_output_tRNA_5_tail_unmatch_genome	seqs that match to tRNA 5' end but not reference genome in SAM format (included	
			in SeqFile_output_tRNA_unmatch_genome file)	
		SeqFile_output_tRNA_3_tail_match_genome	seqs that match to both tRNA 3' end and reference genome in SAM format	
			(included in SeqFile_output_tRNA_match_genome file)	
		SeqFile_output_tRNA_3_tail_unmatch_genome	seqs that match to tRNA 3' end but not reference genome in SAM format (included	
			in SeqFile_output_tRNA_unmatch_genome file)	
		SeqFile_output_tRNA_CCA_tail_match_genome	seqs that match to both tRNA 3' CCA end and reference genome in SAM format	

			(excluded in SeqFile_output_tRNA_match_genome file)
		SeqFile_output_tRNA_CCA_tail_unmatch_genome	seqs that match to tRNA 3' CCA end but not reference genome in SAM format
			(excluded in SeqFile_output_tRNA_unmatch_genome file)
		SeqFile_output.txt	6 column table file including annotation information for every unique sequence
		SeqFile_summary.txt	3 column table file including reads number of each major- (e.g. rRNA) and sub- (e.g.
			5S rRNA) classes
		SeqFile_length_distribution.txt	3 column table file including reads number of each length distribution of each
			major class
	SeqFile_result	SeqFile_sncRNA_distribution.pdf	figure of length distribution of miRNA, rsRNA, tsRNA, piRNA and other RNAs, if
			sequence matches existed
		SeqFile_rRNA_distribution.pdf	figure of length distribution of different types of rRNAs, if sequence matches
			existed
		SeqFile_rRNA_mapping.pdf	figure of rsRNAs mapping against different types of rRNAs, if sequence matches
<u> </u>			existed
	processing_report (if	1_SeqFile.txt	processing log file
	-k applied)		
	sh_file (if -k applied)	1_SeqFile.sh	processing script file

Some output folders only exist when '-k' parameter is applied in sports.pl; Some output files might not exist if the file size is zero.

fastq2fasta.pl

Extracted from miRDeep2 [3] (https://github.com/rajewsky-lab/mirdeep2)

1. Description:

Parses fastq format files into fasta format.

2. Input:

A fastq file.

3. Output:

A fasta file, one sequence per line (the sequences are expanded).

4. Options:

_

5. Example usage:

fastq2fasta.pl reads.fq > reads.fa

fastaparse.pl

Extracted from miRDeep2 [3] (https://github.com/rajewsky-lab/mirdeep2)

1. Description:

Performs simple filtering of entries in a fasta file.

2. Input:

A fasta file.

3. Output:

A filtered fasta file

4. Options:

-a <int> only output entries where the sequence is minimum int nts long

- -b remove all entries that have a sequence that contains letters other than a, c, g, t, u, n, A, C, G, T, U, N.
- -s output progress
- 5. Example usage:

fastaparse.pl reads.fa -a 15 -s > reads_no_short.fa 2> reads_discarded.fa

combine_reads.pl

1. Description:

Combine reads in the fasta file to get unique sequence and its read number.

2. Input:

A fasta file

3. Output:

A filtered fasta file.

>t0000001	1234567
-----------	---------

TCCCTGGTGGTCTAGTGGTTAGGATTCGGCGC

't00000001' is the unique ID of the sequence, representing the abundance ranking among all the sequences. In this case, the abundance of this sequence is the highest.

'1234567' represents the reads number of sequence 'TCCCTGGTGGTCTAGTGGTTAGGATTCGGCGC'

4. Options:

-

5. Example usage:

combine_reads.pl reads.fa > combined_reads.fa

tRNA_db_processing.pl

1. Description:

This script adds CCA end to original genomic tRNA 3' end and add G to Histidine tRNA 5' end.

2. Input:

The reference tRNA database file in .fa format

3. Options:

-

4. Example usage:

tRNA_db_processing.pl input_tRNA_file.fa

annotation.pl

1. Description:

Combine the annotation information generated from sports.pl

2. Input

sports.pl output folder address <SPORTS_output_fold_address>

- 3. Output:
 - 3.1 <seq_fold>_output.txt: A 6 column table file including annotation information for every unique sequence.

ID	Sequence	Length	Reads	Match_Genome	Annotation
+00000001	TCCCTGGTGGTCTAGTGGTT	22	1234567	Yes	tRNA-Glu-CTC 5 end
t00000001	AGGATTCGGCGC	32	1234307	res	thiva-diu-cic_5_ellu

-ID: t00000001 --Represents the unique ID of the sequence, represents the abundance ranking among all the sequences. In this case, the abundance of this sequence is the highest.

- -Sequence: TCCCTGGTGGTCTAGTGGTTAGGATTCGGCGC --Represents the sequence.
- -Length: 32 --Length of the sequence.
- -Reads: 1234567 -- Reads number of the sequence.
- -Match_Genome: Yes --If the sequence can match the reference genome.
- -Annotation: tRNA-Glu-CTC_5_end --The annotation of the sequence. This sequence mapped against the 5' end of tRNA-Glu-CTC sequence.
- 3.2 <seq_fold>_summary.txt: A 3 column table file including reads number of each major- and sub- classes.

Class	Sub_Class	Reads
tRNAdb-tRNA_5_end_Match_Genome	-	123456

tRNA-Glu-CTC_5_end 78910

-Class: tRNAdb-tRNA_5_end_Match_Genome --The major class name.

-Sub_Class: tRNA-Glu-CTC_5_end --The sub class name.

-Reads: 123456 -- The reads number of the class.

3.3 <seq_fold>_length_distribution.txt: A 3 column table file including reads number of each length distribution of each major class.

Class	Length	Reads
tRNAdb-tRNA_5_end_Match_Genome	30	1234
tRNAdb-tRNA_5_end_Match_Genome	31	23456
tRNAdb-tRNA_5_end_Match_Genome	32	34567
tRNAdb-tRNA_5_end_Match_Genome	33	4567

-Class: tRNAdb-tRNA_5_end_Match_Genome --The major class name.

-Length: 30 --Length of the sequence.

-Reads: 1234 -- The reads number of the class.

4. Options:

-

5. Example usage:

annotation.pl <SPORTS_output_fold_address>

overall_RNA_length_distribution.R

1. Description:

Generate figure of length distribution of miRNA, rsRNA, tsRNA, piRNA and other RNAs, if sequence matches exists.

2. Input:

Files generated by annotation.pl

3. Output:

<seq_fold>_sncRNA_distribution.pdfGenerate figure of length distribution of different types of rRNAs, if sequence
matches exists.

4. Options:

_

5. Example usage:

Rscript --vanilla overall_RNA_length_distribution.R <SPAR_output_fold_address>
<dataset_name>

rRNA_length_distribution.R

1. Description:

Generate figure of length distribution of different types of rRNAs, if sequence matches exists. (e.g. 4.5S, 5S, 5.3S, 5.8S,

12S, 16S, 18S, 28S, 45S ...)

2. Input:

Files generated by annotation.pl

3. Output:

```
<seq_fold>_rRNA_distribution.pdf
```

4. Options:

-

5. Example usage:

Rscript --vanilla r_RNA_length_distribution.R <SPAR_output_fold_address> <dataset_name>

rRNA_mapping.R

1. Description:

Generate figure of rsRNAs mapping against different types of rRNAs if sequence matches existed. (e.g. 4.5S, 5S, 5.3S, 5.8S, 12S, 16S, 18S, 28S, 45S ...)

2. Input:

Files generated by annotation.pl

3. Output:

<seq_fold>_rRNA_mapping.pdf

4. Options:

-

5. Example usage:

Rscript --vanilla rRNA_mapping.R <SPAR_output_fold_address> <dataset_name>

Appendix

Available species lists of bowtie-index based reference database

To build bowtie-index of your own:

cd /foo/bar/your_reference_database/

bowtie-build <your_reference_database_name>.fa <your_reference_database_name>

The built bowtie index will be: /foo/bar/your_reference_database/your_reference_database_name

Unpack reference genome (e.g. human genome):

tar zxvf Homo_sapiens_UCSC_hg38.tar.gz

Main database source:

- -mirbase 21 database [4] (Original source: http://www.mirbase.org/index.shtml)
- -rRNA database (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -GtRNAdb 2.0 database [5] (Original source: http://gtrnadb.ucsc.edu/)
- -piRBase database [6] (Original source: http://www.regulatoryrna.org/database/piRNA/)
- -piRNABank [7] (Original source: http://pirnabank.ibab.ac.in/index.shtml)
- -ensembl ncRNA database [8] (Original source: http://www.ensembl.org/index.html)
- -rfam 12.3 database [9] (Original source: http://rfam.xfam.org/)

1. Homo sapiens (Human)

- 1.1 annotation databases: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0773ed3d5f6b74f35bbd6 43e1af221c31&authkey=AcRxf8walnGUIEhgl--8CDc)
 - -genome with bowtie-index (UCSC hg38) (Original source: ftp://igenome:G3nom3s4u@ussd-tp.illumina.com/Homo-sapiens/UCSC/hg38/Homo-sapiens-UCSC hg38.tar.gz)
 - -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
 - -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
 - -tRNA database with bowtie-index (Original source: http://gtrnadb.ucsc.edu/genomes/eukaryota/Hsapi19/hg19-tRNAs.fa)
 - -piRNA database with bowtie-index (Original source: http://www.regulatoryrna.org/database/piRNA/ && http://pirnabank.ibab.ac.in/request.html)
 - -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-89/fasta/mus_musculus/ncrna/)
 - -rfam 12.3 database with bowtie-index (Original source: ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)
- 1.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Homo_sapiens/UCSC/hg38/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Homo_sapiens/miRBase_21/miRBase_21-has
 - -r/<your_defined_address>/Homo_sapiens/rRNA_db/human_rRNA
 - -t /<your defined address>/Homo sapiens/GtRNAdb/hg19-tRNAs
 - -w /<your_defined_address>/Homo_sapiens/piRBase/piR_human
 - -e /<your_defined_address>/Homo_sapiens/Ensembl/Homo_sapiens.GRCh38.ncrna
 - -f /<your_defined_address>/Homo_sapiens/Rfam_12.3/Rfam-12.3-human

2. Gorilla gorilla (Gorilla)

- 2.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=03a9a8d26cca14b458007 e9c6ee4541f7&authkey=Aag33OX-ljvagRWePhYNF3k)
 - -genome with bowtie-index (UCSC gorGor5) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/gorGor5/bigZips/gorGor5.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Acaro2/anoCar2-tRNAs.fa)

- -rfam 12.3 database with bowtie-index (Original source:
- ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)
- 2.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Gorilla_gorilla/UCSC/gorGor5/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Gorilla_gorilla/miRBase_21/miRBase_21-ggo
 - -t /<your_defined_address>/Gorilla_gorilla/GtRNAdb/gorGor3-tRNAs
 - -f/<your_defined_address>/Gorilla_gorilla/Rfam_12.3/Rfam-12.3-gorilla

3. Pan paniscus (Bonobo)

- 3.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports_ncrna_info/layouts/15/guestaccess.aspx?docid=03a74e9f6c2594f1e86a31acd8e554621&authkey=AYrgOm8rrAY7hrFYQ03gmTA)
 - -genome with bowtie-index (UCSC panPan1) (Original source:
 - http://hgdownload.soe.ucsc.edu/goldenPath/panPan1/bigZips/panPan1.fa.gz
 - -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
 - -rfam 12.3 database with bowtie-index (Original source:
 - ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)
- 3.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Pan_paniscus/UCSC/panPan1/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Pan_paniscus/miRBase_21/miRBase_21-ppa
 - -f/<your_defined_address>/Pan_paniscus/Rfam_12.3/Rfam-12.3-Bonobo

4. Pan troglodytes (Chimp)

- 4.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=09c13507ee7414365843d e3450aa9ad3e&authkey=AdsLOHA5q2--SbiP2C6Qjpc)
 - -genome with bowtie-index (Ensembl CHIMP2.1.4) (Original source: ftp://igenome:G3nom3s4u@ussd-ftp.illumina.com/Pan troglodytes/Ensembl/CHIMP2.1.4/Pan troglodytes Ensembl CHIMP2.1.4.tar.gz)
 - -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
 - -tRNA database with bowtie-index (Original source:
 - http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ptrog4/panTro4-tRNAs.fa
 - -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-89/fasta/pan troglodytes/ncrna/)
 - -rfam 12.3 database with bowtie-index (Original source:
 - ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)
- 4.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Pan_troglodytes/Ensembl/CHIMP2.1.4/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Pan_troglodytes/miRBase_21/miRBase_21-ptr
 - -t /<your defined address>/Pan troglodytes/GtRNAdb/panTro4-tRNAs
 - -e /<your defined address>/Pan troglodytes/Ensembl/Pan troglodytes.CHIMP2.1.4.ncrna
 - -f /<your_defined_address>/Pan_troglodytes/Rfam_12.3/Rfam-12.3-chimp

5. Pongo abelii (Orangutan)

- 5.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports_ncrna_info/layouts/15/guestaccess.aspx?docid=037168296877942ecb973_5f26afcb450a&authkey=AZkU5ib3A0KOiT4KxrhgTGQ)
 - -genome with bowtie-index (UCSC ponAbe2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/ponAbe2/bigZips/chromFa.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ppygm2/ponAbe2-tRNAs.fa)

-ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/pongo abelii/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 5.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your defined address>/Pongo pygmaeus/UCSC/ponAbe2/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Pongo_abelii/miRBase_21/miRBase_21-ppy
 - -t /<your_defined_address>/Pongo_abelii/GtRNAdb/ponAbe2-tRNAs
 - -e /<your_defined_address>/Pongo_abelii/Ensembl/Pongo_abelii.PPYG2.ncrna
 - -f/<your_defined_address>/Pongo_abelii/Rfam_12.3/Rfam-12.3-orangutan

6. Nomascus leucogenys (Gibbon)

6.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=068ef6629d31b4fb28100f 667050be1d1&authkey=AWEPi3HUmOVD PPPnkMhdvs)

-genome with bowtie-index (UCSC nomLeu3) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/nomLeu3/bigZips/nomLeu3.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Nleuc3/nomLeu3-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 6.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Nomascus_leucogenys/UCSC/nomLeu3/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Nomascus_leucogenys/GtRNAdb/nomLeu3-tRNAs
 - -f/<your_defined_address>/Nomascus_leucogenys/Rfam_12.3/Rfam-12.3-gibbon

7. Macaca mulatta (Rhesus)

7.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=07fededf7468444ba9b863 b74316b8504&authkey=Aa6X06J4ExLvKtH8mJ-CESs)

-genome with bowtie-index (Ensembl Gm01) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Glycine_max/Ensembl/Gm01/Glycine_max_Ensembl_Gm01.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Mmula3/rheMac3-tRNAs.fa

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 7.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your defined address>/Macaca mulatta/UCSC/rheMac8/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Macaca_mulatta/miRBase_21/miRBase_21-mml
 - -r/<your defined address>/Macaca mulatta/rRNA db/rhesus rRNA
 - -t /<your_defined_address>/Macaca_mulatta/GtRNAdb/rheMac3-tRNAs
 - -e /<your_defined_address>/Macaca_mulatta/Ensembl/Pan_troglodytes.CHIMP2.1.4.ncrna
 - -f /<your_defined_address>/Macaca_mulatta/Rfam_12.3/Rfam-12.3-rhesus

8. Papio anubis (Baboon)

- 8.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=03a22a2092c7b46fb93a8fc49cf234720&authkey=Ad hzH3MUIMh0-9BLoH Vmw)
 - -genome with bowtie-index (UCSC papAnu2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/papAnu2/bigZips/papAnu2.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Panub2/papAnu2-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 8.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Papio_anubis/UCSC/papAnu2/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Papio_anubis/GtRNAdb/papAnu2-tRNAs
 - -f /<your_defined_address>/Papio_anubis/Rfam_12.3/Rfam-12.3-baboon

9. Callithrix jacchus (Marmoset)

- 9.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=077698888fa8d40408df8c 979e91146e4&authkey=AeoDYl5a3lKyF-CWgupu6IA)
 - -genome with bowtie-index (UCSC calJac3) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/calJac3/bigZips/calJac3.fa.gz)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Cjacc3/calJac3-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 9.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Callithrix_jacchus/UCSC/calJac3/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Callithrix_jacchus/rRNAdb/marmoset_rRNA
 - -t /<your_defined_address>/Callithrix_jacchus/GtRNAdb/calJac3-tRNAs
 - -f/<your defined address>/Callithrix jacchus/Rfam 12.3/Rfam-12.3-marmoset

10. Carlito syrichta (Tarsier)

10.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0c761313792b64396b87a 66a6e04101be&authkey=AZBsjTA5-hXdASOlimxNL4I)

-genome with bowtie-index (UCSC tarSyr2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/tarSyr2/bigZips/tarSyr2.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Tsyri2/tarSyr2-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 10.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Carlito_syrichta/UCSC/tarSyr2/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Carlito_syrichta/GtRNAdb/tarSyr2-tRNAs
 - -f /<your_defined_address>/Carlito_syrichta/Rfam_12.3/Rfam-12.3-tarsier

11. Rattus norvegicus (rat)

11.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0b2cacd8453104b2abb60 298863fc4c16&authkey=AZAYeCOsLKuc_ml-QMqBJoQ)

-genome with bowtie-index (UCSC rn6) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Rattus norvegicus/UCSC/rn6/Rattus norvegicus UCSC rn6.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Rnorv5/rn5-tRNAs.fa)

- -piRNA database with bowtie-index (Original source: http://www.regulatoryrna.org/database/piRNA/ && http://pirnabank.ibab.ac.in/request.html)
- -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-89/fasta/rattus norvegicus/ncrna/)
- -rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 11.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Rattus_norvegicus/UCSC/rn6/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Rattus_norvegicus/miRBase_21/miRBase_21-rno
 - -r /<your_defined_address>/Rattus_norvegicus/rRNA_db/mouse_rRNA
 - -t /<your defined address>/Rattus norvegicus/GtRNAdb/rn5-tRNAs
 - -w /<your_defined_address>/Rattus_norvegicus/piRBase/piR_rat
 - -e /<your_defined_address>/Rattus_norvegicus/Ensembl/Rattus_norvegicus.Rnor_6.0.ncrna
 - -f /<your_defined_address>/Rattus_norvegicus/Rfam_12.3/Rfam-12.3-rat

12. Mus musculus (mouse)

- 12.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo
 - my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0833653a140eb47f09826 7d7a23d3b63c&authkey=Ab8aoYC8paqFl2yRablo7Ok)
 - -genome with bowtie-index (UCSC mm10) (Original source: ftp://igenome:G3nom3s4u@ussd-
 - ftp.illumina.com/Mus musculus/UCSC/mm10/Mus musculus UCSC mm10.tar.gz)
 - -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
 - -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
 - -tRNA database with bowtie-index (Original source:
 - http://gtrnadb.ucsc.edu/genomes/eukaryota/Mmusc10/mm10-tRNAs.fa)
 - -piRNA database with bowtie-index (Original source: http://www.regulatoryrna.org/database/piRNA/ && http://pirnabank.ibab.ac.in/request.html)
 - -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-
 - 89/fasta/mus musculus/ncrna/)
 - -rfam 12.3 database with bowtie-index (Original source:
 - ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)
- 12.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Mus_musculus/UCSC/mm10/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Mus_musculus/miRBase_21/miRBase_21-mmu
 - -r/<your defined address>/Mus musculus/rRNA db/mouse rRNA
 - -t /<your_defined_address>/Mus_musculus/GtRNAdb/mm10-tRNAs
 - -w /<your defined address>/Mus musculus/piRBase/piR mouse
 - -e /<your_defined_address>/Mus_musculus/Ensembl/Mus_musculus.GRCm38.ncrna
 - -f /<your_defined_address>/Mus_musculus/Rfam_12.3/Rfam-12.3-mouse

13. Cricetulus griseus (Hamster)

- 13.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo
 - my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0b0ac3830026f40079587
 - 74cbdb421632&authkey=AZnURBxU1PYzUO1yyrcoZ M) -genome with bowtie-index (UCSC criGri1) (Original source:
 - http://hgdownload.soe.ucsc.edu/goldenPath/criGri1/bigZips/criGri1.fa.gz)
 - -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
 - -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
 - -tRNA database with bowtie-index (Original source:
 - http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Cgris1/criGri1-tRNAs.fa)
 - -rfam 12.3 database with bowtie-index (Original source:
 - ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)
- 13.2 SPORTS1.0 related parameters if you download recommended reference database:
 - $-g / < your_defined_address > / Cricetulus_griseus / UCSC / criGri1 / Sequence / Bowtie Index / genome$
 - -m /<your_defined_address>/Cricetulus_griseus/miRBase_21/miRBase_21-cgr
 - -r/<your_defined_address>/Cricetulus_griseus/rRNA_db/hamster_rRNA
 - -t /<your_defined_address>/Cricetulus_griseus/GtRNAdb/criGri1-tRNAs

14. Cavia porcellus (Guinea pig)

14.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0d27261e6ae9c4402bbc9 465addb544de&authkey=Ad1xlk56DNm0StozUWDqCYw)

-genome with bowtie-index (UCSC cavPor3) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/cavPor3/bigZips/cavPor3.fa.gz)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Cporc3/cavPor3-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

14.2 SPORTS1.0 related parameters if you download recommended reference database:

- -g /<your_defined_address>/Cavia_porcellus/UCSC/cavPor3/Sequence/BowtieIndex/genome
- -r/<your_defined_address>/Cavia_porcellus/rRNA_db/guinea_rRNA
- -t /<your_defined_address>/Cavia_porcellus/GtRNAdb/cavPor3-tRNAs
- -f/<your_defined_address>/Cavia_porcellus/Rfam_12.3/Rfam-12.3-guinea

15. Heterocephalus glaber (Naked mole-rat)

- 15.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0ceff76c620884395899bc
 - d385bfaa098&authkey=ATiBTnSjWKqY0zPKQOmM6kU)

-genome with bowtie-index (UCSC hetGla2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/hetGla2/bigZips/hetGla2.fa.gz

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Hglab2/hetGla2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

15.2 SPORTS1.0 related parameters if you download recommended reference database:

- $-g / < your_defined_address > / Heterocephalus_glaber / UCSC / het Gla2 / Sequence / Bowtie Index / genome / Glaber / UCSC / het Gla2 / Sequence / Bowtie Index / genome / Glaber / UCSC / het Gla2 / Sequence / Bowtie Index / genome / Glaber / UCSC / het Gla2 / Sequence / Bowtie Index / genome / Glaber / UCSC / het Gla2 / Sequence / Bowtie Index / genome / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / Sequence / Glaber / UCSC / het Gla2 / UCSC / UCSC / UCSC$
- -r/<your_defined_address>/Heterocephalus_glaber/rRNA_db/mole_rRNA
- -t /<your_defined_address>/Heterocephalus_glaber/GtRNAdb/hetGla2-tRNAs
- -f/<your defined address>/Heterocephalus glaber/Rfam 12.3/Rfam-12.3-mole

16. Ictidomys tridecemlineatus (Squirrel)

16.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0419ea57bd00548cc94574d8ce9717fcd&authkey=Aa1pkb9R7850Ss3GFmB6GzM)

-genome with bowtie-index (UCSC speTri2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/speTri2/bigZips/speTri2.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Strid2/speTri2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 16.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your defined address>/lctidomys tridecemlineatus/UCSC/speTri2/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Ictidomys_tridecemlineatus/GtRNAdb/speTri2-tRNAs
 - -f/<your_defined_address>/lctidomys_tridecemlineatus/Rfam_12.3/Rfam-12.3-squirrel

17. Ochotona princeps (Pika)

17.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=068d8da8388b74c38943e 50237a259a88&authkey=AemP73yDCDiObexIk-DcRVQ)

-genome with bowtie-index (UCSC ochPri3) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/ochPri3/bigZips/ochPri3.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Oprin3/ochPri3-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 17.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Ochotona_princeps/UCSC/ochPri3/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Ochotona_princeps/GtRNAdb/ochPri3-tRNAs
 - -f/<your_defined_address>/Ochotona_princeps/Rfam_12.3/Rfam-12.3-pika

18. Oryctolagus cuniculus (Rabbit)

18.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

<u>my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=01b2d69333c97448196cc69b212e92fc9&authkey=ARbwyo0-WJX10nDdXwvNygc</u>)

-genome with bowtie-index (UCSC oryCun2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/oryCun2/bigZips/oryCun2.fa.gz

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ocuni2/oryCun2-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

18.2 SPORTS1.0 related parameters if you download recommended reference database:

- -g /<your_defined_address>/Oryctolagus_cuniculus/UCSC/oryCun2/Sequence/BowtieIndex/genome
- -m /<your_defined_address>/Oryctolagus_cuniculus/miRBase_21/miRBase_21-ocu
- -r/<your_defined_address>/Oryctolagus_cuniculus/rRNA_db/rabbit_rRNA
- -t /<your_defined_address>/Oryctolagus_cuniculus/GtRNAdb/oryCun2-tRNAs
- -f/<your_defined_address>/Oryctolagus_cuniculus/Rfam_12.3/Rfam-12.3-rabbit

19. Ovis aries (Sheep)

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0e880ae29a16747bebf5b 9afdb5956921&authkey=AYIPOUkTwtVuiul45XA7mYE)

-genome with bowtie-index (UCSC oviAri3) (Original source:

http://hgdownload.cse.ucsc.edu/goldenPath/oviAri3/bigZips/oviAri3.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Zmays5/zeaMay5-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 19.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Ovis_aries/UCSC/oviAri3/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Ovis_aries/miRBase_21/miRBase_21-oar
 - -t /<your_defined_address>/Ovis_aries/GtRNAdb/oviAri1-tRNAs
 - -f/<your_defined_address>/Ovis_aries/Rfam_12.3/Rfam-12.3-sheep

20. Bos taurus (Cow)

20.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0a58e56dc7cb743299631fec15b72e69d&authkey=AeosGslpVMdvtZa6qtKJBCE)

-genome with bowtie-index (UCSC bosTau8) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Bos taurus/UCSC/bosTau8/Bos taurus UCSC bosTau8.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Btaur8/bosTau8-tRNAs.fa)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/bos taurus/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 20.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Bos_taurus/UCSC/bosTau8/Sequence/BowtieIndex/genome
 - -m/<your defined address>/Bos taurus/miRBase 21/miRBase 21-bta
 - -r/<your_defined_address>/Bos_taurus/rRNA_db/cow_rRNA

- -t /<your_defined_address>/Bos_taurus/GtRNAdb/bosTau8-tRNAs
- -e /<your_defined_address>/Bos_taurus/Ensembl/Bos_taurus.UMD3.1.ncrna
- -f/<your defined address>/Bos taurus/Rfam 12.3/Rfam-12.3-cow

21. Sus scrofa (Pig)

21.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

<u>my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0e15d39ac05b24a9b899e7a9dfcf96773&authkey=AYaNWQ9KLlkqq7f2qbWzchc)</u>

-genome with bowtie-index (UCSC susScr3) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Sus scrofa/UCSC/susScr3/Sus scrofa UCSC susScr3.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Sscro3/susScr3-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 21.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your_defined_address>/Sus_scrofa/UCSC/susScr3/Sequence/BowtieIndex/genome
 - -m/<your defined address>/Sus scrofa/miRBase 21/miRBase 21-ssc
 - -r/<your_defined_address>/Sus_scrofa/rRNA_db/pig_rRNA
 - -t /<your_defined_address>/Sus_scrofa/GtRNAdb/susScr3-tRNAs
 - -f/<your_defined_address>/Sus_scrofa/Rfam_12.3/Rfam-12.3-pig

22. Tursiops truncatus (Dolphin)

22.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=08396ad3619a247d69550 8aee771e3991&authkey=AVKuiimDuoOGVKfGvZcK_ik)

-genome with bowtie-index (UCSC turTru2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/turTru2/bigZips/turTru2.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ttrun2/turTru2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 22.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Tursiops_truncatus/UCSC/turTru2/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Tursiops_truncatus/GtRNAdb/turTru2-tRNAs
 - -f/<your_defined_address>/Tursiops_truncatus/Rfam_12.3/Rfam-12.3-dolphin

23. Balaenoptera acutorostrata (Minke whale)

23.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0d27ad173ffdb4dcc8a495 4f9ba5426eb&authkey=AUdYvbA- q0lzVEEBlth8V8)

-genome with bowtie-index (UCSC balAcu1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/balAcu1/bigZips/balAcu1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Bacut1/balAcu1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 23.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Balaenoptera_acutorostrata/UCSC/balAcu1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Balaenoptera_acutorostrata/GtRNAdb/balAcu1-tRNAs
 - -f/<your_defined_address>/Balaenoptera_acutorostrata/Rfam_12.3/Rfam-12.3-whale

24. Erinaceus europaeus (Hedgehog)

24.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0633e2d7781ab4aefb59fc 03f1347657b&authkey=AXrP4XnyiHQqkC5WOUhhS5w)

-genome with bowtie-index (UCSC eriEur2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/eriEur2/bigZips/eriEur2.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Eeuro2/eriEur2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 24.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your defined address>/Erinaceus europaeus/UCSC/eriEur2/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Erinaceus_europaeus/GtRNAdb/eriEur2-tRNAs
 - -f/<your_defined_address>/Erinaceus_europaeus/Rfam_12.3/Rfam-12.3-hedgehog

25. Sorex araneus (Shrew)

25.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

 $\underline{my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0399046c56fb246c39630c\\ \underline{84db61a23ad\&authkey=AWE7pAlGt1TAAUyID4qoE9A)}$

-genome with bowtie-index (UCSC sorAra2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/sorAra2/bigZips/sorAra2.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Saran2/sorAra2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 25.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your defined address>/Sorex araneus/UCSC/sorAra2/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Sorex_araneus/GtRNAdb/sorAra2-tRNAs
 - -f /<your_defined_address>/Sorex_araneus/Rfam_12.3/Rfam-12.3-shrew

26. Canis lupus familiaris (Dog)

26.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=06a45d60105a04796b5e9 6a9417d86f4c&authkey=AY37yxKX-C5u9DG71tzrFEI)

-genome with bowtie-index (UCSC canFam3) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Canis familiaris/UCSC/canFam3/Canis familiaris UCSC canFam3.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Cfami3/canFam3-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 26.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your defined address>/Canis familiaris/UCSC/canFam3/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Canis_familiaris/miRBase_21/miRBase_21-cfa
 - -t /<your_defined_address>/Canis_familiaris/GtRNAdb/canFam3-tRNAs
 - -f /<your_defined_address>/Canis_familiaris/Rfam_12.3/Rfam-12.3-dog

27. Mustela putorius furo (Ferret)

27.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0ef4e067d42f241359e2e6 06b14e0d8f9&authkey=AUW2yr7SM356KpD5uhBNOeM)

-genome with bowtie-index (UCSC musFur1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/musFur1/bigZips/musFur1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Mputo1/musFur1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 27.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Mustela_furo/UCSC/musFur1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Mustela_furo/GtRNAdb/musFur1-tRNAs
 - -f /<your_defined_address>/Mustela_furo/Rfam_12.3Rfam-12.3-ferret

28. Ailuropoda melanoleuca (Panda)

28.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0215799b172f94c909c525 1061e317540&authkey=AdE82hkEi1MHl3OL1vY92b8)

-genome with bowtie-index (UCSC ailMel1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/ailMel1/bigZips/ailMel1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Amela1/ailMel1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 28.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your_defined_address>/Ailuropoda_melanoleuca/UCSC/ailMel1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Ailuropoda_melanoleuca/GtRNAdb/ailMel1-tRNAs
 - -f/<your_defined_address>/Ailuropoda_melanoleuca/Rfam-12.3-panda

29. Felis catus (Cat)

29.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

<u>my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0203fe1a0c8954879878ef8cabcfe37cf&authkey=AZ32jdZI7FoFU_t8_NFb9o0</u>)

-genome with bowtie-index (UCSC felCat8) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/felCat8/bigZips/felCat8.fa.gz

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ocuni2/oryCun2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 29.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Felis_catus/UCSC/felCat8/Sequence/BowtieIndex/genome
 - -r/<your_defined_address>/Felis_catus/rRNA_db/cat_rRNA
 - -t/<your defined address>/Felis catus/GtRNAdb/felCat5-tRNAs
 - -f/<your_defined_address>/Felis_catus/Rfam_12.3/Rfam-12.3-cat

30. Equus caballus (Horse)

30.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

<u>my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0e7011a73d57545ea8be3_c71335b3cf4c&authkey=AWHkBfbzVmwz_HjmQXo8IJU</u>)

-genome with bowtie-index (UCSC equCab2) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Equus caballus/UCSC/equCab2/Equus caballus UCSC equCab2.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ecaba2/equCab2-tRNAs.fa)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 30.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Equus_caballus/UCSC/equCab2/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Equus_caballus/miRBase_21/miRBase_21-eca
 - -r/<your defined address>/Equus caballus/rRNA db/horse rRNA
 - -t /<your_defined_address>/Equus_caballus/GtRNAdb/equCab2-tRNAs
 - -f /<your_defined_address>/Equus_caballus/Rfam_12.3/Rfam-12.3-horse

31. Ceratotherium simum (White rhinoceros)

31.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0f836e7106664459bacda 6f94dc15e22d&authkey=AVSh1b1dr84q53sLTqD9sRA)

-genome with bowtie-index (UCSC cerSim1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/cerSim1/bigZips/cerSim1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Csimu1/cerSim1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 31.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Ceratotherium_simum/UCSC/cerSim1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Ceratotherium_simum/GtRNAdb/cerSim1-tRNAs
 - -f/<your_defined_address>/Ceratotherium_simum/Rfam_12.3/Rfam-12.3-rhinoceros

32. Myotis lucifugus (Microbat)

32.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=03dcc351bbc274cfc8692e 5f2b1f5d0f3&authkey=AbjlxSozqu1c-2sRUrTGn7k)

-genome with bowtie-index (UCSC myoLuc2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/myoLuc2/bigZips/myoLuc2.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Mluci2/myoLuc2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 32.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your defined address>/Myotis lucifugus/UCSC/myoLuc2/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Myotis_lucifugus/GtRNAdb/myoLuc2-tRNAs

33. Trichechus manatus (Manatee)

33.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=06448172c574b4b9cbe0d 906cf75bc68b&authkey=AX_fEuPmr18NZPEFbcg9nEQ)

-genome with bowtie-index (UCSC triMan1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/triMan1/bigZips/triMan1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Tmana1/triMan1-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 33.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Trichechus_manatus/UCSC/triMan1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Trichechus_manatus/GtRNAdb/triMan1-tRNAs
 - -f /<your_defined_address>/Trichechus_manatus/Rfam_12.3/Rfam-12.3-manatee

34. Loxodonta africana (Elephant)

34.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0e0146e32fe4745bba50bbede409efddc&authkey=AT8bNP2DhjKysDaGD4Qy-7s)

-genome with bowtie-index (UCSC loxAfr3) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/loxAfr3/bigZips/loxAfr3.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Lafri3/loxAfr3-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 34.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your defined address>/Loxodonta africana/UCSC/loxAfr3/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Loxodonta_africana/GtRNAdb/loxAfr3-tRNAs
 - -f /<your_defined_address>/Loxodonta_africana/Rfam_12.3/Rfam-12.3-elephant

35. Dasypus novemcinctus (Armadillo)

35.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0c68adc6b2afc447a9dfe4 5a1a5eedd49&authkey=AUPTS51dr88E3AMvcZtljrk)

-genome with bowtie-index (UCSC dasNov3) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/dasNov3/bigZips/dasNov3.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Dnove3/dasNov3-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 35.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Dasypus_novemcinctus/UCSC/dasNov3/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Dasypus_novemcinctus/GtRNAdb/dasNov3-tRNAs
 - -f/<your_defined_address>/Dasypus_novemcinctus/Rfam_12.3/Rfam-12.3-armadillo

36. Notamacropus eugenii (Wallaby)

36.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=076db8740d2e34caabb25 669fd6297e36&authkey=AWv-dFi1Mm7C0QH9K00WHH4)

-genome with bowtie-index (UCSC macEug2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/macEug2/bigZips/macEug2.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Meuge2/macEug2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 36.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Notamacropus_eugenii/UCSC/macEug2/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Notamacropus_eugenii/miRBase_21/miRBase_21-meu
 - -t /<your_defined_address>/Notamacropus_eugenii/GtRNAdb/macEug2-tRNAs
 - -f/<your_defined_address>/Notamacropus_eugenii/Rfam_12.3/Rfam-12.3-wallaby

37. Sarcophilus harrisii (Tasmanian devil)

37.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0469dc3788cbb40bab747 2ee70a230dc0&authkey=AXA1nDb4QpYeulJFC-D6mL0)

-genome with bowtie-index (UCSC sarHar1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/sarHar1/bigZips/sarHar1.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Sharr1/sarHar1-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 37.2 SPORTS1.0 related parameters if you download recommended reference database:
 - $-g / < your_defined_address > / Sarcophilus_harrisii / UCSC / sar Har 1 / Sequence / Bowtie Index / genome$
 - -m /<your defined address>/Sarcophilus harrisii/miRBase 21/miRBase 21-sha
 - -t /<your_defined_address>/Sarcophilus_harrisii/GtRNAdb/sarHar1-tRNAs

38. Monodelphis domestica (Opossum)

38.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=05e9cd2f3891a4761ade9 5d98aa3ebc78&authkey=Ae jBKldBC7HypVTN7S98Rw)

-genome with bowtie-index (UCSC monDom5) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/monDom5/bigZips/chromFa.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Mdome5/monDom5-tRNAs.fa)

-ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/monodelphis domestica/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 38.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Monodelphis_domestica/UCSC/monDom5/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Monodelphis_domestica/miRBase_21/miRBase_21-mdo
 - -t/<your defined address>/Monodelphis domestica/GtRNAdb/monDom5-tRNAs
 - -e /<your defined address>/Monodelphis domestica/Ensembl/Monodelphis domestica.BROADO5.ncrna
 - -f/<your_defined_address>/Monodelphis_domestica/Rfam_12.3/Rfam-12.3-opossum

39. Ornithorhynchus anatinus (Platypus)

39.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=07f0f4ed088844a86afa5db763407699c&authkey=AUFx9yWXHtg1CQc-wfpJ81M)

-genome with bowtie-index (UCSC ornAna2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/ornAna2/bigZips/ornAna2.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Oanat1/ornAna1-tRNAs.fa)

- -piRNA database with bowtie-index (Original source: http://pirnabank.ibab.ac.in/request.html)
- -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/ornithorhynchus anatinus/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 39.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Ornithorhynchus_anatinus/UCSC/ornAna2/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Ornithorhynchus_anatinus/miRBase_21/miRBase_21-oan
 - -t/<your defined address>/Ornithorhynchus anatinus/GtRNAdb/ornAna1-tRNAs
 - -w /<your_defined_address>/Ornithorhynchus_anatinus/piRBase/piR_platypus

- -e /<your_defined_address>/Ornithorhynchus_anatinus/Ensembl/Ornithorhynchus_anatinus.OANA5.ncrna
- -f/<your_defined_address>/Ornithorhynchus_anatinus/Rfam_12.3/Rfam-12.3-platypus

40. Taeniopygia guttata (Zebra finch)

40.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0defbf712045f4e7f85b37 3b0eba4cd1b&authkey=AbieXkq6akbsD8tY1oGctDI)

-genome with bowtie-index (UCSC taeGut2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/taeGut2/bigZips/taeGut2.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Tgutt2/taeGut2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 40.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Taeniopygia_guttata/UCSC/taeGut2/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Taeniopygia_guttata/miRBase_21/miRBase_21-tgu
 - -t /<your_defined_address>/Taeniopygia_guttata/GtRNAdb/taeGut2-tRNAs
 - -f/<your_defined_address>/Taeniopygia_guttata/Rfam_12.3/Rfam-12.3-finch

41. Melopsittacus undulatus (Budgerigar)

41.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0e0046ab3b1a9458a9a18 3b45507ea0c3&authkey=AWiCroVnVDQcPENZDX 76VM)

-genome with bowtie-index (UCSC melUnd1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/melUnd1/bigZips/melUnd1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Mundu1/melUnd1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 41.2 SPORTS1.0 related parameters if you download recommended reference database:
 - $-g / < your_defined_address > / Melopsittacus_undulatus / UCSC / melUnd1 / Sequence / Bowtie Index / genome$
 - -t /<your_defined_address>/Melopsittacus_undulatus/GtRNAdb/melUnd1-tRNAs
 - -f/<your_defined_address>/Melopsittacus_undulatus/Rfam_12.3/Rfam-12.3-budgerigar

42. Gallus gallus (Chicken)

42.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0abafb326c4074fe9971d6

0a26497126c&authkey=AcRw_9ltjRXbdNAfmLRl_gg)

-genome with bowtie-index (UCSC galGal5) (Original source:

ftp://igenome2:u7NMwVkm@ftp.illumina.com/Gallus gallus/UCSC/galGal5/Gallus gallus UCSC galGal5.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ggall4/galGal4-tRNAs.fa)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -piRNA database with bowtie-index (Original source: http://www.regulatoryrna.org/database/piRNA/)
- -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/gallus gallus/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 42.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Gallus_gallus/UCSC/galGal5/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Gallus_gallus/miRBase_21/miRBase_21-gga
 - -r/<your_defined_address>/Gallus_gallus/rRNA_db/chicken_rRNA
 - -t /<your_defined_address>/Gallus_gallus/GtRNAdb/galGal4-tRNAs
 - -w /<your_defined_address>/Gallus_gallus/piRBase/piR_gga_v1.0
 - -e /<your defined address>/Gallus gallus/Ensembl/Gallus gallus.Gallus gallus-5.0.ncrna
 - -f /<your_defined_address>/Gallus_gallus/Rfam_12.3/Rfam-12.3-chicken

43. Meleagris gallopavo (Turkey)

43.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0c88e1661f08e4b6d945d87e8120bdf07&authkey=AWICjj414nXNuNbrNM7mbE4)

-genome with bowtie-index (UCSC melGal1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/melGal1/bigZips/melGal1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Mgall1/melGal1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 43.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Meleagris_gallopavo/UCSC/melGal1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Meleagris_gallopavo/GtRNAdb/melGal1-tRNAs
 - -f/<your defined address>/Meleagris gallopavo/Rfam 12.3/Rfam-12.3-turkey

44. Chrysemys picta (Painted Turtle)

44.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0fbd62d91eb4442a88525f 89684a74242&authkey=AY3fgBdvPRzWpqqD4yd Sqw)

-genome with bowtie-index (UCSC chrPic1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/chrPic1/bigZips/chrPic1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ocuni2/oryCun2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 44.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Chrysemys_picta/UCSC/chrPic1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Chrysemys_picta/GtRNAdb/chrPic1-tRNAs
 - -f/<your_defined_address>/Chrysemys_picta/Rfam_12.3/Rfam-12.3-turtle

45. Anolis carolinensis (Lizard)

45.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=06986df31c45c4a00a6a2b47ce4ee7af2&authkey=AaE-i58-1fjJeqcDHZUpLLo)

-genome with bowtie-index (UCSC anoCar2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/anoCar2/bigZips/anoCar2.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Acaro2/anoCar2-tRNAs.fa)

-ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/anolis_carolinensis/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 45.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Anolis_carolinensis/UCSC/anoCar2/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Anolis_carolinensis/miRBase_21/miRBase_21-aca
 - -t /<your_defined_address>/Anolis_carolinensis/GtRNAdb/anoCar2-tRNAs
 - -e /<your defined address>/Anolis carolinensis/Ensembl/Anolis carolinensis.AnoCar2.0.ncrna
 - -f /<your_defined_address>/Anolis_carolinensis/Rfam_12.3/Rfam-12.3-lizard

46. Xenopus laevis (Frog)

 $\underline{my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0d9b3d45b3bf3483c826c\\ \underline{36d2b340f0fd&authkey=AdGZ969RHd1lpwBpm7lsGEQ})$

-genome with bowtie-index (UCSC xenTro7) (Original source:

ftp://hgdownload.soe.ucsc.edu/goldenPath/xenTro7/bigZips/xenTro7.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Xtrop3/xenTro3-tRNAs.fa)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -piRNA database with bowtie-index (Original source: http://www.regulatoryrna.org/database/piRNA/)

-ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/xenopus tropicalis/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 46.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Xenopus_laevis/UCSC/xenTro7/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Xenopus_laevis/miRBase_21/miRBase_21-xtr
 - -r/<your_defined_address>/Xenopus_laevis/rRNA_db/frog_rRNA
 - -t /<your_defined_address>/Xenopus_laevis/GtRNAdb/xenTro3-tRNAs
 - -w /<your_defined_address>/Xenopus_laevis/piRBase/piR_xtr_v1.0
 - -e /<your_defined_address>/Xenopus_laevis/Ensembl/Xenopus_tropicalis.JGI_4.2.ncrna
 - -f/<your_defined_address>/Xenopus_laevis/Rfam_12.3/Rfam-12.3-frog

47. Latimeria chalumnae (Coelacanth)

47.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0be8104aeb59d4ff89909d 0c62d0a2f4e&authkey=AasK4DZcbB12a8wB8CNz6Ak)

-genome with bowtie-index (UCSC latCha1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/latCha1/bigZips/latCha1.fa.gz)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Lchal1/latCha1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 47.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your defined address>/Latimeria chalumnae/UCSC/latCha1/Sequence/BowtieIndex/genome
 - -r/<your_defined_address>/Latimeria_chalumnae/rRNA_db/coelacanth_rRNA
 - -t /<your defined address>/Latimeria chalumnae/GtRNAdb/latCha1-tRNAs
 - -f/<your_defined_address>/Latimeria_chalumnae/Rfam_12.3/Rfam-12.3-coelacanth

48. Tetraodon nigroviridis (Tetraodon)

 $\underline{my.sharepoint.com/personal/sports\ ncrna\ info/\ layouts/15/guestaccess.aspx?docid=06252eaadd5894a3795afc}\\ \underline{e052716fd17\&authkey=AWZ9FVt-iphiQFRDzuKoJtA)}$

-genome with bowtie-index (UCSC tetNig2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/tetNig2/bigZips/chromFa.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Tnigr2/tetNig2-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 48.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Tetraodon_nigroviridis/UCSC/tetNig2/Sequence/BowtieIndex/genome
 - -m /<your defined address>/Tetraodon nigroviridis/miRBase 21/miRBase 21-tni
 - -t /<your_defined_address>/Tetraodon_nigroviridis/GtRNAdb/tetNig2-tRNAs
 - -f /<your_defined_address>/Tetraodon_nigroviridis/Rfam_12.3/Rfam-12.3-tetraodon

49. Takifugu rubripes (Fugu)

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=026501a5c4aa54930a002 89acf9691f5f&authkey=AWUaDYW0 VZx-1dy5wnCfdQ)

-genome with bowtie-index (UCSC fr3) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/fr3/bigZips/fr3.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Trubr3/fr3-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 49.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Takifugu_rubripes/UCSC/fr3/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Takifugu_rubripes/GtRNAdb/fr3-tRNAs
 - -f/<your_defined_address>/Takifugu_rubripes/Rfam_12.3/Rfam-12.3-fugu

50. Gasterosteus aculeatus (Stickleback)

50.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0268db779d3654712b39d 5450bac55894&authkey=AQwh0wJeAcvF78JRu4RHddM)

-genome with bowtie-index (UCSC gasAcu1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/gasAcu1/bigZips/chromFa.tar.gz

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Gacul1/gasAcu1-tRNAs.fa)

-ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/gasterosteus aculeatus/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 50.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Gasterosteus_aculeatus/UCSC/gasAcu1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Gasterosteus_aculeatus/GtRNAdb/gasAcu1-tRNAs
 - -e /<your_defined_address>/Gasterosteus_aculeatus/Ensembl/Gasterosteus_aculeatus.BROADS1.ncrna
 - -f /<your_defined_address>/Gasterosteus_aculeatus/Rfam_12.3/Rfam-12.3-stickleback

51. Oryzias latipes (Medaka)

51.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0f5089e2cc47245f28dca1 a3f8f75343c&authkey=AV8N2wRviWth LjhJqpB0zk)

-genome with bowtie-index (UCSC oryLat2)

(http://hgdownload.soe.ucsc.edu/goldenPath/oryLat2/bigZips/oryLat2.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Olati2/oryLat2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 51.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Oryzias_latipes/UCSC/oryLat2/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Oryzias_latipes/miRBase_21/miRBase_21-ola
 - -t /<your_defined_address>/Oryzias_latipes/GtRNAdb/oryLat2-tRNAs
 - -f/<your_defined_address>/Oryzias_latipes/Rfam_12.3/Rfam-12.3-medaka

52. Oreochromis niloticus (Nile tilapia)

52.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0cf791d1d99de4f4c8ed7f8de6d5694f8&authkey=AZZgbe3d1aKb7GDuCDlv81w)

-genome with bowtie-index (UCSC oreNil2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/oreNil2/bigZips/oreNil2.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Onilo2/oreNil2-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 52.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Oreochromis_niloticus/UCSC/oreNil2/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Oreochromis_niloticus/GtRNAdb/oreNil2-tRNAs
 - -f/<your defined address>/Oreochromis niloticus/Rfam 12.3/Rfam-12.3-tilapia

53. Gadus morhua (Atlantic cod)

53.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=08f5a65a279f34d518cc40 17cb04fe469&authkey=ASMQLlwmWReD_bVW922N0lo)

-genome with bowtie-index (UCSC gadMor1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/gadMor1/bigZips/gadMor1.fa.gz)

-rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Gmorh1/gadMor1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 53.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Gadus_morhua/UCSC/gadMor1/Sequence/BowtieIndex/genome
 - -r/<your_defined_address>/Gadus_morhua/rRNA_db/cod_rRNA
 - -t /<your_defined_address>/Gadus_morhua/GtRNAdb/gadMor1-tRNAs
 - -f /<your_defined_address>/Gadus_morhua/Rfam_12.3/Rfam-12.3-cod

54. Danio rerio (Zebrafish)

- 54.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo
 - my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=07d3448d6cd29485498e7 0f8f067a619d&authkey=Aa1-VjshX-GKLZI7limHFlo)
 - -genome with bowtie-index (UCSC danRer10) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Danio rerio/UCSC/danRer10/Danio rerio UCSC danRer10.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Dreri v8/danRer6-tRNAs.fa)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -piRNA database with bowtie-index (Original source: http://www.regulatoryrna.org/database/piRNA/)
- -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensembl.org/pub/release-

89/fasta/danio rerio/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 54.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Danio_rerio/UCSC/danRer10/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Danio_rerio/miRBase_21/miRBase_21-dre
 - -r /<your_defined_address>/Danio_rerio/rRNA_db/zebrafish_rRNA
 - -t /<your_defined_address>/Danio_rerio/GtRNAdb/danRer6-tRNAs
 - -w /<your defined address>/Danio rerio/piRBase/piR dre v1.0
 - -e /<your_defined_address>/Danio_rerio/Ensembl/Danio_rerio.GRCz10.ncrna
 - -f/<your_defined_address>/Danio_rerio/Rfam_12.3/Rfam-12.3-zebrafish

55. Callorhinchus milii (Elephant shark)

- 55.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-
 - $\underline{my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=053976e5c17b9435982d2\\ \underline{2223b9389eba\&authkey=ASL1VUPU4Ol2PskRXpj94t4)}$
 - -genome with bowtie-index (UCSC calMil1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/calMil1/bigZips/calMil1.fa.gz)

-tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Cmili1/calMil1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 55.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your defined address>/Callorhinchus milii/UCSC/calMil1/Sequence/BowtieIndex/genome
 - -t /<your_defined_address>/Callorhinchus_milii/GtRNAdb/calMil1-tRNAs
 - -f/<your_defined_address>/Callorhinchus_milii/Rfam_12.3/Rfam-12.3-shark

56. Petromyzon marinus (Lamprey)

56.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=013a1f7a5585b462b801f1 cfe3faf2cdd&authkey=AVN94xcHd1 Aa2ofYovsw8Q)

-genome with bowtie-index (UCSC petMar2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/petMar2/bigZips/petMar2.fa.gz)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Pmari2/petMar2-tRNAs.fa

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 56.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Petromyzon_marinus/UCSC/petMar2/Sequence/BowtieIndex/genome
 - -r/<your_defined_address>/Petromyzon_marinus/rRNA_db/lamprey_rRNA
 - -t /<your_defined_address>/Petromyzon_marinus/GtRNAdb/petMar2-tRNAs
 - -f/<your_defined_address>/Petromyzon_marinus/Rfam_12.3/Rfam-12.3-lamprey

57. Strongylocentrotus purpuratus (Sea urchin)

57.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0840567689dbe4ff49852c 8744056f172&authkey=AWhmaQmPgN5fuB1RXIKc69U)

-genome with bowtie-index (UCSC strPur2) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/strPur2/bigZips/strPur2.fa.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Spurp/Spurp-tRNAs.fa

-ensembl ncRNA database with bowtie-index (Original source:

ftp://ftp.ensemblgenomes.org/pub/metazoa/release-36/fasta/strongylocentrotus_purpuratus/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 57.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Strongylocentrotus_purpuratus/UCSC/strPur2/Sequence/BowtieIndex/genome

- -m /<your_defined_address>/Strongylocentrotus_purpuratus/miRBase_21/miRBase_21-spu
- -r/<your_defined_address>/Strongylocentrotus_purpuratus/rRNA_db/urchin_rRNA
- -t/<your defined address>/Strongylocentrotus purpuratus/GtRNAdb/Spurp-tRNAs

-e

/<your_defined_address>/Strongylocentrotus_purpuratus/Ensembl/Strongylocentrotus_purpuratus.GCA_00000 2235.2.ncrna

-f/<your_defined_address>/Strongylocentrotus_purpuratus/Rfam_12.3/Rfam-12.3-urchin

58. Drosophila melanogaster (Drosophila)

- 58.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=06d15ec2032e141648ce4 eedd413b0e0c&authkey=ARejQLC8ofAhQq9lwwoB0Pw)
 - -genome with bowtie-index (UCSC dm6) (Original source: ftp://igenome:G3nom3s4u@ussd-
 - ftp.illumina.com/Drosophila melanogaster/UCSC/dm6/Drosophila melanogaster UCSC dm6.tar.gz)
 - -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
 - -tRNA database with bowtie-index (Original source: http://gtrnadb.ucsc.edu/genomes/eukaryota/Dmela6/dm6-tRNAs.fa)
 - -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
 - -piRNA database with bowtie-index (Original source: http://www.regulatoryrna.org/database/piRNA/)
 - -ensembl ncRNA database with bowtie-index (Original source:

ftp://ftp.ensemblgenomes.org/pub/metazoa/release-36/fasta/drosophila_melanogaster/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 58.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Drosophila_melanogaster/UCSC/dm6/Sequence/BowtieIndex/genome
 - -m /<your defined address>/Drosophila melanogaster/miRBase 21/miRBase 21-dme
 - $-r /\!\!<\!\! your_defined_address \!\!>\!\! / Drosophila_melanogaster /\!\! rRNA_db /\!\! drosophila_rRNA$
 - -t /<your defined address>/Drosophila melanogaster/GtRNAdb/dm6-tRNAs
 - -w /<your_defined_address>/Drosophila_melanogaster/piRBase/piR_dme
 - -e /<your_defined_address>/Drosophila_melanogaster/Ensembl/Drosophila_melanogaster.BDGP6.ncrna
 - -f/<your defined address>/Drosophila melanogaster/Rfam 12.3/Rfam-12.3-drosophila

59. Anopheles gambiae (Mosquito)

- 59.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo
 - my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=003bfc542d06b42edb24a 94969bb12b36&authkey=AdgdWQ5emWRWTYvXcgPT0Fo)
 - -genome with bowtie-index (UCSC anoGam1) (Original source:
 - http://hgdownload.soe.ucsc.edu/goldenPath/anoGam1/bigZips/chromFa.zip)
 - -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
 - -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Agamb/Agamb-tRNAs.fa)

-ensembl ncRNA database with bowtie-index (Original source:

ftp://ftp.ensemblgenomes.org/pub/metazoa/release-36/fasta/anopheles_gambiae/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 59.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your_defined_address>/Anopheles_gambiae/UCSC/anoGam1/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Anopheles_gambiae/miRBase_21/miRBase_21-aga
 - -t /<your_defined_address>/Anopheles_gambiae/GtRNAdb/Agamb-tRNAs
 - -e /<your_defined_address>/Anopheles_gambiae/Ensembl/Anopheles_gambiae.AgamP4.ncrna
 - -f/<your defined address>/Anopheles gambiae/Rfam 12.3/Rfam-12.3-mosquito

60. Pristionchus pacificus (Roundworm)

60.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0877c09c8493b47e9b9fb 6c2c0bdc6015&authkey=AQJrbZlyZz9MDnPB9uYxMYE)

-genome with bowtie-index (UCSC priPac1) (Original source:

http://hgdownload.soe.ucsc.edu/goldenPath/priPac1/bigZips/chromFa.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Ppaci1/priPac1-tRNAs.fa)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 60.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Pristionchus_pacificus/UCSC/priPac1/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Pristionchus_pacificus/miRBase_21/miRBase_21-ppc
 - -r/<your defined address>/Pristionchus pacificus/rRNA db/roundworm rRNA
 - -t /<your_defined_address>/Pristionchus_pacificus/GtRNAdb/priPac1-tRNAs
 - -f /<your_defined_address>/Pristionchus_pacificus/Rfam_12.3/Rfam-12.3-roundworm

61. Caenorhabditis elegans (Nematode):

<u>my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0cffdc7d5a3844567bc530_3adca47fb81&authkey=AdA1jCVLRJkz2k8oSVU-pCl)</u>

-genome with bowtie-index (UCSC ce10) (Original source: ftp://igenome:G3nom3s4u@ussd-

 $ftp. illumina.com/Caenorhabditis_elegans/UCSC/ce10/Caenorhabditis_elegans_UCSC_ce10.tar.gz)$

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/genomes/eukaryota/Celeg WS220/ce10-tRNAs.fa)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -piRNA database with bowtie-index (Original source: http://www.regulatoryrna.org/database/piRNA/)
- -ensembl ncRNA database with bowtie-index (Original source:

ftp://ftp.ensemblgenomes.org/pub/metazoa/release-36/fasta/caenorhabditis_elegans/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)

- 61.2 Caenorhabditis elegans (Nematode):
 - -g /<your_defined_address>/Caenorhabditis_elegans/UCSC/ce10/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Caenorhabditis_elegans/miRBase_21/miRBase_21-cel
 - -r/<your_defined_address>/Caenorhabditis_elegans/rRNA_db/cel_rRNA
 - -t /<your_defined_address>/Caenorhabditis_elegans/GtRNAdb/ce10-tRNAs
 - -w /<your_defined_address>/Caenorhabditis_elegans/piRBase/piR_cel_v1.0
 - -e /<your defined address>/Caenorhabditis elegans/Ensembl/Caenorhabditis elegans.WBcel235.ncrna
 - -f /<your_defined_address>/Caenorhabditis_elegans/Rfam_12.3/Rfam-12.3-nematode

62. Saccharomyces cerevisiae (Yeast)

- 62.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0a974d08ffcb842dea8d18
 - 462dcfaf2f4&authkey=AQ6wsr9hNwVfCfqvuScKStE)
 - -genome with bowtie-index UCSC sacCer3) (Original source: ftp://igenome:G3nom3s4u@ussd-
 - ftp.illumina.com/Saccharomyces cerevisiae/UCSC/sacCer3/Saccharomyces cerevisiae UCSC sacCer3.tar.gz)
 - -tRNA database with bowtie-index (Original source:
 - http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Scere3/sacCer3-tRNAs.fa)
 - -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
 - -ensembl ncRNA database with bowtie-index (Original source: ftp://ftp.ensemblgenomes.org/pub/fungi/release-36/fasta/saccharomyces cerevisiae/ncrna/)
 - -rfam 12.3 database with bowtie-index (Original source:
 - ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta files/)
- 62.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Saccharomyces_cerevisiae/UCSC/sacCer3/Sequence/BowtieIndex/genome
 - -r/<your_defined_address>/Saccharomyces_cerevisiae/rRNA_db/yeast_rRNA
 - -t /<your_defined_address>/Saccharomyces_cerevisiae/GtRNAdb/sacCer3-tRNAs
 - -e /<your_defined_address>/Saccharomyces_cerevisiae/Ensembl/Saccharomyces_cerevisiae.R64-1-1.ncrna
 - -f/<your defined address>/Saccharomyces cerevisiae/Rfam 12.3/Rfam-12.3-yeast

63. Zea mays (Corn)

- 63.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo
 - my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0abdce07adf9449e89bdc b89d4d4609a4&authkey=AViNEp3y6Y4hNBYSEuW_sYg)
 - -genome with bowtie-index (Ensembl AGPv4) (Original source: ftp://igenome:G3nom3s4u@ussd-
 - ftp.illumina.com/Zea mays/Ensembl/AGPv4/Zea mays Ensembl AGPv4.tar.gz)
 - -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
 - -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
 - -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Zmays5/zeaMay5-tRNAs.fa)

-ensembl ncRNA database with bowtie-index (Original source:

ftp://ftp.ensemblgenomes.org/pub/plants/release-36/fasta/zea mays/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 63.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g / <your_defined_address>/Zea_mays/Ensembl/AGPv4/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Zea_mays/miRBase_21/miRBase_21-zma
 - -r/<your_defined_address>/Zea_mays/rRNA_db/corn_rRNA
 - -t /<your defined address>/Zea mays/GtRNAdb/zeaMay5-tRNAs
 - -e /<your_defined_address>/Zea_mays/Ensembl/Zea_mays.AGPv4.ncrna
 - -f/<your defined address>/Zea mays/Rfam 12.3/Rfam-12.3-corn

64. Sorghum bicolor (Sorghum)

64.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0335fb9b05a024e61819c 04db7ffd2a51&authkey=AdMT31NWtny7F1NzJNn3zZI)

-genome with bowtie-index (Ensembl Sbi1) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Sorghum bicolor/Ensembl/Sbi1/Sorghum bicolor Ensembl Sbi1.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Sbico/Sbico-tRNAs.fa)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -ensembl ncRNA database with bowtie-index (Original source:

ftp://ftp.ensemblgenomes.org/pub/plants/release-36/fasta/sorghum bicolor/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 64.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your defined address>/Sorghum bicolor/Ensembl/Sbi1/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Sorghum_bicolor/miRBase_21/miRBase_21-sbi
 - -r/<your defined address>/Sorghum bicolor/rRNA db/sorghum rRNA
 - -t /<your_defined_address>/Sorghum_bicolor/GtRNAdb/Sbico-tRNAs
 - -e /<your_defined_address>/Sorghum_bicolor/Ensembl/Sorghum_bicolor.Sorghum_bicolor_v2.ncrna
 - -f/<your_defined_address>/Sorghum_bicolor/Rfam_12.3/Rfam-12.3-sorghum

65. Oryza sativa (Rice)

65.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo-

my.sharepoint.com/personal/sports_ncrna_info/_layouts/15/guestaccess.aspx?docid=0510818bde4a342868928 f982420dd07c&authkey=ASfsIUL0BX2HYew7xrw2x1A)

-genome with bowtie-index (Ensembl IRGSP-1.0) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Oryza sativa japonica/Ensembl/IRGSP-1.0/Oryza sativa japonica Ensembl IRGSP-1.0.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Osati/Osati-tRNAs.fa)

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -ensembl ncRNA database with bowtie-index (Original source:

ftp://ftp.ensemblgenomes.org/pub/plants/release-36/fasta/oryza_sativa/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 65.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g/<your defined address>/Oryza sativa/Ensembl/IRGSP-1.0/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Oryza_sativa/miRBase_21/miRBase_21-osa
 - -r/<your defined address>/Oryza sativa/rRNA db/rice rRNA
 - -t /<your_defined_address>/Oryza_sativa/GtRNAdb/Osati-tRNAs
 - -e /<your_defined_address>/Oryza_sativa/Ensembl/Oryza_sativa.IRGSP-1.0.ncrna
 - -f /<your_defined_address>/Oryza_sativa/Rfam_12.3/Rfam-12.3-rice

66. Arabidopsis thaliana (Arabidopsis)

- 66.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo
 - my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=08ec312d8fc7d421195217 0468dfbb202&authkey=AeVag9p4ifZJG58C5UbXstE)
 - -genome with bowtie-index (Ensembl TAIR10) (Original source: ftp://igenome:G3nom3s4u@ussd-

ftp.illumina.com/Arabidopsis thaliana/Ensembl/TAIR10/Arabidopsis thaliana Ensembl TAIR10.tar.gz)

- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:

http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Athal10/araTha1-tRNAs.fa

- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -ensembl ncRNA database with bowtie-index (Original source:

ftp://ftp.ensemblgenomes.org/pub/plants/release-36/fasta/arabidopsis thaliana/ncrna/)

-rfam 12.3 database with bowtie-index (Original source:

ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)

- 66.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Arabidopsis_thaliana/Ensembl/TAIR10/Sequence/BowtieIndex/genome
 - -m /<your_defined_address>/Arabidopsis_thaliana/miRBase_21/miRBase_21-ath
 - -r/<your_defined_address>/Arabidopsis_thaliana/rRNA_db/Arabidopsis_rRNA
 - -t/<your defined address>/Arabidopsis thaliana/GtRNAdb/araTha1-tRNAs
 - -e /<your_defined_address>/Arabidopsis_thaliana/Ensembl/Arabidopsis_thaliana.TAIR10.ncrna
 - -f /<your_defined_address>/Arabidopsis_thaliana/Rfam_12.3/Rfam-12.3-arabidopsis

67. Glycine max (Soybean)

my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=079974655bb2e4f62b669

c3d1701fffeb&authkey=AWVriz_LNaTMDsBjbMXDS60)

- -genome with bowtie-index (Ensembl Gm01) (Original source: ftp://igenome:G3nom3s4u@ussd-
- ftp.illumina.com/Glycine max/Ensembl/Gm01/Glycine max Ensembl Gm01.tar.gz)
- -mirbase 21 with bowtie-index (Original source: http://www.mirbase.org/ftp.shtml)
- -tRNA database with bowtie-index (Original source:
- http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/eukaryota/Gmax2/glyMax2-tRNAs.fa)
- -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
- -rfam 12.3 database with bowtie-index (Original source:
- ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)
- 67.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Glycine_max/Ensembl/Gm01/Sequence/BowtieIndex/genome
 - -m/<your defined address>/Glycine max/miRBase 21/miRBase 21-gma
 - -r/<your_defined_address>/Glycine_max/rRNA_db/soybean_rRNA
 - -t /<your_defined_address>/Glycine_max/GtRNAdb/glyMax2-tRNAs
 - -f /<your_defined_address>/Glycine_max/Rfam_12.3/Rfam-12.3-soybean

68. Escherichia coli (E.coli)

- 68.1 annotation database: (We provide a download link for all databases listed below: https://ncrnainfo
 - my.sharepoint.com/personal/sports ncrna info/ layouts/15/guestaccess.aspx?docid=0645cc2a0024d41fdba5be 31a17bd5374&authkey=AaR4ui2QEXqh2-SpOIxaUik)
 - -genome with bowtie-index (Ensembl EB1) (Original source: ftp://igenome:G3nom3s4u@ussd-
 - ftp.illumina.com/Escherichia coli K 12 DH10B/Ensembl/EB1/Escherichia coli K 12 DH10B Ensembl EB1.tar.g z)
 - -tRNA database with bowtie-index (Original source:
 - http://gtrnadb.ucsc.edu/GtRNAdb2/genomes/bacteria/Esch_coli/eschColi-tRNAs.fa)
 - -rRNA database with bowtie-index (Original source: https://www.ncbi.nlm.nih.gov/nuccore)
 - -ensembl ncRNA database with bowtie-index (Original source:
 - ftp://ftp.ensemblgenomes.org/pub/bacteria/release-36/fasta/bacteria 91 collection/escherichia coli/ncrna/)
 - -rfam 12.3 database with bowtie-index (Original source:
 - ftp://ftp.ebi.ac.uk/pub/databases/Rfam/12.3/fasta_files/)
- 68.2 SPORTS1.0 related parameters if you download recommended reference database:
 - -g /<your_defined_address>/Escherichia_coli/Ensembl/EB1/Sequence/BowtieIndex/genome
 - -r/<your_defined_address>/Escherichia_coli/rRNA_db/e_coli_rRNA
 - -t /<your_defined_address>/Escherichia_coli/GtRNAdb/eschColi-tRNAs
 - -e /<your defined address>/Escherichia coli/Ensembl/Escherichia coli.HUSEC2011CHR1.ncrna
 - -f/<your_defined_address>/Escherichia_coli/Rfam_12.3/Rfam-12.3-e_coli

References

1. Langmead B, Trapnell C, Pop M, Salzberg SL. Ultrafast and memory-efficient alignment of short DNA sequences to the human genome. Genome Biol. 2009;10(3):R25. doi: 10.1186/gb-2009-10-3-r25. PubMed PMID: 19261174; PubMed Central PMCID: PMCPMC2690996.

- 2. Martin M. Cutadapt removes adapter sequences from high-throughput sequencing reads. EMBnetjournal. 2011;17(1):3. doi: http://dx.doi.org/10.14806/ej.17.1.200.
- 3. Friedlander MR, Chen W, Adamidi C, Maaskola J, Einspanier R, Knespel S, et al. Discovering microRNAs from deep sequencing data using miRDeep. Nat Biotechnol. 2008;26(4):407-15. doi: 10.1038/nbt1394. PubMed PMID: 18392026.
- 4. Kozomara A, Griffiths-Jones S. miRBase: annotating high confidence microRNAs using deep sequencing data. Nucleic acids research. 2014;42(Database issue):D68-73. doi: 10.1093/nar/gkt1181. PubMed PMID: 24275495; PubMed Central PMCID: PMCPMC3965103.
- 5. Chan PP, Lowe TM. GtRNAdb 2.0: an expanded database of transfer RNA genes identified in complete and draft genomes. Nucleic acids research. 2016;44(D1):D184-9. doi: 10.1093/nar/gkv1309. PubMed PMID: 26673694; PubMed Central PMCID: PMCPMC4702915.
- 6. Zhang P, Si X, Skogerbo G, Wang J, Cui D, Li Y, et al. piRBase: a web resource assisting piRNA functional study. Database (Oxford). 2014;2014:bau110. doi: 10.1093/database/bau110. PubMed PMID: 25425034; PubMed Central PMCID: PMCPMC4243270.
- 7. Sai Lakshmi S, Agrawal S. piRNABank: a web resource on classified and clustered Piwi-interacting RNAs. Nucleic acids research. 2008;36(Database issue):D173-7. doi: 10.1093/nar/gkm696. PubMed PMID: 17881367; PubMed Central PMCID: PMCPMC2238943.
- 8. Yates A, Akanni W, Amode MR, Barrell D, Billis K, Carvalho-Silva D, et al. Ensembl 2016. Nucleic acids research. 2016;44(D1):D710-6. doi: 10.1093/nar/gkv1157. PubMed PMID: 26687719; PubMed Central PMCID: PMCPMC4702834.
- 9. Nawrocki EP, Burge SW, Bateman A, Daub J, Eberhardt RY, Eddy SR, et al. Rfam 12.0: updates to the RNA families database. Nucleic acids research. 2015;43(Database issue):D130-7. doi: 10.1093/nar/gku1063. PubMed PMID: 25392425; PubMed Central PMCID: PMCPMC4383904.

History

1.0.1 - 01/13/2018

- Fixed bug that caused unexpected exit.
- Optimized script to speed up tRNA annotation process.

Copyright and licensing information

SPORTS1.0 is available under the GNU General Public License version 3 (GPLv3).

Disclaimer

The SPORTS1.0 package is provided as is without any guarantees or warranty for correctness. The authors are not responsible for any damage or loss of any kind caused by the use or misuse of the scripts included in the software package. The authors are not under obligation to provide support, service, corrections, or upgrades to the package.

Contact information

Contact author: Junchao Shi

E-mail: sports.rna@gmail.com; junchao.shi@yahoo.com