
Fransiskus Xaverius Farrell Jovian

103012630031

IF-50-10

- Soal 1 :



TP MODUL 6 ALPRO 1 2627-1.pdf

Share

Laboratorium Praktikum Informatika
Fakultas Informatika
Universitas Telkom

Soal Tugas Pendahuluan

Homework Session

1. **[Durasi Menonton Film]** Seorang pengguna ingin menghitung total durasi beberapa film yang ditonton secara berurutan. Durasi setiap film dinyatakan dalam menit. Buatlah program menggunakan perulangan for untuk menghitung total durasi dan mengonversinya menjadi jam dan menit.

A user wants to calculate the total duration of several movies watched consecutively. Each movie's duration is given in minutes. Write pseudocode using a for loop to calculate the total duration and convert it into hours and minutes.

Masukan terdiri dari sebuah bilangan bulat positif yang menyatakan jumlah film, diikuti durasi setiap film dalam menit

***The input** consists of a positive integer representing the number of movies, followed by each movie's duration in minutes.*


Keluaran terdiri dari dua bilangan bulat yang menyatakan total durasi dalam jam dan menit.

***The output** consists of two integers representing the total duration in hours and minutes.*

Contoh masukan dan keluaran (*input and output*)

No	Masukan *Input*	Keluaran *Output*	Penjelasan *Explanation*
1	3 90 120 100	5 jam 10 menit	Total = 310 menit 5 jam 10 menit
2	2 105 135	4 jam 0 menit	Total = 240 menit 4 jam 0 menit

- Pseudocode :



Franciskus Xaverius Farrell Jovian
1030126 30031
IF 50 - 10

Program film

kamus
jam, ~~tidak~~, menit, i, Tfilm, Twaktu, waktu : integer


Algoritma
input (Tfilm)
Twaktu = 0
for i = 1 to Tfilm do
input (waktu)
Twaktu ← Twaktu + waktu
endfor

jam ← Twaktu div 60
menit ← Twaktu mod 60

output (jam, menit)

endprogram

- Golang :



C:\Data\golang\TP6_Soal1.go - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

TP5_Soal2.go | hi.go | TP2.go | TP3_Soal1.go | TP3_Soal2.go | TP4.go | TP6_Soal1.go | TP6_Soal2.go

```go
package main
import "fmt"


func main() {
    var jam, menit, i int
    var Tfilm, Twaktu int
    var waktu int

    fmt.Scan(&Tfilm)
    Twaktu = 0
    for i = 1 ; i <= Tfilm ; i++ {
        fmt.Scan(&waktu)
        Twaktu = Twaktu + waktu
    }
        jam = Twaktu / 60
        menit = Twaktu % 60


        fmt.Print(jam, "jam", menit, "menit")

}
```

Go source file | length: 327 lines: 22 | Ln: 17 Col: 9 Pos: 274 | Windows (CR LF) | UTF-8 | INS



- Soal 2 :

2. **[Tabungan Mingguan]** Seorang mahasiswa menabung setiap minggu dengan jumlah yang terus meningkat. Pada minggu pertama, mahasiswa menabung sejumlah uang tertentu. Setiap minggu berikutnya, jumlah tabungan bertambah secara bertahap. (Misal jumlah minggu=3, kenaikan = 10000, maka yang ditabung dari minggu 1 s/d minggu 3 adalah: 10000, 20000, 30000).

   [Weely Savings] A student saves money every week, with the amount increasing over time. In the first week, the student saves a certain amount of money. Each following week, the amount saved increases gradually. For example, if the saving period is 3 weeks and the weekly increase is 10,000, the amounts saved in weeks 1 through 3 are 10,000, 20,000, and 30,000, respectively.

Masukan terdiri dari tiga bilangan bulat positif yang menyatakan jumlah minggu, tabungan awal pada minggu pertama, dan kenaikan tabungan setiap minggu.

The input consists of three positive integers representing the number of weeks, the first week's savings, and the fixed weekly increase


Keluaran berupa sebuah bilangan bulat yang menyatakan total tabungan selama periode tersebut.

The output is an integer representing the total savings accumulated during the period.


Contoh masukan dan keluaran (*input and output*)


No	Masukan *Input*	Keluaran *Output*	Penjelasan *Explanation*
1	3 50000 10000	110000	Minggu 1 = 60000 (saldo awal + 10000) Minggu 2 = 80000 (minggu 1 + 20000) Minggu 3 = 110000 (minggu 2 + 30000)
2	4 10000 5000	60000	Minggu 1 = 15000 (saldo awal + 5000) Minggu 2 = 25000 (minggu 1 + 10000) Minggu 3 = 40000 (minggu 2 + 15000) Minggu 4 = 60000 (minggu 3 + 20000)

- Pseudocode :



- Golang :


C:\Data\golang\TP6_Soal2.go - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
TP5_Soal2.go hi.go TP2.go TP3_Soal1.go TP3_Soal2.go TP4.go TP6_Soal1.go TP6_Soal2.go
1 package main
2 import "fmt"
3
4 func main() {
5 var W, Tawal, Saving, TSaving, i int
6
7 fmt.Scan(&W, &Tawal, &Saving)
8 Tsaving = 0
9
10 for i = 1 ; i <= W ; i++ {
11 TSaving = TSaving + Saving
12 Tawal = Tawal + TSaving
13 }
14
15 fmt.Print(Tawal)
16
17 }
Go source file
length: 251 lines: 17
Ln: 8 Col: 16 Pos: 131
Windows (CR LF) UTF-8 INS


C:\Windows\system32\cmd.e
Microsoft Windows [Version 10.0.26300.9711]
(c) Microsoft Corporation. All rights reserved.
C:\Data\golang>go run TP6_Soal2.go
3
50000
10000
110000
C:\Data\golang>go run TP6_Soal2.go
4
10000
5000
60000
C:\Data\golang>