

## React Bootstrap

---

### Bootstrap for React

Rocket Elevators is impressed with what've done so far, but we can really push the look and feel of their Admin page. By now, you should be familiar enough with Bootstrap, and Components in React. So we're going to leverage this by using React-Bootstrap. If you go to their official site, [found here](#), navigate to the Components section. You'll notice that it's pretty familiar to the getbootstrap page that we used in weeks 1 and 2.

Take some time to explore what this site has to offer as there may be things you could add on your own that would really make this Admin page pop!

### Assignment

#### **Login Page**

For the Login/Registration page, we would like you to add some Alert Components telling the user what they need to know. This could be something like a wrong password was entered (red), or a successful login (green).

Look into Toasts as well and see where you might be able to add them in your site. Where you put these is up to you, but you should have at least 1 somewhere.

#### **Home/Agents/Transaction Page**

Rocket Elevators has yet another request. They're liking the way that the page looks so far, but they find it troublesome the way navigation is handled. So, once you're logged in and everything went well, we're going to need to find a better way to navigate around. The senior dev has decided that it might be interesting to use Cards in order to navigate to the list of agents page, and the transaction page.

The home page should now only contain two cards. Each card will take you from the home page to the Agents page, or the Transaction page depending on which one you select.

The agents table should remain the same, with a list of agents that we can view, edit or delete. The “Create Agent” button should now appear on the Agents page instead of in the navbar.

The transaction table will have a list of the last 10 transactions made, along with a form that will create a transaction.

## **Modal**

Rocket Elevators has accidentally deleted one or more agents while experimenting with the test Admin page and would like to ensure that, in the future, users are prompted before deleting anything important. For the Create Agent, Edit Agent, and Delete Agent actions, add a modal component that serves as a confirmation when clicking the create or delete button. It can display a simple message such as, “Are you sure you want to continue?” with two options: Yes/Confirm or No/Back. Apply the same functionality to Transactions as well.

## Session Token

---

### Logging In

Currently, every time we visit our Admin page, we have to login. To make things a little bit more user friendly for our client, we can setup some Session Tokens. What we can have this do is use Cookies to store a session token that has a 24 hour expiration date on it. So after 24 hours, the user will have to log in again instead of every single time.

### The User Experience

#### **On Success**

When Logging in for the first time, you should navigate to the home page. The User that logged in should see their `first_name` displayed somewhere in the nav-bar.

When the user navigates to any page after a successful login, your code should automatically check Cookies for a `session_token`.

#### **On Failure**

You should be redirected to the Login page if:

- No tokens are found
- No valid sessions exist
- It's the first time coming to the page

## Assignment

### Sessions Collection

A new Sessions collection will now have to be added to MongoDB. It's going to require

```
{ session_token, User }
```

Along with this, make sure that the Session is saved with an expiration date. Use [TTL](#) in Mongo to set the expiration time for 24 hours.

### API Endpoints

#### POST

/session

Will take the user\_id as a path param and return the data in the following format:

```
{status:ok, data:{token:'xxx-ee-dd-fff'}, message:'session saved successfully'}
```

#### GET

/validate\_token

Will take a 'token' as a query parameter and return the data in the following format:

```
{status:ok, data:{valid:boolean, user:{first_name, last_name, id}, message:null}
```

### Unique Identifier

Use the NPM package [UUID](#) and generate the session token as a uuid, or unique identifier.

## Transaction Functionality

---

### Transaction Page

Rocket Elevators wants to add a page that will keep track of the transactions that all the agents have. When users navigate to this page they will see a list of transactions, and a form where they can enter in transactions. This is where an agent can keep track of the transferring of money.

### Assignment

As stated earlier, you're going to add a card to the home page that will link to this Transaction page. There will be two main elements on this page:

#### **List**

Create a list of transactions that only show the last 10 transactions.

#### **Form**

Create a form that that will have an input for the amount of transactions. This field should only accept positive numbers.

A dropdown listing all the available agents. The ID and full name of the agent should be shown as the options in the dropdown.

A submit button to process the transaction.

### **Endpoints Created**

## **GET**

/transaction-data

This should get and view the data on only the last 10 transactions

## **POST**

/transaction

Should take the amount and agent\_id as body parameters, and save it to your database. This should also update your current transactions.

