

# INTERNET PROTOCOL SECURITY

*AN OVERVIEW OF IPSEC*

---





# OUTLINE:

---

- What Security Problem?
- Understanding TCP/IP.
- Security at What Level?
- IP Security.
- IPSec Security Services.
- Modes of operation.
- IPSec Security Protocols.
- Outbound/Inbound IPSec Processing.
- Real World Deployment Examples.




# WHAT SECURITY PROBLEM?

Today's Internet is primarily comprised of :

- Public
- Un-trusted
- Unreliable IP networks

Because of this inherent lack of security, the Internet is subject to various types of threats...





# INTERNET THREATS

---

- Data integrity

*The contents of a packet can be accidentally or deliberately modified.*

- Identity spoofing

*The origin of an IP packet can be forged.*

- Anti-reply attacks



*Unauthorized data can be retransmitted.*

- Loss of privacy

*The contents of a packet can be examined in transit.*

# UNDERSTANDING TCP/IP

## *OSI Reference Model*





# UNDERSTANDING TCP/IP


*Encapsulation of Data for Network Delivery*

**Application Layer**

**Original  
Message**


# UNDERSTANDING TCP/IP

*Encapsulation of Data for Network Delivery*



# UNDERSTANDING TCP/IP


*Encapsulation of Data for Network Delivery*






# UNDERSTANDING TCP/IP

*Encapsulation of Data for Network Delivery*




# UNDERSTANDING TCP/IP

*Encapsulation of Data for Network Delivery*




# UNDERSTANDING TCP/IP

*Encapsulation of Data for Network Delivery*




# UNDERSTANDING TCP/IP

*Encapsulation of Data for Network Delivery*



# UNDERSTANDING TCP/IP


*Packet Sent by Host A*





# UNDERSTANDING TCP/IP

*Packet Received by intermediary Router*



# UNDERSTANDING TCP/IP

*Packet Received by Host B*



***Packet***



**Data Link  
Layer**

**Header I**

**Data I**

# UNDERSTANDING TCP/IP

*De-capsulation of Data from Network Delivery*

**Data Link  
Layer**

**Header I**

**Data I**

# UNDERSTANDING TCP/IP

*De-capsulation of Data from Network Delivery*

**Data Link  
Layer**

**Data I**

# UNDERSTANDING TCP/IP

*De-capsulation of Data from Network Delivery*

**Network Layer  
(IP)**

**Header 2**

**Data 2**





# UNDERSTANDING TCP/IP

*De-capsulation of Data from Network Delivery*


**Network Layer  
(IP)**

**Data 2**

# UNDERSTANDING TCP/IP

*De-capsulation of Data from Network Delivery*

**Transport Layer  
(TCP, UDP)**



# UNDERSTANDING TCP/IP

*De-capsulation of Data from Network Delivery*

**Transport Layer  
(TCP, UDP)**

**Data 3**

# UNDERSTANDING TCP/IP

*De-capsulation of Data from Network Delivery*

**Application Layer**

**Original  
Message**



# UNDERSTANDING TCP/IP

*De-capsulation of Data from Network Delivery*

**Application Layer**

**Original  
Message**





# SECURITY AT WHAT LEVEL?

---

Application Layer	PGP, Kerberos, SSH, etc.
Transport Layer	Transport Layer Security (TLS)
Network Layer	IP Security
Data Link Layer	Hardware encryption



# SECURITY AT APPLICATION LAYER

---

(PGP, Kerberos, SSH, etc.)

- Implemented in end-hosts
- Advantages
  - Extend application without involving operating system.
  - Application can understand the data and can provide the appropriate security.
- Disadvantages
  - Security mechanisms have to be designed independently of each application.



# SECURITY AT TRANSPORT LAYER

---

## Transport Layer Security (TLS)

- Implemented in end-hosts
- Advantages
  - Existing applications get security seamlessly
- Disadvantages
  - Protocol specific



# SECURITY AT NETWORK LAYER

---

## IP Security (IPSec)

- Advantages
  - Provides seamless security to application and transport layers (ULPs).
  - Allows per flow or per connection security and thus allows for very fine-grained security control.
- Disadvantages
  - More difficult to exercise on a per user basis on a multi-user machine.



# SECURITY AT DATA LINK LAYER

---

- (Hardware encryption)
- Need a dedicated link between host/routers.
- Advantages
  - Speed.
- Disadvantages
  - Not scalable.
  - Need dedicated links.





# IP SECURITY (IPSEC)

---

- IPSec is a framework of open standards developed by the Internet Engineering Task Force (IETF).

Creates **secure, authenticated, reliable communications over IP networks**





# IPSEC SECURITY SERVICES

- ~~Connectionless integrity~~

*Assurance that received traffic has not been modified. Integrity includes anti-reply defenses.*

- Data origin authentication

*Assurance that traffic is sent by legitimate party or parties.*

- Confidentiality (encryption)


*Assurance that user's traffic is not examined by non-authorized parties.*

- Access control


*Prevention of unauthorized use of a resource.*

# IPSEC MODES OF OPERATION

- Transport Mode: protect the upper layer protocols




- ◆ Tunnel Mode: protect the entire IP payload



# TUNNEL MODE


- Host-to-Network, Network-to-Network



SG = Security Gateway

# TRANSPORT MODE

- Host-to-Host








# IPSEC SECURITY PROTOCOLS

- Authentication Header (AH)
  - Encapsulating Security Payload (ESP)
- 



# IPSEC SECURITY PROTOCOLS

---

- Authentication Header (AH) provides:
    - Connectionless integrity
    - Data origin authentication
    - Protection against replay attacks
  - Encapsulating Security Payload (ESP) provides:
    - Confidentiality (encryption)
    - Connectionless integrity
    - Data origin authentication
    - Protection against replay attacks
  - Both protocols may be used alone or applied in combination with each other.
- 




# OUTBOUND/INBOUND IPSEC PROCESSING

---

- The inbound and the outbound IPSec processing are completely independent.



# OUTBOUND IPSEC PROCESSING




SPD = Security Policy Database  
SAD = Security Association Database  
SA = Security Association

1. Drop the packet.
2. Bypass IPsec.
3. Apply IPsec.

# INBOUND IPSEC PROCESSING

**Packet**



Case 1:

**If IPSec headers exists**

1. Headers are processed.
2. SPD is consulted to determine if the packet can be admitted based on the  $Sa_{in}$ .



SPD = Security Policy Database


SAD = Security Association Database

SA = Security Association



# INBOUND IPSEC PROCESSING

**Packet**



Case 2:

**If IPSec headers are absent**

1. SPD is consulted to determine the type of service to afford this packet.
2. If certain traffic is required to be IPSec protected and its not it must be dropped.




SPD = Security Policy Database

SAD = Security Association Database


SA = Security Association

# REAL WORLD DEPLOYMENT EXAMPLES

- VPNs



- Wireless



# CONCLUSION

- **The Internet was not created with security in mind.**
- Communications can be altered, examined and exploited.
- There is a growing need to protect **private information** crossing the **public networks** that make up the Internet infrastructure.
- IPSec is a set of protocols and methodologies to create secure IP connections.

QUESTIONS?

