

Step-Up Fabrication Document

Top Fabrication (Scale 1:1)

FABRICATION NOTES (UNLESS OTHERWISE SPECIFIED)


- 1) FABRICATE PER IPC-6012A CLASS 2.
- 2) OUTLINE DEFINED IN SEPARATE GERBER FILE WITH "Edge_Cuts.GBR" SUFFIX.

DIMENSIONS SHOWN ON THIS DRAWING ARE FOR REFERENCE ONLY.
- 3) SEE SEPARATE DRILL FILES WITH ".DRL" SUFFIX FOR HOLE LOCATIONS.

SELECTED HOLE LOCATIONS SHOWN ON THIS DRAWING ARE FOR REFERENCE ONLY.
- 4) SURFACE FINISH: HAL LEAD-FREE
- 5) SOLDERMASK ON BOTH SIDES OF THE BOARD SHALL BE LPI, COLOR YELLOW.
- 6) SILK SCREEN LEGEND TO BE APPLIED PER LAYER STACKUP USING WHITE NON-CONDUCTIVE EPOXY INK.
- 7) ALL VIAS ARE TENTED ON BOTH SIDES UNLESS SOLDERMASK OPENED IN GERBER.
- 8) VENDOR SHOULD FOLLOW ROHS COMPLIANT PROCESS AND Pb FREE FOR MANUFACTURING
- 9) PCB MATERIAL REQUIREMENTS:


A. FLAMMABILITY RATING MUST MEET OR EXCEED UL94V-0 REQUIREMENTS.
B. Tg 170 C OR EQUIVALENT.
C. EQUIVALENT MATERIAL SHALL BE RoHS COMPLIANT, HALOGEN FREE AND APPROVED BY BUYER.
- 10) DESIGN GEOMETRY MINIMUM FEATURE SIZES:

BOARD SIZE	85,000 × 100,000 mm
BOARD THICKNESS	1.532 mm
TRACE WIDTH	0.300 mm
TRACE TO TRACE	0.020 mm
MIN. HOLE (PTH)	0.250 mm
MIN. HOLE (NPTH)	2.100 mm
ANNULAR RING	0.150 mm
COPPER TO HOLE	0.200 mm
COPPER TO EDGE	0.250 mm
HOLE TO HOLE	0.254 mm




Layer Stack Legend


Material	Layer	Thickness	Dielectric	Type	Gerber
	F,Paste			Paste Mask	
	F,Silkscreen		Direct Printing	Legend	GBR
	F,Mask	0.02mm	Solder Resist	Solder Mask	GBR
	Copper	L1 (Sig, PWR)	0.07mm (2.00oz)	Signal	GBR
	Core		FR4_7628	Dielectric	
	Copper	L2 (Sig, PWR)	0.07mm (2.00oz)	Signal	GBR
	B,Mask	0.02mm	Solder Resist	Solder Mask	GBR
	B,Silkscreen		Direct Printing	Legend	GBR
	B,Paste			Paste Mask	
Total thickness: 1.66mm					
Note: external layer thicknesses are specified after plating					



ChurrasCod
Electronics

Comments:	Company: NA		Variant: CHECKED		Git Hash: c282e4c	
	Board Name: Step-Up			Project Name: Isolated step-up 12:450 V		
Sheet Title: Top Fabrication (Scale 1:1)	File Name: Isolated_12to450V.kicad_pcb		Designer: FR		Date: 2026-02-07	Revision: 2.0.0+ (Unreleased)
Sheet Path:			Reviewer: FR		Size: A4	Sheet: 1 of 7




 ChurrasCod Electronics	Comments:		Company: NA		Variant: CHECKED	Git Hash: c282e4c
	Sheet Title: Bottom Fabrication (Scale 1:1)		Board Name: Step-Up		Project Name: Isolated step-up 12:450 V	
	Sheet Path:		File Name: Isolated_12to450V.kicad_pcb	Designer: FR	Date: 2026-02-07	Revision: 2.0.0+ (Unreleased)
			Reviewer: FR	Size: A4	Sheet: 2 of 7	


Step-Up Fabrication Document

Drill Drawing L1 - L4 (Scale 1:1)

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	13	0.25mm (9,84mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Via
○	2	0.40mm (15,75mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Via
+	6	0.50mm (19,69mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Via
□	4	0.70mm (27,56mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Pad
◇	3	0.80mm (31,50mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Via
⊗	885	0.80mm (31,50mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Pad
✱	16	0.90mm (35,43mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Pad
⊗	2	1.00mm (39,37mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Via
⊗	16	1.00mm (39,37mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Pad
⊕	4	1.10mm (43,31mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Pad
⊕	3	1.20mm (47,24mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Pad
○	8	1.30mm (51,18mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Pad
⊕	8	1.80mm (70,87mils)	PTH	Round	L1 (Ref) - L2 (Sig, PWR)	Pad
Total 970						




 ChurrasCod Electronics	Comments:	Company:		Variant:	Git Hash:
		NA		CHECKED	c282c4c
	Sheet Title:	Board Name:		Project Name:	
	Drill Drawing (L1 - L4)	Step-Up		Isolated step-up 12:450 V	
Sheet Path:		File Name:	Designer:	Date:	Revision:
		Isolated_12to450V.kicad_pcb	FR	2026-02-07	2.0.0+ (Unreleased)
			Reviewer:	Size:	Sheet:
			FR	A4	3 of 7

Step-Up Fabrication Document

Drill Drawing L1 - L4 (Scale 1:1)

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	4	2,10mm (82,68mils)	NPTH	Round	L1 (Ref) - L2 (Sig, PWR)	Mechanical
○	4	3,20mm (125,98mils)	NPTH	Round	L1 (Ref) - L2 (Sig, PWR)	Mechanical
Total 8						





Comments:	Company: NA		Variant: CHECKED	Git Hash: c282e4c	
	Board Name: Step-Up		Project Name: Isolated step-up 12:450 V		
Sheet Title: Drill Drawing (L1 - L4)	File Name: Isolated_12to450V.kicad_pcb	Designer: FR	Date: 2026-02-07	Revision: 2.0.0+ (Unreleased)	
Sheet Path:		Reviewer: FR	Size: A4	Sheet: 4 of 7	

Step-Up Fabrication Document

Top Test Points (Scale 1:1)



Ref.	Net	X [mm]	Y [mm]
TP9	Sec_ref_sns	69.73	88.65
TP10	Sec_OpK	79.38	71.25
TP20	SW	58.93	98.30
TP23	PWM	31.76	68.26
TP24	Vfb	17.53	74.55
TP25	Comp	24.39	76.83
TP26	OpEm	31.63	75.56
TP27	U500_sec	62.87	60.20
TP28	U0_sec	82.43	60.45
TP30	U500_tr_sec	36.96	60.20
TP31	U12_p	43.19	98.30
TP32	U0	17.53	70.23
TP33	U0	37.47	98.30
TP34	U5_sec	67.32	85.09
TP35	Isns,U0	14.48	60.34
TP36	Src,U0	8.01	62.61
TP101	Net-(TP101-Pad1)	20.33	52.20
TP102	Net-(TP101-Pad1)	22.87	52.20
TP103	Net-(TP101-Pad1)	25.41	52.20
TP104	Net-(TP101-Pad1)	27.95	52.20
TP105	Net-(TP101-Pad1)	30.49	52.20
TP106	Net-(TP101-Pad1)	33.03	52.20
TP107	Net-(TP107-Pad1)	20.33	49.66
TP108	Net-(TP107-Pad1)	22.87	49.66
TP109	Net-(TP107-Pad1)	25.41	49.66
TP110	Net-(TP107-Pad1)	27.95	49.66
TP111	Net-(TP107-Pad1)	30.49	49.66
TP112	Net-(TP107-Pad1)	33.03	49.66
TP113	Net-(TP113-Pad1)	20.33	47.12
TP114	Net-(TP113-Pad1)	22.87	47.12
TP115	Net-(TP113-Pad1)	25.41	47.12
TP116	Net-(TP113-Pad1)	27.95	47.12

All dimensions are in millimeters unless otherwise specified.






ChurrasCod
Electronics

Comments:	Company:		Variant:	Git Hash:
	NA		CHECKED	c282e4c
	Board Name:		Project Name:	
	Step-Up		Isolated step-up 12:450 V	
Sheet Title:	File Name:	Designer:	Date:	Revision:
Top Test Points (Scale 1:1)	Isolated_12to450V.kicad_pcb	FR	2026-02-07	2.0.0+ (Unreleased)
Sheet Path:		Reviewer:	Size:	Sheet:
		FR	A4	5 of 7



ChurrasCod
Electronics

 ChurrasCod Electronics	Comments:		Company:		Variant:	Git Hash:
			NA		CHECKED	c282e4c
			Board Name:		Project Name:	
			Step-Up		Isolated step-up 12:450 V	
	Sheet Title:		File Name:	Designer:	Date:	Revision:
F.Cu (Scale 1:1)		Isolated_12to450V.kicad_pcb	FR	2026-02-07	2.0.0+ (Unreleased)	
Sheet Path:			Reviewer:	Size:	Sheet:	
			FR	A4	6 of 7	



ChurrasCod
Electronics

Comments:	Company: NA		Variant: CHECKED		Git Hash: c282e4c	
	Board Name: Step-Up		Project Name: Isolated step-up 12:450 V			
Sheet Title: B.Cu (Scale 1:1)	File Name: Isolated_12to450V.kicad_pcb		Designer: FR		Date: 2026-02-07	Revision: 2.0.0+ (Unreleased)
Sheet Path:			Reviewer: FR		Size: A4	Sheet: 7 of 7