



Top Fabrication (Scale 1:1)




BOARD SIZE	85,000 x 100,000 mm
BOARD THICKNESS	1.602 mm
TRACE WIDTH	0.300 mm
TRACE TO TRACE	-0,000 mm
MIN. HOLE (PTH)	0.250 mm
MIN. HOLE (NPTH)	2.100 mm
ANNULAR RING	0.150 mm
COPPER TO HOLE	0.200 mm
COPPER TO EDGE	0.250 mm
HOLE TO HOLE	0.254 mm

Total thickness: 1.602mm
Note: external layer thicknesses are specified after plating




ChurrasCod Electronics

Direct Printing		Legend		GBR		Variant:		Git Hash:	
Comments:		Paste Mask		Company: NA		PRELIMINARY		f6d4a43	
		Board Name: Step-Up				Project Name: Isolated step-up 12:450 V			
Sheet Title:		File Name:		Designer:		Date:		Revision:	
Top Fabrication (Scale 1:1)		Isolated_12to450V.kicad_pcb		FR		2026-02-07		2.0.0+ (Unreleased)	
Sheet Path:				Reviewer:		Size:		Sheet:	
				FR		A4		1 of 7	



All dimensions are in millimeters unless otherwise specified.



ChurrasCod
Electronics


Comments:	Company: _____ NA _____		Variant: _____ PRELIMINARY		Git Hash: _____ f6d4a43	
	Board Name: _____ Step-Up _____			Project Name: _____ Isolated step-up 12:450 V		
	Sheet Title: _____ Bottom Fabrication (Scale 1:1)		File Name: _____ Isolated_12to450V.kicad_pcb	Designer: _____ FR	Date: _____ 2026-02-07	Revision: _____ 2.0.0+ (Unreleased)
Sheet Path: _____			Reviewer: _____ FR	Size: _____ A4	Sheet: _____ 2 of 7	


Step-Up Fabrication Document

Drill Drawing L1 - L4 (Scale 1:1)

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	13	0.25mm (9,84mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Via
○	2	0.40mm (15,75mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Via
+	6	0.50mm (19,69mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Via
□	4	0.70mm (27,56mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Pad
◇	3	0.80mm (31,50mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Via
⊗	885	0.80mm (31,50mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Pad
✱	14	0.90mm (35,43mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Pad
⊗	2	1.00mm (39,37mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Via
⊗	16	1.00mm (39,37mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Pad
⊕	4	1.10mm (43,31mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Pad
⊕	3	1.20mm (47,24mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Pad
○	8	1.30mm (51,18mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Pad
⊕	8	1.80mm (70,87mils)	PTH	Round	L1 (Ref) - L2 (Sig. PWR)	Pad
Total 968						





 ChurrasCod Electronics	Comments:		Company:		Variant:	Git Hash:
			NA		PRELIMINARY	f6d4a43
			Board Name:		Project Name:	
			Step-Up		Isolated step-up 12:450 V	
Sheet Title:		File Name:		Designer:	Date:	Revision:
Drill Drawing (L1 - L4)		Isolated_12to450V.kicad_pcb		FR	2026-02-07	2.0.0+ (Unreleased)
Sheet Path:		Reviewer:		Size:	Sheet:	
		FR		A4	3 of 7	

Step-Up Fabrication Document

Drill Drawing L1 - L4 (Scale 1:1)

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
X	4	2.10mm (82.68mils)	NPTH	Round	L1 (Ref) - L2 (Sig, PWR)	Mechanical
	Total 4					



ChurrasCod
Electronics



Comments:	Company: NA		Variant: PRELIMINARY	Git Hash: f6d4a43
	Board Name: Step-Up		Project Name: Isolated step-up 12:450 V	
Sheet Title: Drill Drawing (L1 - L4)	File Name: Isolated_12to450V.kicad_pcb	Designer: FR	Date: 2026-02-07	Revision: 2.0.0+ (Unreleased)
Sheet Path:		Reviewer: FR	Size: A4	Sheet: 4 of 7

Step-Up Fabrication Document

Top Test Points (Scale 1:1)




Ref.	Net	X [mm]	Y [mm]
TP20	SW	56.53	44.66
TP23	PWM	29.35	14.62
TP24	Vfb	15.13	20.91
TP25	Comp	21.98	23.20
TP26	OpEm	29.22	21.93
TP27	U500_sec	66.31	11.39
TP28	U0_sec	80.02	6.81
TP30	U500_tr_sec	34.56	6.56
TP31	U12_p	40.78	44.66
TP32	U0	15.13	16.59
TP33	U0	35.06	44.66
TP34	U5_sec	66.69	33.48
TP35	Isns	12.08	6.70
TP36	Src,U0	5.60	8.97
TP101	Net-(TP101-Pad1)	17.92	-1.44
TP102	Net-(TP101-Pad1)	20.46	-1.44
TP103	Net-(TP101-Pad1)	22.99	-1.44
TP104	Net-(TP101-Pad1)	25.54	-1.44
TP105	Net-(TP101-Pad1)	28.08	-1.44
TP106	Net-(TP101-Pad1)	30.62	-1.44
TP107	Net-(TP107-Pad1)	17.92	-3.98
TP108	Net-(TP107-Pad1)	20.46	-3.98
TP109	Net-(TP107-Pad1)	23.00	-3.98
TP110	Net-(TP107-Pad1)	25.54	-3.98
TP111	Net-(TP107-Pad1)	28.08	-3.98
TP112	Net-(TP107-Pad1)	30.62	-3.98
TP113	Net-(TP113-Pad1)	17.92	-6.52
TP114	Net-(TP113-Pad1)	20.46	-6.52
TP115	Net-(TP113-Pad1)	23.00	-6.52
TP116	Net-(TP113-Pad1)	25.54	-6.52
TP117	Net-(TP113-Pad1)	28.08	-6.52
TP118	Net-(TP113-Pad1)	30.62	-6.52

All dimensions are in millimeters unless otherwise specified.



ChurrasCod
Electronics

Comments:	Company:		Variant:	Git Hash:
	NA		PRELIMINARY	f6d4a43
Sheet Title:	Board Name:		Project Name:	
	Top Test Points (Scale 1:1)		Isolated step-up 12:450 V	
Sheet Path:	File Name:	Designer:	Date:	Revision:
	Isolated_12to450V.kicad_pcb	FR	2026-02-07	2.0.0+ (Unreleased)
		Reviewer:	Size:	Sheet:
		FR	A4	5 of 7







ChurrasCod
Electronics

Comments:	Company: NA		Variant: PRELIMINARY	Git Hash: f6d4a43
	Board Name: Step-Up		Project Name: Isolated step-up 12:450 V	
	Sheet Title: F.Cu (Scale 1:1)	File Name: Isolated_12to450V.kicad_pcb	Designer: FR	Date: 2026-02-07
Sheet Path:			Reviewer: FR	Revision: 2.0.0+ (Unreleased)
			Size: A4	Sheet: 6 of 7

Step-Up Fabrication Document

B.Cu (Scale 1:1)



 ChurrasCod Electronics	Comments:		Company:		Variant:		Git Hash:		
			NA		PRELIMINARY		f6d4a43		
	Sheet Title: B.Cu (Scale 1:1)		Board Name:			Project Name:			
			Step-Up			Isolated step-up 12:450 V			
			File Name:		Designer:		Date:		Revision:
		Isolated_12to450V.kicad_pcb		FR		2026-02-07		2.0.0+ (Unreleased)	
Sheet Path:				Reviewer:		Size:		Sheet:	
				FR		A4		7 of 7	