


Main board Fabrication Document

Top Fabrication (Scale 1:1)

Layer Stack Legend


Material	Layer	Thickness	Dielectric	Type	Gerber
F.Paste				Paste Mask	GBR
F.Silkscreen				Legend	GBR
F.Mask		0.02mm		Solder Resist	GBR
Copper	F.Cu (Sig, PWR)	0.07mm (2.00oz)		Signal	GBR
Prepreg		0.1mm	FR4_7628	Dielectric	GBR
Copper	In1.Cu (GND)	0.035mm (1.00oz)		Plane	GBR
Core		1.828mm	FR4	Dielectric	
Copper	In2.Cu (Sig, PWR)	0.035mm (1.00oz)		Plane	GBR
Prepreg		0.1mm	FR4_7628	Dielectric	GBR
Copper	B.Cu (Sig, PWR)	0.07mm (2.00oz)		Signal	GBR
B.Mask		0.02mm		Solder Resist	GBR
B.Silkscreen				Legend	GBR
B.Paste				Paste Mask	

Total thickness: 2.278mm
Note: external layer thicknesses are specified after plating



Main board Fabrication Document

Bottom Fabrication (Scale 1:1)



1 kV strobe
04/Jul/25
Felipe L Rodrigues




Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: cb3e7e3
	Board Name: Main board		Project Name: 1 kV strobe	
Sheet Title: Bottom Fabrication (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
Sheet Path:		Reviewer:	Size: A3	Sheet: 2 of 10


Main board Fabrication Document

Drill Drawing L1 - L4 (Scale 1:1)

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	5	0,25mm (9,84mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Via
○	26	0,30mm (11,81mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Via
+	24	0,50mm (19,69mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
□	5	0,70mm (27,56mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
◇	12	0,80mm (31,50mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊗	2	0,90mm (35,43mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
※	20	1,00mm (39,37mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊠	12	1,02mm (40,16mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊗	8	1,10mm (43,31mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊕	2	1,20mm (47,24mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
○	6	1,50mm (59,06mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
○	16	1,80mm (70,87mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
Total 138						※




	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: cb3e7e3
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: Drill Drawing (L1 - L4)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)	
Sheet Path:			Reviewer:	Size: A3	Sheet: 3 of 10	


Main board Fabrication Document


Drill Drawing L1 - L4 (Scale 1:1)

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	2	1,02mm (40,16mils)	NPTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Mechanical
○	1	1,35mm (53,15mils)	NPTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Mechanical
+	4	3,20mm (125,98mils)	NPTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Mechanical
Total 7						



 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: cb3e7e3
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: Drill Drawing (L1 - L4)		File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
			Sheet Path:		Reviewer:	Size: A3

[illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible][illegible]

The image displays a multi-sheet PCB fabrication document. The top sheet features a large central area labeled "Top Test Points (Scale 1:1)" which contains numerous circular test point locations, each identified by a reference designator such as TP518, TP510, TP508, etc., along with their X and Y coordinates in millimeters. To the left of this main area are smaller sections detailing other components like capacitors (C505, C506), resistors (R501, R502), and connectors (J901). A coordinate system (X-Y) is shown near the bottom center.

To the right of the main component areas is a table listing all test points:

Ref.	Net	X [mm]	Y [mm]
TP302	LMP_EN	42.50	21.50
TP303	SH0	74.05	125.73
TP304	Mon_S1k	73.45	109.73
TP308	S1k	94.00	101.00
TP310	TP_PRI	79.50	92.00
TP311	LMP	96.50	66.00
TP312	Mon_IL	50.50	34.50
TP313	SH0	53.00	52.50
TP501	Net-(U501-PA0)	-43.00	99.00
TP503	SUP_TX	-44.00	91.00
TP504	SUP_RX	-41.00	89.00
TP505	Mon_S1k_buf	-35.00	94.00
TP506	Net-(U501-PB0)	-30.00	99.00
TP507	Mon_IL_prot	-31.00	90.00
TP508	Net-(U501-PB3)	-26.00	106.00
TP509	Mon_LMP_buf	-28.00	88.00
TP510	Net-(U501-PB4)	-28.00	107.00
TP511	Net-(U501-PA7)	-27.00	79.00
TP512	Net-(U501-PB5)	-28.00	101.00
TP513	Vbus_ctrl	-19.00	99.00
TP514	Light_sns	-38.00	69.00
TP515	INT_EN	-19.00	102.00
TP516	Net-(U501-PA12)	-23.00	100.00
TP517	Net-(U501-PA15)	-25.00	104.00
TP518	BOOT0	-32.00	117.00
TP519	SH0	-24.00	89.00
TP520	SH0	-20.00	87.00

The bottom section of the page includes a logo for ChurrasCod Electronics (a blue fish-like shape with circuit traces), project metadata fields (Comments, Company, Variant, Git Hash, Sheet Title, File Name, Designer, Date, Revision, Sheet Path, Reviewer, Size, Sheet number), and a signature block for Felipe L Rodrigues dated 04/Jul/2025.

[illegible][illegible][illegible][illegible][illegible]

Main board Fabrication Document

Top Test Points (Scale 1:1)

Ref.	Net	X [mm]	Y [mm]
TP302	LMP_EN	42.50	21.50
TP303	SH0	74.05	125.73
TP304	Mon_S1k	73.45	109.73
TP308	S1k	94.00	101.00
TP310	TP_PRI	79.50	92.00
TP311	LMP	96.50	66.00
TP312	Mon_IL	50.50	34.50
TP313	SH0	53.00	52.50
TP501	Net-(U501-PA0)	-43.00	99.00
TP503	SUP_TX	-44.00	91.00
TP504	SUP_RX	-41.00	89.00
TP505	Mon_S1k_buf	-35.00	94.00
TP506	Net-(U501-PB0)	-30.00	99.00
TP507	Mon_IL_prot	-31.00	90.00
TP508	Net-(U501-PB3)	-26.00	106.00
TP509	Mon_LMP_buf	-28.00	88.00
TP510	Net-(U501-PB4)	-28.00	107.00
TP511	Net-(U501-PA7)	-27.00	79.00
TP512	Net-(U501-PB5)	-28.00	101.00
TP513	Vbus_ctrl	-19.00	99.00
TP514	Light_sns	-38.00	69.00
TP515	INT_EN	-19.00	102.00
TP516	Net-(U501-PA12)	-23.00	100.00
TP517	Net-(U501-PA15)	-25.00	104.00
TP518	BOOT0	-32.00	117.00
TP519	SH0	-24.00	89.00
TP520	SH0	-20.00	87.00

The main PCB layout shows various components including resistors (R), capacitors (C), integrated circuits (U), diodes (D), transistors (Q), and connectors (J). The test points are distributed across the board, with some located near specific components like TP302 near U501 and TP514 near D501. A coordinate system (X, Y) is provided at the bottom left of the layout area.

ChurrasCod Electronics

Comments:

Company: ChurrasCod Electronics

Variant: PRELIMINARY

Git Hash: cb3e7e3

Board Name: Main board

Project Name: 1 kV strobe

Sheet Title: Top Test Points (Scale 1:1)

File Name: Strobe_main.kicad_pcb

Designer: FR

Date: 2024-04-13

Revision: 1.0.0+ (Unreleased)

Sheet Path:

Reviewer:


Size: A3

Sheet: 5 of 10

[illegible]

Main board Fabrication Document

Bottom Test Points (Scale 1:1)



Ref.	Net	X [mm]	Y [mm]
TP309	TP_REF	25.50	-31.00
TP502	Net-(U501-PA1)	-32.00	98.00


1 kV strobe
04/Jul/25
Felipe L Rodrigues



Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: cb3e7e3
	Board Name: Main board		Project Name: 1 kV strobe	
Sheet Title: Bottom Test Points (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
Sheet Path:		Reviewer:	Size: A3	Sheet: 6 of 10

Main board Fabrication Document


F.Cu (Sig, PWR) (Scale 1:1)




Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: cb3e7e3
	Board Name: Main board		Project Name: 1 kV strobe	
Sheet Title: F.Cu (Sig, PWR) (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
Sheet Path:		Reviewer:	Size: A3	Sheet: 7 of 10

Main board Fabrication Document


In1.Cu (GND) (Scale 1:1)




 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: cb3e7e3
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: In1.Cu (GND) (Scale 1:1)		File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 8 of 10

Main board Fabrication Document



In2.Cu (Sig, PWR) (Scale 1:1)



 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: cb3e7e3
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: In2.Cu (Sig, PWR) (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)	
	Sheet Path:		Reviewer:	Size: A3	Sheet: 9 of 10	

Main board Fabrication Document

B.Cu (Sig, PWR) (Scale 1:1)



Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: cb3e7e3
	Board Name: Main board		Project Name: 1 kV strobe	
Sheet Title: B.Cu (Sig, PWR) (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
Sheet Path:		Reviewer:	Size: A3	Sheet: 10 of 10