


Top Fabrication (Scale 1:1)

	Material	Layer	Thickness	Dielectric	Type	Gerber
		F.Paste			Paste Mask	
		F.Silkscreen			Legend	GBR
		F.Mask	0.02mm		Solder Mask	GBR
	Copper	F.Cu (Sig, PWR)	0.07mm (2.00oz)	Direct Printing	Signal	GBR
		Prepreg	0.1mm	FR4_7628	Dielectric	
	Copper	In1.Cu (GND)	0.035mm (1.00oz)		Plane	GBR
		Core	1.828mm	FR4	Dielectric	
	Copper	In2.Cu (Sig, PWR)	0.035mm (1.00oz)		Plane	GBR
		Prepreg	0.1mm	FR4_7628	Dielectric	
	Copper	B.Cu (Sig, PWR)	0.07mm (2.00oz)		Signal	GBR
		B.Mask	0.02mm	Solder Resist	Solder Mask	GBR
		B.Silkscreen		Direct Printing	Legend	GBR
		B.Paste			Paste Mask	


Total thickness: 2.278mm
Note: external layer thicknesses are specified after plating




Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
	Board Name: Main board		Project Name: 1 kV strobe	
Sheet Title: Top Fabrication (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
Sheet Path:		Reviewer:	Size: A3	Sheet: 1 of 10

Main board Fabrication Document

Bottom Fabrication (Scale 1:1)



1 kV strobe
04/Jul/25
Felipe L. Rodrigues


	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: Bottom Fabrication (Scale 1:1)		File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 2 of 10


Main board Fabrication Document

Drill Drawing L1 - L4 (Scale 1:1)

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	69	0,30mm (11,81mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Via
○	62	0,50mm (19,69mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Via
+	22	0,50mm (19,69mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
□	5	0,70mm (27,56mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
◇	12	0,80mm (31,50mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊗	2	0,90mm (35,43mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
※	20	1,00mm (39,37mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊠	12	1,02mm (40,16mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊞	8	1,10mm (43,31mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊕	2	1,20mm (47,24mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
○	6	1,50mm (59,06mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
○	16	1,80mm (70,87mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
⊗	1	3,20mm (125,98mils)	PTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Pad
	Total 237					





ChurrasCod
Electronics

Comments:

Sheet Title:
Drill Drawing (L1 - L4)

Sheet Path:

Company:
ChurrasCod Electronics

Board Name:
Main board

File Name:
Strobe_main.kicad_pcb

Designer:
FR

Reviewer:

Variant:
PRELIMINARY

Project Name:
1 kV strobe

Date:
2024-04-13

Size:
A3


Git Hash:
8a917a0


Revision:
1.0.0+ (Unreleased)

Sheet:
3 of 10

Main board Fabrication Document					Drill Drawing L1 - L4 (Scale 1:1)																																								
Drill Table <table><thead><tr><th>Symbol</th><th>Count</th><th>Hole Size</th><th>Plated</th><th>Hole Shape</th><th>Drill Layer Pair</th><th>Hole Type</th></tr></thead><tbody><tr><td>×</td><td>2</td><td>1,02mm (40,16mils)</td><td>NPTH</td><td>Round</td><td>F,Cu (Sig, PWR) - B,Cu (Sig, PWR)</td><td>Mechanical</td></tr><tr><td>○</td><td>1</td><td>1,35mm (53,15mils)</td><td>NPTH</td><td>Round</td><td>F,Cu (Sig, PWR) - B,Cu (Sig, PWR)</td><td>Mechanical</td></tr><tr><td>+</td><td>3</td><td>3,20mm (125,98mils)</td><td>NPTH</td><td>Round</td><td>F,Cu (Sig, PWR) - B,Cu (Sig, PWR)</td><td>Mechanical</td></tr><tr><td colspan="2">Total 6</td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>							Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type	×	2	1,02mm (40,16mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical	○	1	1,35mm (53,15mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical	+	3	3,20mm (125,98mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical	Total 6										
Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type																																							
×	2	1,02mm (40,16mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical																																							
○	1	1,35mm (53,15mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical																																							
+	3	3,20mm (125,98mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical																																							
Total 6																																													
ChurrasCod Electronics					<table><tr><td colspan="2">Comments:</td><td colspan="2">Company: ChurrasCod Electronics</td><td>Variant: PRELIMINARY</td><td>Git Hash: 8a917a0</td></tr><tr><td colspan="2">Sheet Title: Drill Drawing (L1 - L4)</td><td colspan="2">File Name: Strobe_main.kicad_pcb</td><td colspan="2">Project Name: 1 kV strobe</td></tr><tr><td colspan="2">Sheet Path:</td><td>Designer: FR</td><td>Date: 2024-04-13</td><td colspan="2">Revision: 1.0.0+ (Unreleased)</td></tr><tr><td colspan="2"></td><td>Reviewer:</td><td>Size: A3</td><td colspan="2">Sheet: 4 of 10</td></tr></table>				Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0	Sheet Title: Drill Drawing (L1 - L4)		File Name: Strobe_main.kicad_pcb		Project Name: 1 kV strobe		Sheet Path:		Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)				Reviewer:	Size: A3	Sheet: 4 of 10														
Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0																																								
Sheet Title: Drill Drawing (L1 - L4)		File Name: Strobe_main.kicad_pcb		Project Name: 1 kV strobe																																									
Sheet Path:		Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)																																									
		Reviewer:	Size: A3	Sheet: 4 of 10																																									


Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	2	1,02mm (40,16mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical
○	1	1,35mm (53,15mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical
+	3	3,20mm (125,98mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical
	Total 6					




 ChurrasCod Electronics	Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
	Sheet Title: Drill Drawing (L1 - L4)	Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Path:	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
			Reviewer:	Size: A3	Sheet: 4 of 10

Main board Fabrication Document

Top Test Points (Scale 1:1)




Ref.	Net	X [mm]	Y [mm]
TP20	DRV_OUT	44.50	19.00
TP21	LMP_EN	36.00	42.50
TP22	Mon_LMP	25.77	55.00
TP23	Mon_S1k	33.50	55.00
TP24	S1k	82.00	98.50
TP25	LMP	69.00	8.00
TP26	TP_REF	64.00	92.00
TP27	TP_PRI	76.50	83.50
TP28	Mon_IL	44.50	26.50
TP60	Net-(U60-PA0)	32.00	17.50
TP61	Net-(U60-PA1)	32.00	20.00
TP62	Mon_S1k_buf	26.00	30.00
TP63	Net-(U60-PB0)	26.00	40.00
TP64	Mon_IL_prot	26.00	32.50
TP65	Net-(U60-PB3)	12.00	25.50
TP66	Mon_LMP_buf	26.00	35.00
TP67	Net-(U60-PB4)	12.00	23.00
TP68	Net-(U60-PA7)	26.00	37.50
TP69	Net-(U60-PB5)	12.00	20.50
TP70	Vbus_ctrl	12.00	37.00
TP71	Light_sns	32.00	12.50
TP72	INT_EN	12.00	34.50
TP73	BOOT0	12.00	18.00
TP74	Net-(U60-PA15)	12.00	28.00
TP75	SH0	12.00	30.50
TP76	SH0	32.00	15.00
TP77	SH0	26.00	42.50

 ChurrasCod Electronics	Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
		Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: Top Test Points (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:		Reviewer:	Size: A3	Sheet: 5 of 10

Main board Fabrication Document

Bottom Test Points (Scale 1:1)



Ref.	Net	X [mm]	Y [mm]
------	-----	--------	--------





1 kV strobe
04/Jul/25
Felipe L. Rodrigues

 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: Bottom Test Points (Scale 1:1)		File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 6 of 10

Main board Fabrication Document


F.Cu (Sig, PWR) (Scale 1:1)




 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: F.Cu (Sig, PWR) (Scale 1:1)	File Name: Strobe_main.kicad_pcb		Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 7 of 10

Main board Fabrication Document


In1.Cu (GND) (Scale 1:1)




 ChurrasCod Electronics	Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
	Sheet Title: In1.Cu (GND) (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:		Reviewer:	Size: A3	Sheet: 8 of 10

Main board Fabrication Document


In2.Cu (Sig, PWR) (Scale 1:1)




 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: In2.Cu (Sig, PWR) (Scale 1:1)		File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 9 of 10

Main board Fabrication Document

B.Cu (Sig, PWR) (Scale 1:1)



 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: 8a917a0
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: B.Cu (Sig, PWR) (Scale 1:1)	File Name: Strobe_main.kicad_pcb		Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 10 of 10