



[illegible][illegible][illegible][illegible][illegible][illegible]

- [illegible]

Main board Fabrication Document

Bottom Fabrication (Scale 1:1)



1 kV strobe
04/Jul/25
Felipe L Rodrigues




Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d
	Board Name: Main board		Project Name: 1 kV strobe	
Sheet Title: Bottom Fabrication (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
Sheet Path:		Reviewer:	Size: A3	Sheet: 2 of 10

Main board Fabrication Document

Drill Drawing L1 - L4 (Scale 1:1)

Drill Table

Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	91	0,30mm (11,81mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Via
○	21	0,50mm (19,69mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
+	5	0,70mm (27,56mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
□	12	0,80mm (31,50mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
◇	2	0,90mm (35,43mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
⊗	20	1,00mm (39,37mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
※	12	1,02mm (40,16mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
⊠	8	1,10mm (43,31mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
⊞	2	1,20mm (47,24mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
⊕	6	1,50mm (59,06mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
⦶	16	1,80mm (70,87mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
⦶	1	3,20mm (125,98mils)	PTH	Round	F.Cu (Sig, PWR) - B.Cu (Sig, PWR)	Pad
Total 196						



	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: Drill Drawing (L1 - L4)	File Name: Strobe_main.kicad_pcb		Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 3 of 10


Main board Fabrication Document						Drill Drawing L1 - L4 (Scale 1:1)																																					
Drill Table <table><thead><tr><th>Symbol</th><th>Count</th><th>Hole Size</th><th>Plated</th><th>Hole Shape</th><th>Drill Layer Pair</th><th>Hole Type</th></tr></thead><tbody><tr><td>×</td><td>2</td><td>1,02mm (40,16mils)</td><td>NPTH</td><td>Round</td><td>F,Cu (Sig, PWR) - B,Cu (Sig, PWR)</td><td>Mechanical</td></tr><tr><td>○</td><td>1</td><td>1,35mm (53,15mils)</td><td>NPTH</td><td>Round</td><td>F,Cu (Sig, PWR) - B,Cu (Sig, PWR)</td><td>Mechanical</td></tr><tr><td>+</td><td>3</td><td>3,20mm (125,98mils)</td><td>NPTH</td><td>Round</td><td>F,Cu (Sig, PWR) - B,Cu (Sig, PWR)</td><td>Mechanical</td></tr><tr><td colspan="2">Total 6</td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table>							Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type	×	2	1,02mm (40,16mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical	○	1	1,35mm (53,15mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical	+	3	3,20mm (125,98mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical	Total 6								
Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type																																					
×	2	1,02mm (40,16mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical																																					
○	1	1,35mm (53,15mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical																																					
+	3	3,20mm (125,98mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical																																					
Total 6																																											
ChurrasCod Electronics				<table><tr><td colspan="2">Comments:</td><td colspan="2">Company: ChurrasCod Electronics</td><td>Variant: PRELIMINARY</td><td>Git Hash: a00b65d</td></tr><tr><td colspan="2">Sheet Title: Drill Drawing (L1 - L4)</td><td colspan="2">File Name: Strobe_main.kicad_pcb</td><td colspan="2">Project Name: 1 kV strobe</td></tr><tr><td colspan="2">Sheet Path:</td><td>Designer: FR</td><td>Date: 2024-04-13</td><td>Revision: 1.0.0+ (Unreleased)</td><td></td></tr><tr><td colspan="2"></td><td>Reviewer:</td><td>Size: A3</td><td>Sheet: 4 of 10</td><td></td></tr></table>			Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d	Sheet Title: Drill Drawing (L1 - L4)		File Name: Strobe_main.kicad_pcb		Project Name: 1 kV strobe		Sheet Path:		Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)				Reviewer:	Size: A3	Sheet: 4 of 10														
Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d																																						
Sheet Title: Drill Drawing (L1 - L4)		File Name: Strobe_main.kicad_pcb		Project Name: 1 kV strobe																																							
Sheet Path:		Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)																																							
		Reviewer:	Size: A3	Sheet: 4 of 10																																							

Main board Fabrication Document

Drill Drawing L1 - L4 (Scale 1:1)

Drill Table


Symbol	Count	Hole Size	Plated	Hole Shape	Drill Layer Pair	Hole Type
×	2	1,02mm (40,16mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical
○	1	1,35mm (53,15mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical
+	3	3,20mm (125,98mils)	NPTH	Round	F,Cu (Sig, PWR) - B,Cu (Sig, PWR)	Mechanical
	Total 6					



	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d
	Board Name: Main board			Project Name: 1 kV strobe		
	Sheet Title: Drill Drawing (L1 - L4)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)	
	Sheet Path:			Reviewer:	Size: A3	Sheet: 4 of 10

Main board Fabrication Document

Top Test Points (Scale 1:1)



Ref.	Net	X [mm]	Y [mm]
TP302	LMP_EN	36.50	42.44
TP303	Mon_LMP	33.05	58.28
TP304	SH0	26.05	58.04
TP308	S1k	94.00	103.50
TP310	TP_PRI	76.00	83.50
TP311	LMP	69.00	8.00
TP312	SH0	44.50	28.50
TP313	SH0	47.00	52.50
TP501	Net-(U501-PA0)	20.80	18.04
TP502	Net-(U501-PA1)	21.80	21.54
TP505	Mon_S1k_buf	24.80	24.67
TP506	Net-(U501-PB0)	28.80	30.54
TP507	Mon_IL_prot	28.30	26.04
TP508	Net-(U501-PB3)	11.30	31.54
TP509	Mon_LMP_buf	29.80	28.54
TP510	Net-(U501-PB4)	8.30	30.54
TP511	Net-(U501-PA7)	26.30	29.04
TP512	Net-(U501-PB5)	11.80	29.04
TP513	Vbus_ctrl	21.00	39.00
TP514	Light_sns	28.00	13.50
TP515	INT_EN	19.30	40.67
TP517	Net-(U501-PA15)	8.80	33.54
TP518	BOOT0	9.80	26.54
TP519	SH0	11.00	35.67
TP520	SH0	27.00	20.00

Lim. resistor
PFC

HMI

Ext
ctrl

SWD
Status

Lamp
trig

1 kV strobe
04/Jul/2025

Boot

Cap+

Lamp+

Light
sense

Felipe L Rodrigues

Cap-


Lamp-



Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY		Git Hash: a00b65d
	Board Name: Main board		Project Name: 1 kV strobe		
	Sheet Title: Top Test Points (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
Sheet Path:			Reviewer:	Size: A3	Sheet: 5 of 10

Main board Fabrication Document

Bottom Test Points (Scale 1:1)



Ref.	Net	X [mm]	Y [mm]
TP309	TP_REF	66.00	85.50


1 kV strobe
04/Jul/25
Felipe L Rodrigues



Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d
	Board Name: Main board		Project Name: 1 kV strobe	
Sheet Title: Bottom Test Points (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
Sheet Path:		Reviewer:	Size: A3	Sheet: 6 of 10

Main board Fabrication Document


F.Cu (Sig, PWR) (Scale 1:1)




 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: F.Cu (Sig, PWR) (Scale 1:1)	File Name: Strobe_main.kicad_pcb		Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 7 of 10

Main board Fabrication Document


In1.Cu (GND) (Scale 1:1)




 ChurrasCod Electronics	Comments:	Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d
	Sheet Title: In1.Cu (GND) (Scale 1:1)	File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:		Reviewer:	Size: A3	Sheet: 8 of 10

Main board Fabrication Document


In2.Cu (Sig, PWR) (Scale 1:1)



 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY	Git Hash: a00b65d
			Board Name: Main board		Project Name: 1 kV strobe	
	Sheet Title: In2.Cu (Sig, PWR) (Scale 1:1)		File Name: Strobe_main.kicad_pcb	Designer: FR	Date: 2024-04-13	Revision: 1.0.0+ (Unreleased)
	Sheet Path:			Reviewer:	Size: A3	Sheet: 9 of 10

Main board Fabrication Document

B.Cu (Sig, PWR) (Scale 1:1)



 ChurrasCod Electronics	Comments:		Company: ChurrasCod Electronics		Variant: PRELIMINARY		Git Hash: a00b65d			
			Board Name: Main board		Project Name: 1 kV strobe					
	Sheet Title: B.Cu (Sig, PWR) (Scale 1:1)		File Name: Strobe_main.kicad_pcb		Designer: FR		Date: 2024-04-13		Revision: 1.0.0+ (Unreleased)	
	Sheet Path:				Reviewer:		Size: A3		Sheet: 10 of 10	