

# JPMC Interview Exercise

## Application summary

This is a web application built in React and its purpose is to manage events, where the user can see, create and subscribe/unsubscribe to them.

## Guidelines

**NOTE:** you are provided with **use cases, wireframes and API configuration (see Appendix below)**.

- The application should be written in **JavaScript**.
- A GUI is required. **Use React.js**
- Write down all assumptions you make, since you will not be able to ask any questions.
- The source code should be suitable for forming part of the object model of a production application.
- Feel free to use any other external library you may need.
- Unless told otherwise, please submit your responses **before 8:00am on the Monday** following your first interview.
- Do NOT upload your code to public websites such as github.

## Appendix

### Use cases

- As a user, I would like to:
  - Be able to access a dashboard with a list of events
  - See the list of events listed by categories, with the title being the category name
  - Have at the beginning a separated title for **“Upcoming 5 Events”**, where I can see the next 5 events that will occur chronologically
  - Have the events that appear in Upcoming 5 Events, be excluded from the other category lists
  - Be able to subscribe/unsubscribe to events
  - Create an event with the following fields: Name, Description, Category, Location, Date
  - Have the following possible **Categories**:
    1. Work
    2. Sportive
    3. Lunches
    4. Voluntary service

## Wireframes

### Dashboard

The dashboard wireframe features a header with a 'Create Event +' button. Below the header, the title 'Upcoming 5 events' is displayed. The main content area contains five event cards arranged in a grid. Each card has a header section with labels for 'Name', 'Description', 'Location', and 'Date', followed by a checkbox. The second and fourth cards have a green checkmark in the checkbox, and a green arrow points from the text 'Subscribed to event' to the checkmark in the second card. Below the event cards, the title 'Category 1' is shown, followed by three empty rectangular boxes.

### Event Creation

The 'Create event' modal wireframe has a title bar with a close button (X). The form contains five input fields labeled 'Name', 'Description', 'Category', 'Location', and 'Date'. At the bottom of the modal, there are two buttons: 'CANCEL' on the left and 'OK' on the right.

## Configure API

In order for the application to run you are going to need a service to fetch and store events. The server will be built using **json-server** (<https://github.com/typicode/json-server>):

```
> npm install --save json-server
```

Now we'll just need to create a **db.json** file in the project folder root with the following content:

```
{
  "events": [
    {
      "id": 0,
      "name": "SCRUM Alliance Catch-up",
      "description": "Monthly catch-up from SCRUM Alliance",
      "location": "Palo Alto - California",
      "date": "2022-02-02",
      "categoryId": 0
    },
    {
      "id": 1,
      "name": "Burgers at Dellepiane",
      "description": "Join the whole team for burgers at Dellepiane",
      "location": "Luis Dellepiane 685",
      "date": "2022-05-31",
      "categoryId": 2
    },
    {
      "id": 2,
      "name": "Brazilian Fight Club",
      "description": "Jiu jitsu and wrestling",
      "location": "Corrientes 242",
      "date": "2022-05-01",
      "categoryId": 1
    },
    {
      "id": 3,
      "name": "Skip level lunch",
      "description": "Lunch for networking and team building",
      "location": "Root Bar Cafe",
      "date": "2022-06-20",
      "categoryId": 0
    },
    {
      "id": 4,
      "name": "Feed our Bearded Dragons",
      "description": "Feed wild & free Bearded Dragons",
      "location": "Palermo woods",
      "date": "2023-11-10",
      "categoryId": 3
    },
    {
      "id": 5,
      "name": "Helping goats",
      "description": "Come to help our little friends",
      "location": "La Noria Bridge",
      "date": "2022-08-02",
      "categoryId": 3
    },
    {
      "id": 6,
      "name": "Pokemon GO classes for elders",
      "description": "Come and share your expertise",
      "location": "Lanus City",
      "date": "2022-10-02",
      "categoryId": 3
    },
    {
      "id": 7,
      "name": "Wine Taste",
      "description": "Come to taste the best wines in Argentina",
      "location": "Bodega The Goat",
      "date": "2022-01-02",
      "categoryId": 2
    }
  ],
  "categories": [
    {
      "id": 0,
      "name": "Work"
    },
    {
      "id": 1,
      "name": "Sportive"
    },
    {
      "id": 2,
      "name": "Lunches"
    },
    {
      "id": 3,
      "name": "Voluntary Service"
    }
  ]
}
```

To run the server, execute the following command on a terminal, you should see an output like this:

```
> \{^_^}/ hi!  
  
Loading db.json  
Done  
  
Resources  
http://localhost:3000/events  
http://localhost:3000/categories  
  
Home  
http://localhost:3000  
  
Type s + enter at any time to create a snapshot of the database
```