Available Capacity

Answer key

Write one letter in each box. Clues on page 2.



Available Capacity

Across

2. The nervous system that controls automatic functions such as heart rate and digestion.

4. Each activity has one even when nobody sends you a bill.

6. When symptoms become severe, this may be more important than finishing the task.

8. Available capacity describes what you can manage right ___.

9. You do not need to give your available capacity a number or a ___.

12. Light, sound, and busy surroundings can add this type of strain.

16. A supporter might offer company, help, quiet, or some ___.

17. What you might do in a chair when standing uses too much capacity.

18. Capacity includes considering what you may need ___ an activity.

20. Tools or devices that may make an activity safer or easier.

21. A spoon may be useful for soup, but it is not a medical ___ of energy.

24. Reducing background ___ can make a conversation easier.

25. Doing something once does not mean you can always ___ it five minutes later.

30. An activity that may need to stop when symptoms make it unsafe.

31. A medical term for an ability that gets worse with repeated or continued effort.

35. The effort or pressure that an activity puts on you.

36. Something bright that can add to sensory overload.

37. Some effects of an activity may appear after a ___.

Down

1. To make bright lights less bright.

3. Getting dressed, taking a shower, or making food is an example of one.

4. Support should respect a person's own ___ about how to use their capacity.

5. The abbreviation for a health professional who helps people adapt daily activities.

6. In a theory that uses kitchen utensils, this item represents part of your available capacity.

7. Everyday activities can require much more of this than other people realize.

10. When saying 'I'm a little tired' does not come close to describing how you feel.

11. Spending time with someone is a social activity that can use capacity.

13. Available capacity is more than simply how much ___ you think you have.

14. The point when continuing an activity becomes too difficult or unsafe.

15. A short sleep that may help you recharge during the day.

18. Support or equipment that makes an activity easier.

19. What you may need time to do after an activity or episode.

22. A way to communicate when speaking is difficult.

23. When capacity is very ___, safety may need to come first.

26. Changing activities or taking breaks to make daily life easier to manage.

27. To request support instead of trying to manage alone.

28. What you may want when the sounds around you become overwhelming.

29. Something pacing may include when an activity becomes difficult.

32. Something you may use to make an activity safer or easier.

33. The total amount of pressure placed on you at one time.

34. The amount you can handle at a particular time.

Numbered grid on page 1.