



SOP-003 — Shop Opening Procedure

Section 1: Company Operations

SOP · Version 1.0

Organization: _____

Document ID: sop-003-shop-opening-procedure

Effective Date: _____

Approved By: _____

SOP-003 — Shop Opening Procedure

Forge Standard Operating Procedures v1.0

Section 1: Company Operations

Purpose

Standardize the start of every business day so bays, tools, and front desk are production-ready before the first customer.

Scope

First person on site (typically lead installer or opening manager). Completed before 30 minutes prior to first appointment.

Responsibilities

Role	Responsibility
Opening lead	Executes full opening checklist
Customer service	Verifies CRM appointments and phone forwarding

Procedure

Facility & security

1. Disarm alarm; unlock front entry. Lights on in showroom, bays, and QC area.
2. Verify HVAC running — target 68–72°F in install bays.
3. Check restrooms and waiting area are clean and stocked.

Production readiness

1. Complete Daily Bay Reset Checklist in each active bay.
2. Power on compressors, plotters, and heat guns; verify air pressure and blade condition.
3. Restock PPE, towels, IPA, slip solution, and blades to par levels.
4. Review today's work orders — confirm film/coverage materials pulled for first two jobs.

Front desk readiness

1. Boot POS, CRM, and phone system. Test hold music and voicemail.
2. Print or queue today's appointment sheet.
3. Post daily production board with bay assignments.

Checkpoint: Shop is customer-presentable and first job can start within 15 minutes of vehicle arrival.

Quality standards

- ☐ Opening checklist signed daily
- ☐ No bay starts a job without completed reset

Related documents

Document	ID
Daily Bay Reset Checklist	daily-bay-reset-checklist
Shop Closing Procedure	sop-004-shop-closing-procedure
Installation Bay Setup	sop-203-installation-bay-setup

Revision history

Version	Date	Author	Changes
1.0	2026-07-23	Forge Operations	Initial release