

PREMCE analysis - Effect of computationally-derived variables on memory

[[1]]

[1] "dplyr" "stats" "graphics" "grDevices" "utils"

[7] "methods" "base"

[[2]]

[1] "ggplot2" "dplyr" "stats" "graphics" "grDevices"

[7] "datasets" "methods" "base"

[[3]]

[1] "tidyr" "ggplot2" "dplyr" "stats" "graphics"

[7] "utils" "datasets" "methods" "base"

[[4]]

[1] "lme4" "Matrix" "tidyr" "ggplot2" "dplyr"

[7] "graphics" "grDevices" "utils" "datasets" "methods"

[[5]]

[1] "car" "carData" "lme4" "Matrix" "tidyr"

[7] "dplyr" "stats" "graphics" "grDevices" "utils"

[13] "methods" "base"

PE and uncertainty

Analysis of Deviance Table (Type III Wald chisquare tests)

Response: con_weighted_acc

	Chisq	Df	Pr(>Chisq)
(Intercept)	6528.1641	1	< 2e-16 ***
accuracy_cent	37.7617	1	7.99e-09 ***
uncertainty.s	0.3532	1	0.5547
experiment.c	0.7316	1	0.3895
Delta.s	0.2296	1	0.6303
accuracy_cent:uncertainty.s	10.0907	1	0.0017 **
accuracy_cent:experiment.c	0.0495	1	0.8240
uncertainty.s:experiment.c	0.2426	1	0.6225
accuracy_cent:Delta.s	1.6371	1	0.2028
experiment.c:Delta.s	1.0840	1	0.3010
accuracy_cent:uncertainty.s:experiment.c	1.3927	1	0.2360
accuracy_cent:experiment.c:Delta.s	0.9424	1	0.3300