Project Fisheries - FRB Cesab training

Céline **Albert**, Samuel **Charberet**, Lola **Gilbert**

02/12/2021

The project is available on *github*

1. R work environment

`Targets` to manage our workflow

`renv` to make our R environment reproducible

`rmarkdown` to generate both this presentation and a Latex report

`ggplot2` to visualize our data

2. Question

How much carbon (C), nitrogen (N), and phosphorus (P) is extracted every year from the Barents Sea through fishing ?

2. Data

2.1. Data extracted

- **Carbone (C), Nitrogen (N), Phosphorus (P)** content (% of dry mass) from Jabot, F. et al., (2020): Dataset for the article "Body stoichiometry of heterotrophs: assessing drivers of interspecific variations in elemental composition". figshare. Dataset. https://doi.org/10.6084/m9.figshare.13366310.v1
- **Tonnage** from *Sea Around Us* We downloaded data for the Barents Sea area on the Website: https://www.seaaroundus.org/

SEA AROUND US
FISHERIES, ECOSYSTEMS & BIODIVERSITY

- **Taxonomic data** from the Global Biodiveristy Information Facility (GBIF)

2.2. Data manipulation

Having two different dataset has required to join them. However, the species name were not exactly noted the same way on the two documents. Therefore we had to do some cleaning on both datasets.

2.3. Final dataset

Our final dataset contains:
* Carbone (C)
* Nitrogen (N)
* Phosphorus (P)
* Species (n species of fishes)
* Tonnage
* Countries
* Type of gear

3. Analyses and vizualisation

Representation of our results




Norway
Russian Federation
United Kingdom
Landed tonnage (tons)
2.0e+09
1.5e+09
1.0e+09
5.0e+08
0.0e+00
1960
1980
2000
2020
Year
Species
gadus morhua
merluccius merluccius
salmo salar
scomber scombrus



4. Workflow

vizualisation of tar_visnetwork