
2 Logo



2.1 Our logo

Our logo is the cornerstone of our identity. It influences everything in our brand system, from the dimensions of our layout grids to the shapes and colours in our distinctive ‘Dynamic Tab’ device.

Our name, in bold capitalised type, set within our signature red wordmark box, is the most prominent expression of our brand, and as such, acts as a clear and consistent identifier.

It is a simple and instantly recognisable shape. It has become a hallmark of our proud history, and is a visual embodiment of the sense of focus and precision that characterises our company.

2.2 — Overview

Our logo is made up of the BAE Systems wordmark and a wordmark box. The diagram on the right illustrates these different elements.

On all forms of communication, our logo is a universal signature, and our stamp of authenticity. That is why it is important to understand how to use it correctly and consistently.

Using the BAE Systems logo
Our logo is the registered trademark of BAE Systems Plc. Our logo must be protected or we risk legal and reputational damage to our company.

The logo and its use are critical in protecting intellectual property.

Creation of other logos
Creating other logos dilutes and weakens the overall BAE Systems brand - it damages our 'one-brand' culture. Developing and managing additional logos costs time and money. Budgets should not be assigned for logo development unless appropriate approvals have been put in place at an Inc. or Plc level (see below).

Logos for joint ventures, customer partnerships and international programs are the kinds of areas that may be considered, but only in specific circumstances.

Joint venture, partnership and program logos
These logos can be considered but must be pre-approved by the Group Communications or Inc. Communications, and Group Legal teams. You must engage with the appropriate teams before any work is carried out.

Third party use of our logo
Our logo should not be provided to third parties without approval.

Before providing our logo and guidance on how to use it, consider:

- Is this a trusted third party?
- Can we control how they use the logo, and how long they may use it?
- Are there any risks?

If we grant a third party permission to use the logo and associated IP rights, this must be properly documented and have the appropriate approvals. Please refer to the IP policy or ask your local Legal team or IP & TL point of contact for assistance.

We must ensure that if we grant permission to use our logo, we only allow the partner or supplier to use the logo for the specific purpose they have requested. If they wish to use the logo for longer, or in any other way, the partner must seek permission in writing.

BAE SYSTEMS

See page 26 for more details on logo safe area

Downloads Logo artworks can be downloaded from the Brand Portal. Logo artworks are available in English. Saudi Arabia and Oman have specific Arabic versions.

Approval Needed Before you begin any work, you must obtain pre-approval by engaging with the appropriate teams at Group Communications, Inc. Communications and Legal. This also applies to allowing a third party to use our logo.

2.3 — Logo versions

Primary logo
We should use our primary logo for almost all situations. Our primary logo colour never changes and the logo cannot be used in any other colour combination. You will find the colour references for various print and online processes beneath the logo.



Red — Pantone 199c
CMYK: 0 / 100 / 80 / 0 — RGB: 218 / 3 / 44 — HTML: ED1A3B



Mono logo
The black and white version of our logo is known as the 'mono logo'. It is only used where we cannot use our primary logo, due to print or media restrictions.



Black — Pantone Process Black C
CMYK: 0 / 0 / 0 / 100 — RGB: 0 / 0 / 0 — HTML: 000000



Special circumstances
In special circumstances – such as on merchandise (where there are limited print colours) or on VIP areas on exhibition stands – we may use silver to foil or emboss our logo.



Silver — Pantone 877 C
CMYK: 45 / 34 / 34 / 0 — RGB: 138 / 141 / 143 — HTML: 8A8D8F



Best Practice If you need to use the special circumstances or mono logos, or make wider use of black and white in your communications, please seek approval from Group Communications or your nearest Brand Guardian before you carry out any work.

2.4 — Safe area & minimum sizes

We need to leave enough clear space around our logo to let it stand out and be noticed. We call this the 'safe area'

Safe area
The safe area around the logo is the minimum amount of space that should be left clear of all other graphic elements. To define the correct amount of space, we use the height of the BAE Systems wordmark box ('X') applied equally all around. When using the logo on formats larger than 420mm (16.5"), the safe area is reduced to 0.5 'X', again applied equally all around.




Logo safe area for format sizes up to 420mm (16.5") wide.



Logo safe area for format sizes larger than 420mm (16.5").

Minimum size
The minimum size for printing our logo is 25mm (1") wide, or 71px wide for digital and merchandise applications. Do not reduce the size of our logo beyond these points.




2.5 — Positioning


For clarity and consistency, we always put our logo where it can be easily seen. Wherever possible, the logo should be placed in the bottom right hand corner, even when we are using multiple images.

On extreme size formats, such as pull-up banners, exhibition spaces and some digital applications, the logo can be placed in the top right-hand corner for maximum visibility.


Our logo should never be centrally placed or floating randomly. There is a small degree of flexibility on the position of the logo in Arabic only, which allows for text running right to left.




Logo sits just outside the main grid on a portrait application.



Logo sits just outside the main grid on a landscape application.





Exception: Logo sits in the top right hand corner, just outside of the main grid on a pull-up banner.

2.6 — Sizing

Our mark must always be the right size. The table opposite shows the logo height for some common page formats. To protect the integrity, legibility and impact of the logo in each of these formats, it must never be reproduced smaller than shown here.

Remember
The logo is measured by the height of the wordmark box ('X') as shown below.




Format	Logo size									
Print	3.65mm	5mm	7mm	10mm	14mm	16.5mm	20mm	23.5mm	57mm	179mm
< A6	✓	X	X	X	X	X	X	X	X	X
A6	✓	X	X	X	X	X	X	X	X	X
A5	X	✓	X	X	X	X	X	X	X	X
A4	X	X	✓	X	X	X	X	X	X	X
A4 trifold	X	✓	X	X	X	X	X	X	X	X
US letter	X	X	✓	X	X	X	X	X	X	X
A3	X	X	X	✓	X	X	X	X	X	X
A2	X	X	X	X	✓	X	X	X	X	X
50 x 70	X	X	X	X	X	✓	X	X	X	X
A1	X	X	X	X	X	X	✓	X	X	X
70 x 100 cm	X	X	X	X	X	X	X	✓	X	X
6 sheet ad	X	X	X	X	X	X	X	X	✓	X
48 sheet ad	X	X	X	X	X	X	X	X	X	✓

Best Practice When dealing with non–standard formats, please follow the principles in the 'layout' section of this document.


Format	Logo size		
Digital	<71px	71px	>71px
.GIF .JPG .PNG	X	✓	✓

Unconventional formats
When dealing with tall, wide and odd shaped formats (for example when one side is three or more times longer than the other), use your judgement when sizing the logo and constructing the grid.

Approval Needed Please seek approval from your Brand Guardian for all unconventional format designs.



1. For 'out of home' advertising, measure the format diagonally and divide this by 38 to determine the height of the wordmark box.



2. Set the margins as follows:
- Left and right margins are twice the height of the wordmark box.
- Top and bottom margins are 2.25 x the height of the wordmark box.

2.7 — Logo on imagery

Since our logo is contained by our logo wordmark box, it can be placed over an image and still maintain maximum standout. Placing our logo over an image does not affect its usual position in the bottom right-hand corner (or, in some instances - such as on pull-up banners and trade stands - the top right-hand corner).

However, please ensure that our logo is never positioned on top of the focus point or on an important part of the image.



Logo never placed over the focus point of an image.



Landscape version.




Pull-up banner version.

Best Practice Please ensure that our logo is never positioned on top of the focus point or on an important part of the image.
In the examples shown here, our logo is positioned correctly – not covering or cutting through important content in the images.

2.8 — Dos & don'ts

These are the key considerations to ensure our logo is always applied correctly and consistently.



Do leave the correct amount of clear space around the logo.



Do use our logo on top of photography if there is enough stand-out.




Do use our logo on top of our coloured backgrounds.




Do not use the logo on an orange background.




Do not add text to the safe area.



Do not change colour of the logo.




Do not use the logo on email signatures.




Do not change the proportions of the logo.



Do not put the logo over a key part of the image.



Do not create a shape behind the logo.



Do not use the silver logo unless you have permission.

2.9 — Brand descriptors

The brand identity principles also apply to internal programmes and initiatives. To create consistency across the organisation, we should never create separate logos for these initiatives. Instead, we use our BAE Systems typeface and colour palette to create branded 'descriptors' that can sit together with BAE Systems as the master brand.

The only exceptions are global and regional business winning campaigns when approved by Group Communications, Inc. Communications and Group Legal, and specific Employee Resource Groups (ERGs). These groups support diversity and equality. For further information, assets and guidance, please refer to your local/business ERG contacts.

Branded descriptor principles (with the exception of ERGs)

- Always use our BAE Systems typeface in bold to create the descriptor
- Where the BAE Systems logo is used, the descriptor should be positioned underneath it (always allowing for the correct safe area space as shown in the earlier examples). Never 'lock' (connect) the descriptor to the logo
- Descriptors should always appear in orange or dark grey
- Descriptors are written in title case (only use upper case for acronyms)
- The descriptor is purely typographic. Never use any graphic device or create new symbols to go with a name
- Do not use typographic glyphs for decorative purposes.

Simple branded descriptor

Most branded descriptors will be a simple piece of typesetting consisting of a few words

- Always keep names to one line
- Always use our BAE Systems typeface in bold and in title case.

Example brand descriptors

Enterprise IT Services

Enterprise IT Services

Export Control

Export Control

x BAE SYSTEMS

x

Enterprise IT Services

ERG descriptors

VetNet
Supporting our Military Community

OutLinkUK
Supporting Gender & Sexual Diversity

GEN
Supporting Gender Equality

ENabled UK
Supporting our Disabled Community

Embrace
Supporting Cultural & Ethnic Diversity

MindSet
Supporting Mental Health & Wellbeing

Approval Needed If you are using any other logos, you should phase them out, or if you feel you need to continue using them, as above, you must request approval from Group Communications, Inc. Communications and Group Legal.

Approval Needed Permission to create a logo is only granted in exceptional circumstances, via a formal approvals process. Please discuss your requirement with your brand champion, who will seek approval on your behalf if they agree your project should be considered an exception.