



DPUSGEDistortionDummy

Ensures that the scenery is first rendered to an off-screen buffer.

This allows to create screenshots and videos, even if the SGEView window is obscured by other windows or doesn't fit completely on the screen.

1. Static parameters:

ViewID

The number of the view to render "off-screen". Counting starts at 0, which is assigned to the first view that is listed in the configuration.

ResolutionX,

ResolutionY

Size of the off-screen image buffer (in pixels), into which the scenery is rendered. Should correspond to the window size.

Large Resolution values reduce the achievable frame rate.

Note: For older graphics boards (e.g. NVidia GeForce 6000, 7000 series), powers of two must be used for ResolutionX and ResolutionY, otherwise no output can be seen. Newer boards can use arbitrary values.

2. Dependencies to other DPUs:

DPUSGEDistortionDummy must run together with **DPUSGEWorld** and **DPUSGEView**.

The following Index values must be assigned:

`DPUSGEWorld.Index < DPUSGEDistortionDummy.Index < DPUSGEView.Index`

3. Functional principle:

The DPU works well with the following script:

```
DPUSGEDistortionDummy SGEDistortion
{
    Computer = {VIS};
    Index = 50;

    ResolutionX = 1024;
    ResolutionY = 768;
};
```

Assuming that the associated SGEView has a resolution of 1024 x 768 pixels, it is first rendered in the same dimension into an off-screen buffer. The SGEView window can thus be moved out of the visible screen area, but screenshots and videos are still created correctly.



SILAB DRIVING SIMULATION

version Version 7.1 documentation

(If *DPUSGEDistortionDummy* is not used, most graphics drivers will optimize output and the areas which are not visible on the screen will be completely black in the video, too.)

Note: As an offscreen buffer is available, all created screenshots and videos will have the resolution specified by the DPU parameters *ResolutionX* x *ResolutionY* of *DPUSGEDistortionDummy*, **not** the resolution *WindowW* x *WindowH* of the corresponding *DPUSGEView*.

This fact can be used to render high-resolution screenshots for printing.