

Web References

Matching the same format your teammate used for mobile — IEEE-style reference list plus source summaries tied to actual decisions made in the web codebase.

Reference List

[1] World Wide Web Consortium, "Web Content Accessibility Guidelines (WCAG) 2.1."

Available: <https://www.w3.org/TR/WCAG21/>

[2] Meta Platforms, Inc., "useMemo – React Reference." Available:

<https://react.dev/reference/react/useMemo>

[3] Mozilla Developer Network, "Responsive Design." Available:

https://developer.mozilla.org/en-US/docs/Learn/CSS/CSS_layout/Responsive_Design

[4] Vite, "Building for Production." Available: <https://vitejs.dev/guide/build.html>

[5] World Wide Web Consortium Web Accessibility Initiative, "ARIA Authoring Practices Guide — Landmark Regions." Available:

<https://www.w3.org/WAI/ARIA/apg/patterns/landmarks/>

Source Summaries

W3C Web Content Accessibility Guidelines (WCAG) 2.1

Role: Web

Type of source: Official accessibility standard

Key idea: Web interfaces should expose accessibility information clearly and allow users to filter or identify content that meets their access needs.

How it relates to FROMO: This supports the web app's accessibility filter and the "Step-free entrance" / "Steps at entrance" badges shown on event cards, both driven by venue `is_accessible` data.

Limitation or gap: WCAG defines interface-level accessibility guidance; it does not address whether the underlying data (venue accessibility status) is itself complete or accurate, which remains a data-quality limitation of the feature.

Possible sentence for the literature review: WCAG guidance on communicating accessibility status informed the decision to surface venue accessibility directly on event cards and as a dedicated feed filter, rather than requiring users to open each listing individually.

React useMemo Reference

Role: Web

Type of source: Official framework documentation

Key idea: Expensive derived computations should be memoized so they are only recalculated when their underlying dependencies change, avoiding unnecessary work on every render.

How it relates to FROMO: This supports the use of `useMemo` for filtering the event feed (category, accessibility), computing the nearest busyness level per venue, and grouping map markers by venue — all recalculated only when the underlying event/busyness data changes.

Limitation or gap: It documents the mechanism, not when memoization is actually worthwhile; overuse can add complexity without measurable benefit, so this was applied selectively to the feed's more expensive derived lists rather than everywhere.

Possible sentence for the methodology: Derived views such as the filtered event feed and per-venue busyness lookup were memoized with React's `useMemo` to avoid recomputing them on every render.

MDN Responsive Design

Role: Web

Type of source: Official web platform documentation

Key idea: Layouts should adapt structurally, not just scale, across screen sizes, using flexible grids and breakpoints rather than a single fixed layout.

How it relates to FROMO: This supports the discovery feed's responsive grid (grid-cols-1 on mobile scaling up to sm:, lg:, and xl: breakpoints for the event card grid) and the map/list layout adapting across desktop, iOS Safari, and Android Chrome as stated in the project's own documentation.

Limitation or gap: It covers general responsive layout technique, not evaluation of whether a specific breakpoint scheme is optimal for a given user base or content type.

Possible sentence for the literature review: Responsive design principles guided the web app's breakpoint-based grid layout, allowing the same event discovery interface to scale from a single-column mobile view to a four-column desktop view.

Vite: Building for Production

Role: Web

Type of source: Official build-tool documentation

Key idea: Production builds should be bundled, minified, and monitored for bundle size, with code-splitting recommended once a bundle exceeds a reasonable size threshold.

How it relates to FROMO: This directly supports the identified limitation that the web app's production bundle (~685KB minified) exceeds Vite's 500KB size-warning threshold, and the

proposed future-work item of code-splitting the partner dashboard from the student discovery flow.

Limitation or gap: It documents build tooling behaviour and general recommendations, not a specific code-splitting strategy for this app's particular route structure.

Possible sentence for the methodology/limitations: Vite's production build output flagged the application's single JavaScript bundle as exceeding the recommended size threshold, motivating code-splitting as identified future work.

W3C ARIA Authoring Practices Guide — Landmark Regions

Role: Web

Type of source: Official accessibility/interaction pattern guide

Key idea: Persistent navigation regions should be marked as landmarks (e.g. <nav>) so assistive technology users can identify and jump directly to navigation without reading the full page.

How it relates to FROMO: This supports the structure of the shared student Header and the separate PartnerLayout sidebar navigation, which present distinct, consistently structured navigation regions for the two user types.

Limitation or gap: It defines structural/semantic conventions rather than visual design, so it doesn't guide decisions like which specific destinations belong in the navigation.

Possible sentence for the methodology: The student and partner surfaces each expose their navigation as a distinct landmark region, following standard practice for consistent, assistive-technology-friendly navigation across an application with more than one primary interface.