



2026-01-29-0239

AMD EPYC 9845 160-Core testing with a FUJITSU D4130-A1 (V5.0.0.35 R2.10.0 for D4130-A1x BIOS) and ASPEED on AlmaLinux 9.6 via the Phoronix Test Suite.

Test Systems:

1 x 16 GB DDR5-4800MT

Processor: AMD EPYC 9845 160-Core @ 2.10GHz (160 Cores / 320 Threads), Motherboard: FUJITSU D4130-A1 (V5.0.0.35 R2.10.0 for D4130-A1x BIOS), Chipset: AMD Turin Root Complex, Memory: 1 x 16 GB DDR5-4800MT/s Samsung M321R2GA3BB6-CQKET, Disk: 0GB ASM1153 + 960GB Micron_5400_MTFD, Graphics: ASPEED, Network: Intel I210 + 2 x Intel I350

OS: AlmaLinux 9.6, Kernel: 5.14.0-570.12.1.el9_6.x86_64 (x86_64), Desktop: GNOME Shell 40.10, Display Server: X Server, Compiler: GCC 11.5.0 20240719, File-System: xfs, Screen Resolution: 1024x768

Kernel Notes: Transparent Huge Pages: always

Compiler Notes: --build=x86_64-redhat-linux --disable-libunwind-exceptions --enable-__cxa_atexit --enable-bootstrap --enable-cet --enable-checking=release --enable-gnu-indirect-function --enable-gnu-unique-object --enable-host-bind-now --enable-host-pie --enable-initfini-array --enable-languages=c,c++,fortran,lto

--enable-link-serialization=1 --enable-multilib --enable-offload-targets=nvptx-none --enable-plugin --enable-shared --enable-threads=posix --mandir=/usr/share/man
 --with-arch_32=x86-64 --with-arch_64=x86-64-v2 --with-build-config=bootstrap-lto --with-gcc-major-version-only --with-linker-hash-style=gnu --with-tune=generic
 --without-cuda-driver --without-isl
 Processor Notes: Scaling Governor: acpi-cpufreq schedutil (Boost: Enabled) - CPU Microcode: 0xb10104e
 Security Notes: SELinux + gather_data_sampling: Not affected + itlb_multihit: Not affected + l1tf: Not affected + mds: Not affected + meltdown: Not affected +
 mmio_stale_data: Not affected + reg_file_data_sampling: Not affected + retbleed: Not affected + spec_rstack_overflow: Not affected + spec_store_bypass: Mitigation of
 SSB disabled via prctl + spectre_v1: Mitigation of usercopy/swaps barriers and __user pointer sanitization + spectre_v2: Mitigation of Enhanced / Automatic IBRS; IBPB:
 conditional; STIBP: always-on; RSB filling; PBRSE-IBRS: Not affected; BHI: Not affected + srbds: Not affected + tsx_async_abort: Not affected

1 x 16 GB DDR5-4800MT

RAMspeed SMP - Add - Integer (MB/s) 29161
 RAMspeed SMP - Copy - Integer (MB/s) 28854
 RAMspeed SMP - Scale - Integer (MB/s) 28315
 RAMspeed SMP - Triad - Integer (MB/s) 29140
 RAMspeed SMP - Average - Integer (MB/s) 28923
 RAMspeed SMP - Add - Floating Point (MB/s) 29160
 RAMspeed SMP - Copy - Floating Point (MB/s) 27273
 RAMspeed SMP - Scale - Floating Point (MB/s) 28299
 RAMspeed SMP - Triad - Floating Point (MB/s) 29582
 RAMspeed SMP - Average - Floating Point (MB/s) 28816
 Stream - Copy (MB/s) 20817
 Stream - Scale (MB/s) 20348
 Stream - Triad (MB/s) 22336
 Stream - Add (MB/s) 22316
 Tinymembench - Standard Memcpy (MB/s) 14845
 Tinymembench - Standard Memset (MB/s) 56978
 t-test1 - 1 (sec) 34.85
 t-test1 - 2 (sec) 9.979
 WireGuard + Linux Networking Stack Stress Test (sec) 360.69
 OSBench - Create Files (us/Event) 33.2109
 OSBench - Create Threads (us/Event) 34.980774
 OSBench - Launch Programs (us/Event) 157.039165
 OSBench - Create Processes (us/Event) 139.15062
 OSBench - Memory Allocations (Ns/Event) 64.076185
 CacheBench - Read (MB/s) 10439
 CacheBench - Write (MB/s) 45612
 CacheBench - R.M.W (MB/s) 82719
 Timed CPython Compilation - Default (sec) 22.998
 Timed CPython Compilation - R.B.P.L.O (sec) 327.638
 Schbench - 1 - 128 kb - No (usec, 50.0th Latency Percentile) 3756
 Schbench - 1 - 128 kb - No (usec, 90.0th Latency Percentile) 82560
 Schbench - 1 - 128 kb - No (usec, 99.9th Latency Percentile) 5208
 Schbench - 1 - 128 kb - No (RPS) 81747
 Schbench - 1 - 256 kb - No (usec, 50.0th Latency Percentile) 11280
 Schbench - 1 - 256 kb - No (usec, 90.0th Latency Percentile) 28256
 Schbench - 1 - 256 kb - No (usec, 99.9th Latency Percentile) 15120
 Schbench - 1 - 256 kb - No (RPS) 28071


Schbench - 4 - 128 kb - No (usec, 50.0th Latency Percentile) 3788
 Schbench - 4 - 128 kb - No (usec, 90.0th Latency Percentile) 84352
 Schbench - 4 - 128 kb - No (usec, 99.9th Latency Percentile) 5080
 Schbench - 4 - 128 kb - No (RPS) 84001
 Schbench - 4 - 256 kb - No (usec, 50.0th Latency Percentile) 11312
 Schbench - 4 - 256 kb - No (usec, 90.0th Latency Percentile) 28384
 Schbench - 4 - 256 kb - No (usec, 99.9th Latency Percentile) 14928
 Schbench - 4 - 256 kb - No (RPS) 28240
 Schbench - 8 - 128 kb - No (usec, 50.0th Latency Percentile) 3788
 Schbench - 8 - 128 kb - No (usec, 90.0th Latency Percentile) 84096
 Schbench - 8 - 128 kb - No (usec, 99.9th Latency Percentile) 5048
 Schbench - 8 - 128 kb - No (RPS) 83887
 Schbench - 8 - 256 kb - No (usec, 50.0th Latency Percentile) 11280
 Schbench - 8 - 256 kb - No (usec, 90.0th Latency Percentile) 28512
 Schbench - 8 - 256 kb - No (usec, 99.9th Latency Percentile) 14896
 Schbench - 8 - 256 kb - No (RPS) 28382
 Schbench - 1 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3756
 Schbench - 1 - 128 kb - Yes (usec, 90.0th Latency Percentile) 83072
 Schbench - 1 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5256
 Schbench - 1 - 128 kb - Yes (RPS) 81925
 Schbench - 1 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11280
 Schbench - 1 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28384
 Schbench - 1 - 256 kb - Yes (usec, 99.9th Latency Percentile) 16240
 Schbench - 1 - 256 kb - Yes (RPS) 28157
 Schbench - 16 - 128 kb - No (usec, 50.0th Latency Percentile) 3788
 Schbench - 16 - 128 kb - No (usec, 90.0th Latency Percentile) 84352
 Schbench - 16 - 128 kb - No (usec, 99.9th Latency Percentile) 5032
 Schbench - 16 - 128 kb - No (RPS) 83964
 Schbench - 16 - 256 kb - No (usec, 50.0th Latency Percentile) 11312
 Schbench - 16 - 256 kb - No (usec, 90.0th Latency Percentile) 28384
 Schbench - 16 - 256 kb - No (usec, 99.9th Latency Percentile) 14864
 Schbench - 16 - 256 kb - No (RPS) 28266
 Schbench - 32 - 128 kb - No (usec, 50.0th Latency Percentile) 3788
 Schbench - 32 - 128 kb - No (usec, 90.0th Latency Percentile) 84352
 Schbench - 32 - 128 kb - No (usec, 99.9th Latency Percentile) 5016
 Schbench - 32 - 128 kb - No (RPS) 84162
 Schbench - 32 - 256 kb - No (usec, 50.0th Latency Percentile) 11312
 Schbench - 32 - 256 kb - No (usec, 90.0th Latency Percentile) 28384
 Schbench - 32 - 256 kb - No (usec, 99.9th Latency Percentile) 14800
 Schbench - 32 - 256 kb - No (RPS) 28303
 Schbench - 4 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3780
 Schbench - 4 - 128 kb - Yes (usec, 90.0th Latency Percentile) 84352
 Schbench - 4 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5416
 Schbench - 4 - 128 kb - Yes (RPS) 83847
 Schbench - 4 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11312
 Schbench - 4 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28320
 Schbench - 4 - 256 kb - Yes (usec, 99.9th Latency Percentile) 15024
 Schbench - 4 - 256 kb - Yes (RPS) 28213

Schbench - 64 - 128 kb - No (usec, 50.0th Latency Percentile) 3788
 Schbench - 64 - 128 kb - No (usec, 90.0th Latency Percentile) 84352
 Schbench - 64 - 128 kb - No (usec, 99.9th Latency Percentile) 5000
 Schbench - 64 - 128 kb - No (RPS) 84273
 Schbench - 64 - 256 kb - No (usec, 50.0th Latency Percentile) 11312
 Schbench - 64 - 256 kb - No (usec, 90.0th Latency Percentile) 28384
 Schbench - 64 - 256 kb - No (usec, 99.9th Latency Percentile) 14768
 Schbench - 64 - 256 kb - No (RPS) 28316
 Schbench - 8 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3788
 Schbench - 8 - 128 kb - Yes (usec, 90.0th Latency Percentile) 84096
 Schbench - 8 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5736
 Schbench - 8 - 128 kb - Yes (RPS) 83864
 Schbench - 8 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11312
 Schbench - 8 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28384
 Schbench - 8 - 256 kb - Yes (usec, 99.9th Latency Percentile) 15152
 Schbench - 8 - 256 kb - Yes (RPS) 28284
 Schbench - 128 - 128 kb - No (usec, 50.0th Latency Percentile) 4136
 Schbench - 128 - 128 kb - No (usec, 90.0th Latency Percentile) 84608
 Schbench - 128 - 128 kb - No (usec, 99.9th Latency Percentile) 7752
 Schbench - 128 - 128 kb - No (RPS) 84695
 Schbench - 128 - 256 kb - No (usec, 50.0th Latency Percentile) 12176
 Schbench - 128 - 256 kb - No (usec, 90.0th Latency Percentile) 28384
 Schbench - 128 - 256 kb - No (usec, 99.9th Latency Percentile) 23136
 Schbench - 128 - 256 kb - No (RPS) 28466
 Schbench - 16 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3788
 Schbench - 16 - 128 kb - Yes (usec, 90.0th Latency Percentile) 84096
 Schbench - 16 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5688
 Schbench - 16 - 128 kb - Yes (RPS) 83938
 Schbench - 16 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11280
 Schbench - 16 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28384
 Schbench - 16 - 256 kb - Yes (usec, 99.9th Latency Percentile) 14928
 Schbench - 16 - 256 kb - Yes (RPS) 28278
 Schbench - 256 - 128 kb - No (usec, 50.0th Latency Percentile) 5688
 Schbench - 256 - 128 kb - No (usec, 90.0th Latency Percentile) 85632
 Schbench - 256 - 128 kb - No (usec, 99.9th Latency Percentile) 11248
 Schbench - 256 - 128 kb - No (RPS) 86148
 Schbench - 256 - 256 kb - No (usec, 50.0th Latency Percentile) 17120
 Schbench - 256 - 256 kb - No (usec, 90.0th Latency Percentile) 28512
 Schbench - 256 - 256 kb - No (usec, 99.9th Latency Percentile) 38592
 Schbench - 256 - 256 kb - No (RPS) 28665
 Schbench - 32 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3788
 Schbench - 32 - 128 kb - Yes (usec, 90.0th Latency Percentile) 84352
 Schbench - 32 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5176
 Schbench - 32 - 128 kb - Yes (RPS) 84042
 Schbench - 32 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11312
 Schbench - 32 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28320
 Schbench - 32 - 256 kb - Yes (usec, 99.9th Latency Percentile) 14864
 Schbench - 32 - 256 kb - Yes (RPS) 28287

Schbench - 64 - 128 kb - Yes (usec, 50.0th Latency Percentile) 3788
Schbench - 64 - 128 kb - Yes (usec, 90.0th Latency Percentile) 84352
Schbench - 64 - 128 kb - Yes (usec, 99.9th Latency Percentile) 5096
Schbench - 64 - 128 kb - Yes (RPS) 84222
Schbench - 64 - 256 kb - Yes (usec, 50.0th Latency Percentile) 11312
Schbench - 64 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28320
Schbench - 64 - 256 kb - Yes (usec, 99.9th Latency Percentile) 14800
Schbench - 64 - 256 kb - Yes (RPS) 28285
Schbench - 128 - 128 kb - Yes (usec, 50.0th Latency Percentile) 4120
Schbench - 128 - 128 kb - Yes (usec, 90.0th Latency Percentile) 84608
Schbench - 128 - 128 kb - Yes (usec, 99.9th Latency Percentile) 8088
Schbench - 128 - 128 kb - Yes (RPS) 84638
Schbench - 128 - 256 kb - Yes (usec, 50.0th Latency Percentile) 12208
Schbench - 128 - 256 kb - Yes (usec, 90.0th Latency Percentile) 28320
Schbench - 128 - 256 kb - Yes (usec, 99.9th Latency Percentile) 25376
Schbench - 128 - 256 kb - Yes (RPS) 28341
Schbench - 256 - 128 kb - Yes (usec, 50.0th Latency Percentile) 5816
Schbench - 256 - 128 kb - Yes (usec, 90.0th Latency Percentile) 85120
Schbench - 256 - 128 kb - Yes (usec, 99.9th Latency Percentile) 12240
Schbench - 256 - 128 kb - Yes (RPS) 85587
Schbench - 256 - 256 kb - Yes (usec, 50.0th Latency Percentile) 16864
Schbench - 256 - 256 kb - Yes (usec, 90.0th Latency Percentile) 27872
Schbench - 256 - 256 kb - Yes (usec, 99.9th Latency Percentile) 56256
Schbench - 256 - 256 kb - Yes (RPS) 27991

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Integer



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Add - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Copy - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Scale - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Triad - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

RAMspeed SMP 3.5.0


Type: Average - Benchmark: Floating Point



1. (CC) gcc options: -O3 -march=native

Stream 2013-01-17


Type: Copy



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Scale



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Triad



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Stream 2013-01-17


Type: Add



1. (CC) gcc options: -mcmmodel=medium -O3 -march=native -fopenmp

Tinymembench 2018-05-28


Standard Memcpy



1. (CC) gcc options: -O2 -lm

Tinymembench 2018-05-28


Standard Memset



1. (CC) gcc options: -O2 -lm

t-test1 2017-01-13


Threads: 1



1. (CC) gcc options: -pthread


t-test1 2017-01-13

Threads: 2




1. (CC) gcc options: -pthread

WireGuard + Linux Networking Stack Stress Test



OSBench


Test: Create Files



1. (CC) gcc options: -lm

OSBench


Test: Create Threads



1. (CC) gcc options: -lm

OSBench


Test: Launch Programs



1. (CC) gcc options: -lm

OSBench


Test: Create Processes



1. (CC) gcc options: -lm

OSBench


Test: Memory Allocations



1. (CC) gcc options: -lm

CacheBench


Test: Read



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Write



1. (CC) gcc options: -O3 -lrt

CacheBench


Test: Read / Modify / Write



1. (CC) gcc options: -O3 -lrt


Timed CPython Compilation 3.10.6

Build Configuration: Default




Timed CPython Compilation 3.10.6

Build Configuration: Released Build, PGO + LTO Optimized



Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 1 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 4 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 8 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 16 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: No



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 32 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 64 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 64 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 128 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 128 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21


Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

Schbench 2023-04-21

Message Threads: 256 - Cache Footprint: 256 kb - Locking: Yes



1. (CC) gcc options: -O2 -lpthread -lm

This file was automatically generated via the Phoronix Test Suite benchmarking software on Thursday, 29 January 2026 03:42.